

PW, Absolute, Benz, Diesel, Fire Box, ML, MLC, SML

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



HIGH-PRESSURE WASHERS - COLD WATER

PW-C04

PRESSURE

110 bar

FLOW RATE

360 l/h

ABSORBED POWER

1,4 kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

DIY AND GARDENING



SPECS



ACCESSORIES "PRO" WITH METAL QUICK CONNECTION



ACCESSORIES HOLDER



POWER CORD HOUSING

TECHNICAL DATA

		PW-C04
		I1106A M
		IDAF94298
Code		
PERFORMANCE		
Operating pressure	bar/Mpa	110/11
Flow rate	l/h	360
Max inlet water temperature	°C	50
Power supply	Ph-V-Hz/A	1-230-50/8
Absorbed power	kW	1,4
Motor pole/rpm		universal
Remote control		ITS
Pump/head/pistons		Axial/aluminium/inox
Detergent tank	l	foamer [0,5l]
Detergent delivery		low pressure
Dimension (LxWxH)	cm	31x25x46
Weight	Kg	7

STANDARD EQUIPMENT

CODE: IPPR40021
HANDGRIP 1/4M
-BAYONET



CODE: LCPR40123
LANCE F-BAYONET D. 0,97



CODE: LCPR40128
TURBO LANCE
F-BAYOPNET D.1,15 (0)



CODE: TBAP40178
HIGH PRESSURE HOSE 4 m



CODE: KTRI40331
FOAMER 0,5 l



OPTIONAL ACCESSORIES (BLISTER PACKAGING)

CODE: KTRI40329
ROTATING WATER BRUSH
(BLISTER)



CODE: KTRI40330
FIXED WATER BRUSH
(BLISTER)



CODE: KTRI40331
FOAMER 0,5 l (BLISTER)



CODE: KTRI40325
SURFACE CLEANING
(BLISTER)



CODE: KTRI40324
FLOOR CLEANING
(BLISTER)



CODE: KTRI40327
PIPE CLEANING SET
(BLISTER)



CODE: KTRI40328
SANDBLASTING SET
(BLISTER)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C08

PRESSURE

110 bar

FLOW RATE

360 l/h

ABSORBED POWER

1,4 kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

DIY AND GARDENING

SPECS



ACCESSORIES "PRO" WITH METAL QUICK CONNECTION



ACCESSORIES HOLDER



ERGONOMIC HANDLE

TECHNICAL DATA

		PW-C08 I1106A M IDAF94299
Code		
PERFORMANCE		
Operating pressure	bar/Mpa	110/11
Flow rate	l/h	360
Max inlet water temperature	°C	50
Power supply	Ph-V-Hz/A	1-230-50/8,2
Absorbed power	kW	1,4
Motor pole/rpm		universal
Remote control		ITS
Pump/head/pistons		Axial/aluminium/inox
Detergent tank	l	foamer (0,5l)
Detergent delivery		low pressure
Dimension (LxWxH)	cm	31x25x73
Weight	Kg	8

STANDARD EQUIPMENT

CODE: IPPR40021
HANDGRIP 1/4 M
-BAYONET



CODE: LCPR40123
LANCE F-BAYONET D. 0,97



CODE: LCPR40128
TURBO LANCE
F-BAYOPNET D.1,15 (0)



CODE: TBAP40179
HIGH PRESSURE HOSE 6 m



CODE: KTRI40331
FOAMER 0,5 l



CODE: KTRI40330
FIXED BRUSH



OPTIONAL ACCESSORIES (BLISTER PACKAGING)

CODE: KTRI40329
ROTATING WATER BRUSH
(BLISTER)



CODE: KTRI40330
FIXED WATER BRUSH
(BLISTER)



CODE: KTRI40331
FOAMER 0,5 l (BLISTER)



CODE: KTRI40325
SURFACE CLEANING
(BLISTER)



CODE: KTRI40324
FLOOR CLEANING
(BLISTER)



CODE: KTRI40327
PIPE CLEANING SET
(BLISTER)



CODE: KTRI40328
SANDBLASTING SET
(BLISTER)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C09

PRESSURE

120 bar

FLOW RATE

380 l/h

ABSORBED POWER

1,8 kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

DIY AND GARDENING

SPECS



ACCESSORIES "PRO" WITH METAL QUICK CONNECTION



ACCESSORIES HOLDER



ERGONOMIC HANDLE

TECHNICAL DATA

		PW-C09 I1207A M IDAF94300
Code		
PERFORMANCE		
Operating pressure	bar/Mpa	120/12
Flow rate	l/h	380
Max inlet water temperature	°C	50
Power supply	Ph-V-Hz/A	1-230-50/8,2
Absorbed power	kW	1,8
Motor pole/rpm		universal
Remote control		ITS
Pump/head/pistons		Axial/aluminium/inox
Detergent tank	l	foamer [0,5l]
Detergent delivery		low pressure
Dimension (LxWxH)	cm	25,5x25x78
Weight	Kg	10

STANDARD EQUIPMENT

CODE: IPPR40021 HANDGRIP 1/4M -BAYONET	CODE: LCPR40124 LANCE F-BAYONET D. 0,97	CODE: LCPR40129 TURBO LANCE F-BAYOPNET D.1,15 (0)	CODE: TBAP40179 HIGH PRESSURE HOSE 6 m	CODE: KTRI40331 FOAMER 0,5 I
				
CODE: KTRI40330 FIXED BRUSH				
				

OPTIONAL ACCESSORIES (BLISTER PACKAGING)

CODE: KTRI40329 ROTATING WATER BRUSH (BLISTER)	CODE: KTRI40330 FIXED WATER BRUSH (BLISTER)	CODE: KTRI40331 FOAMER 0,5 I (BLISTER)	CODE: KTRI40325 SURFACE CLEANING (BLISTER)	CODE: KTRI40324 FLOOR CLEANING (BLISTER)
				
CODE: KTRI40327 PIPE CLEANING SET (BLISTER)	CODE: KTRI40328 SANDBLASTING SET (BLISTER)			
				



HIGH-PRESSURE WASHERS - COLD WATER

PW-C21

PRESSURE

130÷160
bar

FLOW RATE

480÷600
l/h

ABSORBED POWER

2,5÷3
kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



CODE: KTRI40418
WALL SUPPORT KIT AND HOSE REEL
(OPTIONAL ACCESSORIES)
WITHOUT HOSE

CODE: KTRI40417
TROLLEY KIT
(OPTIONAL ACCESSORIES)

SPECS



PLUNGER PUMP WITH BRASS
HEAD AND CERAMIC PISTONS



ADJUSTABLE PRESSURE



PROFESSIONAL
PRESSURE GAUGE

TECHNICAL DATA

Code		PW-C21 I1310P M IDAF94361	PW-C21 I1508P M IDAF94359	PW-C21 I1609P M IDAF94360
PERFORMANCE				
Operating pressure	bar/Mpa	130/13	150/15	160/16
Flow rate	l/h	600	480	540
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	1-230-50	1-230-50	1-230-50
Absorbed power	kW	2,9	2,5	2,9
Motor pole/rpm		2-2800	2-2800	2-2800
Remote control		ITS	ITS	ITS
Pump/head/pistons		plunger/brass/ceramic	plunger/brass/ceramic	plunger/brass/ceramic
Detergent tank	l	-	-	-
Deterget delivery		low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	46x28x26	46x28x26	46x28x26
Weight	Kg	18,4	16,8	18,4

STANDARD EQUIPMENT

CODE: IPIP40009
HANDGRIP 1/4 M M22



CODE: LCPR40162
LANCE P400 M22 1,21BI
(FOR 1310)



CODE: LCPR40152
LANCE P400 M22 1,05NE
(FOR 1508)



CODE: LCPR40154
LANCE P400 M22 1,00RS
(FOR 1609)



CODE: TBAP40210
HIGH PRESSURE HOSE
1/4 8 m



OPTIONAL ACCESSORIES

CODE: KTRI40417
TROLLEY KIT



CODE: KTRI40419
HOSE REEL KIT FOR
TROLLEY



CODE: KTRI40418
WALL SUPPORT KIT + HOSE
REEL (WITHOUT HOSE)



CODE: KTRI40443
WALL SUPPORT KIT +
HOSE REEL + HOSE 15 m



CODE: LCPR40151
TURBO LANCE TPR-20 +
M22 D.1,30 (FOR 1310)



CODE: LCPR40150
TURBO LANCE TTR-16 +
M22 D.1,25 (FOR 1508)



CODE: LCPR40155
TURBO LANCE TTR-16 +
M22 D.1,15 (FOR 1609)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C22/PW-C22 P

PRESSURE

120÷160
bar

FLOW RATE

380÷540
l/h

ABSORBED POWER

1,6÷3
kW



PW-C22



PW-C22P

EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

DIY AND GARDENING

SPECS



ALL ACCESSORIES AND POWER CORD CAN BE STORED ON THE UNIT



4 LITRES DETERGENT TANK FOR A LOW-PRESSURE DETERGENT DELIVERY



ERGONOMIC HANDLE

TECHNICAL DATA

WITHOUT HOSE REEL			WITH HOSE REEL			NEW 3000W
		PW-C22 I1207A M	PW-C22P I1207A M	PW-C22P I1307A M	PW-C22P I1508A M	PW-C22P I1609AO M
Code		IDAF94301	IDAF94302	IDAF94303	IDAF94304	IDAF94339
PERFORMANCE						
Operating pressure	bar/Mpa	120/12	120/12	130/13	150/15	160/16
Flow rate	l/h	380	380	420	500	540
Max inlet water temperature	°C	50	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/9	1-230-50/9	1-230-50/9	1-230-50/11	1-230-50/11,2
Absorbed power	kW	1,6	1,6	2	2,5	3
Motor pole/rpm		2-2800	2-2800	2-2800	2-2800	2-2800
Remote control		ITS	ITS	ITS	ITS	ITS
Pump/head/pistons		Axial/aluminium/inox	Axial/aluminium/inox	Axial/aluminium/inox	Axial/aluminium/inox	Axial/brass/inox
Detergent tank	l	4	4	4	4	4
Detergent delivery		low pressure	low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	34,5x29,5x78	34,5x33x86,5	34,5x33x86,5	34,5x33x86,5	34,5x33x86,5
Weight	Kg	18	19	21	20	25

STANDARD EQUIPMENT

CODE: IPPR40019
HANDGRIP 1/4M M22



CODE: LCPR40120
**LANCE M22 D. 0,95
(FOR 1207)**



CODE: LCPR40121
**LANCE M22 D. 0,90
(FOR 1307)**



CODE: LCPR40116
**LANCE M22 D. 0,91
(FOR 1508)**



CODE: LCPR40146
**LANCE M22 D. 1,00
(FOR 1609)**



CODE: LCPR40125
**TURBO LANCE D.1,15(0)
(FOR 1207)**



CODE: LCPR40126
**TURBO LANCE D.1,15(1)
(FOR 1307)**



CODE: LCPR40117
**TURBO LANCE D.1,15(2)
(FOR 1508)**



CODE: LCPR40147
**TURBO LANCE D.1,30(0)
(FOR 1609)**



CODE: TBAP40180
**HIGH PRESSURE HOSE 6 m
(FOR 1207)**



CODE: TBAP40181
**HIGH PRESSURE HOSE 8 m
(FOR 1207 P)**



CODE: TBAP40182
**HIGH PRESSURE HOSE 8 m
(FOR 1307)**



CODE: TBAP40171
**HIGH PRESSURE HOSE 8 m
(FOR 1508/1609)**



OPTIONAL ACCESSORIES (BLISTER PACKAGING)

CODE: KTRI40329
**ROTATING WATER BRUSH
(BLISTER)**



CODE: KTRI40330
**FIXED WATER BRUSH
(BLISTER)**



CODE: KTRI40331
FOAMER 0,5 l (BLISTER)



CODE: KTRI40325
**SURFACE CLEANING
(BLISTER)**



CODE: KTRI40324
**FLOOR CLEANING
(BLISTER)**



CODE: KTRI40327
**PIPE CLEANING SET
(BLISTER)**



CODE: KTRI40328
**SANDBLASTING SET
(BLISTER)**



CODE: KTRI40543
**MAINTENANCE KIT
(FOR 1207)**



CODE: KTRI40544
**MAINTENANCE KIT
(FOR 1307)**



CODE: KTRI40545
**MAINTENANCE KIT
(FOR 1508)**



CODE: KTRI40546
**MAINTENANCE KIT
(FOR 1609)**





HIGH-PRESSURE WASHERS - COLD WATER

PW-C23 P

PRESSURE

140÷160
bar

FLOW RATE

460÷600
l/h

ABSORBED POWER

2,3÷3
kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES




DIY AND GARDENING



SPECS



ROBUST AND ERGONOMIC
HANDLE



PROFESSIONAL HOSE REEL



PROFESSIONAL GAUGE
(only for I1508 A0-M - I1610 A0-M)

TECHNICAL DATA

		WITH HOSE REEL			
		PW-C23P I1408A M IDAF94223	PW-C23P I 1610A M IDAF94227	PW-C23P I1508AO M IDAF94229	PW-C23P I1610AO M IDAF94231
Code					
PERFORMANCE					
Operating pressure	bar/Mpa	140/14	160/16	150/15	160/16
Flow rate	l/h	460	600	500	600
Max inlet watertemperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/10,9	1-230-50/11,5	1-230-50/14,2	1-230-50/14,2
Absorbed power	kW	2,3	2,5	3	3
Motor pole/rpm		2-2800	2-2800	2-2800	2-2800
Remote control		ITS	ITS	ITS	ITS
Pump/head/pistons		axial/aluminium/inox	axial/aluminium/inox	axial/brass/inox	axial/brass/inox
Detergent tank	l	2 x 0,6 l	2 x 0,6 l	2 x 0,6 l	2 x 0,6 l
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	38x33x84	38x33x84	38x33x84	38x33x84
Weight	Kg	20,5	23,5	24	25

STANDARD EQUIPMENT

CODE: IPPR40012
HANDGRIP P270 + M22



CODE: LCPR40075
**LANCE P350 + M22 D.1,08
(FOR 1408)**



CODE: LCPR40076
**LANCE P440 + M22
D.1,03NE (FOR 1508)**



CODE: LCPR40074
**LANCE P440 + M22
D.1,07GR (FOR 1610)**



CODE: LCPR40078
**TURBO LANCE P440 +
M22 D.1.2B (FOR 1408)**



CODE: LCPR40080
**TURBO LANCE P440 +
M22 D.1.03NE (FOR 1508)**



CODE: LCPR40079
**TURBO LANCE P440 +
M22 D.1.07GRI (FOR 1610)**



CODE: TBAP40108
HIGH PRESSURE HOSE 12 m



OPTIONAL ACCESSORIES

CODE: SPID40010
FIXED BRUSH + M22



CODE: SPID40011
ROTOBRUSH + M22



CODE: LCLC40010
**LANCE FOR WASHING
FLORS + M22**



CODE: TBAP40111
DRAIN KIT 8 m



CODE: TBAP40112
HOSE EXTENSION 8 m



CODE: KTRI29366
PLUNGER EJECTOR DEVICE



CODE: KTRI40239
SANDBLASTER KIT



CODE: LCPR29360
MUDGUARD LANCE





HIGH-PRESSURE WASHERS - COLD WATER

PW-C25

IMMEDIATE TOTAL STOP MODELS

PRESSURE

130÷180
bar

FLOW RATE

540÷800
l/h

ABSORBED POWER

2,7÷4,7
kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



DESIGNED FOR AN EASY AND RAPID MAINTENANCE



STANDARD SUPPORTS FOR ACCESSORIES TO HAVE THEM READY TO BE USED



LANCE SUPPORT

TECHNICAL DATA

		PW-C25 I1310P4 M IDAF94168	PW-C25 I1509P M IDAF94166	PW-C25 I813P T IDAF94169
Code				
PERFORMANCE				
Operating pressure	bar/Mpa	30-130/3-13	30-150/3-15	30-180/3-18
Flow rate	l/h	600	540	800
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/13,3	1-230-50/12	3-400-50/8,6
Absorbed power	kW	2,7	2,8	4,7
Motor pole/rpm		4-1400	2-2800	2-2800
Remote control		ITS	ITS	ITS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	3	3	3
Detergent delivery		low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	49x40x93	49x40x93	49x40x93
Weight	Kg	35,4	30	35

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40049
**EXTENSION P580
Ø 1,40BEI (FOR 1310)**



CODE: LCPR40057
**EXTENSION P580
Ø 1,20GL (FOR 1509)**



CODE: LCPR40046
**EXTENSION P580
Ø 1,50AZZ (FOR 1813)**



CODE: TBAP28305
HIGH PRESSURE HOSE 8 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
**LANCE FOR WASHING
FLOORS (FOR 1509)**




CODE: LCLC49493
**LANCE FOR WASHING
FLOORS (FOR 1310/1813)**




CODE: LCPR40040
FOAMER KIT



CODE: LCPR14858
**SANDBLASTER KIT Ø 1,4
(FOR 1310/1813)**



CODE: LCPR24943
**SANDBLASTER KIT Ø 1,3
(FOR 1509)**



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
**FIXED HYDROBRUSH
LANCE**



CODE: LCPR40016
**TURBO LANCE TTR-16 M22
1,40 - (FOR 1310)**



CODE: LCPR93177
**TURBO LANCE TTR-16 M22
1,30 - (FOR 1509/1813)**



CODE: KTRI40312
**MAINTENANCE KIT 500H
(FOR 1310P4)**



CODE: KTRI40318
**MAINTENANCE KIT 500H
(FOR 1509/1813)**



CODE: KTRI40479
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310)**



CODE: KTRI40478
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 1509/1813)**





HIGH-PRESSURE WASHERS - COLD WATER

PW-C25 PLUS

IMMEDIATE TOTAL STOP MODELS

PRESSURE

130÷180
bar

FLOW RATE

540÷800
l/h

ABSORBED POWER

2,7÷4,7
kW



EXCLUSIVE CHARACTERISTICS

► IMMEDIATE TOTAL STOP - ITS

WITH HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



SOLID STRUCTURE:
RESISTANT TO SHOCKS,
ATMOSPHERIC AGENTS AND
CHEMICAL CORROSION



IPC PUMP WITH SEPARATE
BY-PASS, AND ADJUSTABLE
PRESSURE



PROFESSIONAL HOSE REEL

TECHNICAL DATA

		PW-C25P I1310P4 M IDAF94187	PW-C25P I1509P M IDAF94170	PW-C25P I813P T IDAF94174
Code				
PERFORMANCE				
Operating pressure	bar/Mpa	30-130/3-13	30-150/3-15	30-180/3-18
Flow rate	l/h	600	540	800
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/13,3	1-230-50/12	3-400-50/8,6
Absorbed power	kW	2,7	2,8	4,7
Motor pole/rpm		4-1400	2-2800	2-2800
Remote control		ITS	ITS	ITS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	3	3	3
Detergent delivery		low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	49x40x93	49x40x93	49x40x93
Weight	Kg	35	32,4	37,8

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40049
**EXTENSION P580
Ø 1,40BEI (FOR 1310)**



CODE: LCPR40057
**EXTENSION P580
Ø 1,20GL (FOR 1509)**



CODE: LCPR40046
**EXTENSION P580
Ø 1,50AZZ (FOR 1813)**



CODE: LCPR40016
**TURBO LANCE TTR-16 M22
1,40 (FOR 1310)**



CODE: LCPR93177
**TURBO LANCE TTR-16 M22
1,30 (FOR 1509 / 1813)**



CODE: TBAP93827
HIGH PRESSURE HOSE 12 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
**LANCE FOR WASHING
FLOORS (FOR 1509)**



CODE: LCLC49493
**LANCE FOR WASHING
FLOORS (FOR 1310/1813)**



CODE: LCPR40040
FOAMER KIT



CODE: LCPR14858
**SANDBLASTER KIT
Ø 1,4 mm (FOR 1310/1813)**



CODE: LCPR24943
**SANDBLASTER KIT
Ø 1,3 mm (FOR 1509)**



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
**FIXED HYDROBRUSH
LANCE**



CODE: KTRI40312
**MAINTENANCE KIT 500H
(FOR 1310P4)**



CODE: KTRI40318
**MAINTENANCE KIT 500H
(FOR 1509/1813)**



CODE: KTRI40479
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310)**



CODE: KTRI40478
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 1509/1813)**





HIGH-PRESSURE WASHERS - COLD WATER

PW-C40

BY-PASS MODELS

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5,1
kW



EXCLUSIVE CHARACTERISTICS

- BY-PASS - BYP
- THERMOSTATIC VALVE - TSV

WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



7,5 LITRES DETERGENT
TANK FOR A LOW-PRESSURE
DETERGENT DELIVERY



LARGE DIAMETER WHEELS
IN ORDER TO FACILITATE
MOVEMENTS



THERMOSTATIC VALVE TO
PROTECTING THE PUMP
FROM HIGH TEMPERATURES
IN BY-PASS PHASE

TECHNICAL DATA

		BY-PASS MODELS - 2 POLES		BY-PASS MODELS - 4 POLES	
		PW-C40 1310P M	PW-C40 1813P T	PW-C40 1310P4 M	PW-C40 1915P4 T
Code		IDAF40233	IDAF40237	IDAF40245	IDAF40253
PERFORMANCE					
Operating pressure	bar/Mpa	30-130/3-13	30-180/3-18	30-130/3-13	30-190/3-19
Flow rate	l/h	600	800	600	900
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,7	3-400-50/8,6	1-230-50/14,5	3-400-50/9,4
Absorbed power	kW	3,3	4,7	3,1	5,1
Motor pole/rpm		2-2800	2-2800	4-1400	4-1400
Remote control		BYP	BYP	BYP	BYP
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	7,5	7,5	7,5	7,5
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	74x43x81	74x43x81	74x43x81	74x43x81
Weight	Kg	44	44	47	52

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40049
EXTENSION P580
Ø1,40BEI (FOR 1310P)



CODE: LCPR40046
EXTENSION P580 Ø1,50AZZ
(FOR 1813P)



CODE: LCPR40048
EXTENSION P580
Ø1,35BLU (FOR 1310P4)



CODE: LCPR40047
EXTENSION P580
Ø1,45GLO (FOR 1915P4)



CODE: TBAP25324
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 (FOR 1310/1813)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 (FOR 1915)



CODE: LCPR14859
SANDBLASTER KIT Ø1,5 mm
(FOR 1310P)



CODE: LCPR13557
SANDBLASTER KIT Ø1,6 mm
(FOR 1813P/1915P4)



CODE: LCPR14858
SANDBLASTER KIT Ø1,4 mm
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16 M22
1,35 (FOR 1310/1915)



CODE: LCPR40016
TURBO LANCE TTR-16 M22
1,40 (FOR 1813P)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 1310P)



CODE: KTRI40319
MAINTENANCE KIT 500H
(FOR 1813P)



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4 / 1915P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P/1813P)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C40

TOTAL STOP MODELS

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5,1
kW

EXCLUSIVE CHARACTERISTICS

- ▶ IMMEDIATE TOTAL STOP - ITS ("I" MODELS)
- ▶ DELAYED TOTAL STOP - DTS ("D" MODELS)
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF ("D" MODELS)
- ▶ MICRO LEAKAGE CONTROL - MLC ("D" MODELS)
- ▶ NOZZLE CLOGGED CONTROL - NCC ("D" MODELS)
- ▶ WORKING HOURS COUNTER - WHC ("D" MODELS)
- ▶ FLOODING PREVENTION SYSTEM - FPS ("D" MODELS)
- ▶ DRY RUNNING PROTECTION - DRP (ONLY THREE PHASE MODELS WITH DELAYED TOTAL STOP)



WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



PRESSURE ADJUSTMENT
KNOB



LARGE FRONT FOOT FOR
GREATER STABILITY



ERGONOMIC HANDLE,
LANCE HOLDER AND HOSE
SUPPORTS

TECHNICAL DATA

		IMMEDIATE TOTAL STOP MODELS - 2 POLES		DELAYED TOTAL STOP MODELS - 4 POLES	
		PW-C40 I1310P M	PW-C40 I1813P T	PW-C40 D1310P4 M	PW-C40 D1915P4 T
Code		IDAF40234	IDAF40238	IDAF40246	IDAF40254
PERFORMANCE					
Operating pressure	bar/Mpa	30-130/3-13	30-180/3-18	30-130/3-13	30-190/3-19
Flow rate	l/h	600	800	600	900
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,7	3-400-50/8,6	1-230-50/14,5	3-400-50/9,4
Absorbed power	kW	3,3	4,7	3,1	5,1
Motor pole/rpm		2-2800	2-2800	4-1400	4-1400
Remote control		ITS	ITS	DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	7,5	7,5	7,5	7,5
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	74x43x81	74x43x81	74x43x81	74x43x81
Weight	Kg	44	44	47	52

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40049
EXTENSION P580
Ø1,40BEI (FOR 1310P)



CODE: LCPR40046
EXTENSION P580 Ø1,50AZZ
(FOR 1813P)



CODE: LCPR40048
EXTENSION P580
Ø1,35BLU (FOR 1310P4)



CODE: LCPR40047
EXTENSION P580
Ø1,45GLO (FOR 1915P4)



CODE: TBAP25324
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 (FOR 1310/1813)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 (FOR 1915)



CODE: LCPR14859
SANDBLASTER KIT Ø1,5 mm
(FOR 1310P)



CODE: LCPR13557
SANDBLASTER KIT Ø1,6 mm
(FOR 1813P/1915P4)



CODE: LCPR14858
SANDBLASTER KIT Ø1,4 mm
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16 M22
1,35 (FOR 1310/1915)



CODE: LCPR40016
TURBO LANCE TTR-16 M22
1,40 (FOR 1813P)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 1310P)



CODE: KTRI40319
MAINTENANCE KIT 500H
(FOR 1813P)



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4 / 1915P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P/1813P)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C40

SPECIAL MODEL

PRESSURE

100 bar

FLOW RATE

300 l/h

ABSORBED POWER

1,3 kW



HIGHPURE - HPE
CODE: APTA40015

TECNOLOGIE ESCLUSIVE

- ▶ DELAYED TOTAL STOP - DTS
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ LANCE NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS

**TO BE USED ONLY IN COMBINATION
WITH APTA40015 -
HIGHPURE HPE
(SEE IMAGE ON THE RIGHT)**

MOST FREQUENTLY USE

CONSTRUCTION INDUSTRY



GREEN ENERGIES



NAUTICAL/AUTO/TRANSPORTS



GREENHOUSES/GLASSHOUSES/
TENSILE STRUCTURES



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PUMP WITH SEPARATE
BY-PASS, PROVIDED WITH
PRESSURE ADJUSTMENT
KNOB



PROFESSIONAL HOSE REEL



INTEGRATED ERGONOMIC
HANDLE, LANCE HOLDER

TECHNICAL DATA

Code		PW-C40 D1005P4 M
PERFORMANCE		IDAF40884
Operating pressure max	bar/Mpa	100/10
Flow rate	l/h	300
Inlet water max. temperature	°C	50
Power supply	Ph-V-Hz/A	1-230-50/8,6
Absorbed power	kW	1,3
Motor pole/rpm		4-1400
Remote control		DTS
Pump/head/pistons		lpc plunger/brass/ceramic
Detergent tank	l	7,5
Detergent delivery		low pressure
Dimension (LxWxH)	cm	74x43x81
Weight	Kg	47

STANDARD EQUIPMENT

CODE: IPPR40025 HANDGRIP G6000	CODE: LCPR40013 EXTENSION P70 HY.JET	CODE: UGLN40038 H.P. NOZZLE 1/4 1502	CODE: TBAP40012 H.P. HOSE 1/4" 10 m
			

OPTIONAL ACCESSORIES

CODE: LCPR29360 MUDGUARD LANCE P90	CODE: RCIN10810 HOSE COUPLINGS	CODE: TBAP23853 DRAIN KIT 10 m	CODE: SPID24939 FIXED HYDROBRUSH LANCE	CODE: KTRI40478 KIT FOR HOT WATER FEEDING VERSION
				



HIGH-PRESSURE WASHERS - COLD WATER

PW-C40 PLUS

DELAYED TOTAL STOP MODELS

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5,1
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ DRY RUNNING PROTECTION - DRP (ONLY D1915P4)



WITH HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PUMP WITH SEPARATE BY-PASS, PROVIDED WITH PRESSURE ADJUSTMENT KNOB



PROFESSIONAL HOSE REEL



INTEGRATED ERGONOMIC HANDLE, LANCE HOLDER

TECHNICAL DATA

		PW-C40P D1310P4 M	PW-C40P D1915P4 T
Code		IDAF40248	IDAF40259
PERFORMANCE			
Operating pressure	bar/Mpa	30-130/3-13	30-190/3-19
Flow rate	l/h	600	900
Max inlet water temperature	°C	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	3-400-50/9,4
Absorbed power	kW	3,1	5,1
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	7,5	7,5
Detergent delivery		low pressure	low pressure
Dimension (LxWxH)	cm	74x43x81	74x43x81
Weight	Kg	50	60

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40048
EXTENSION P580
Ø1,35BLU (FOR 1310P4)



CODE: LCPR40047
EXTENSION P580 Ø1,45GLO
(FOR 1915P4)



CODE: LCPR93178
TURBO LANCE TTR-16 M22
1,35



CODE: TBAP40062
HIGH PRESSURE HOSE 15 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 M



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 (FOR 1310)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 (FOR 1915)



CODE: LCPR40040
FOAMER KIT 1 l



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6 mm
(FOR 1915P4)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
FIXED HYDROBRUSH
LANCE



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION





HIGH-PRESSURE WASHERS - COLD WATER

PW-C45 VALUE

PRESSURE

110÷190
bar

FLOW RATE

500÷900
l/h

ABSORBED POWER

2,9÷4,9
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

		PW-C45 D1112P4 M	PW-C45 D1310P4 M	PW-C45 D1708P4 M	PW-C45 D1813P T	PW-C45 D1814P4 T	PW-C45 D1915P4 T
CODE		IDAF40901	IDAF40902	IDAF40903	IDAF40904	IDAF40905	IDAF40906
PERFORMANCE							
Operating pressure	bar/Mpa	30-110/3-11	30-130/3-13	30-170/3-17	30-180/3-18	30-180/3-18	30-190/3-19
Flow rate	l/h	300-720	300-600	400-500	450-800	450-840	450-900
Max inlet water temperature	°C	50	50	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	1-230-50/14,1	1-230-50/14,5	3-400-50/9,3	3-400-50/9,6	3-400-50/10,3
Absorbed power	kW	3	2,9	3	4,9	4,6	4,9
Motor pole/rpm		4-1400	4-1400	4-1400	2-2800	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic
Detergent tank	l	-	-	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95
Weight	Kg	40,2	40,1	40,2	42,2	44	47,3

STANDARD EQUIPMENT

CODE: IPPR40025
**HANDGRIP G6000 +
EXTENSION P330+M22**



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN05200
**H.P. NOZZLE 1/4 1505
(FOR 1112P4)**



CODE: UGLN11196
**H.P. NOZZLE 1/4 15035
(FOR 1310P4)**



CODE: UGLN75421
**H.P. NOZZLE 1/4 15025
(FOR 1708P4)**



CODE: UGLN49987
**H.P. NOZZLE LANCE
1/4 15045 - (FOR
1813P/1814P4/1915P4)**



CODE: TBAP40229
H.P. HOSE 1/4" 10 m



OPTIONAL ACCESSORIES

CODE: KTRI40505
**HOSE REEL KIT (WITHOUT
HOSE)**



CODE: KTRI40506
**HOSE REEL KIT (WITH 20 m
HOSE)**



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCLC49492
**LANCE FOR WASHING
FLOORS 0,35 (FOR
1310P4/1708P4)**



CODE: LCLC49493
**LANCE FOR WASHING
FLOORS 0,45 (FOR 1112P4/
1813P/1814P4/1915P4)**



CODE: LCPR14859
**SANDBLASTERKIT Ø1,5mm
(FOR 1112P4/1813P/1814P4
/1915P4)**



CODE: LCPR24943
**SANDBLASTER KIT Ø 1,3 mm
(FOR 1310P4/1708P4)**



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
**FIXED HYDROBRUSH
LANCE**



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40053
**TURBO LANCE TPR-20 +
M22 Ø1,50 (FOR 1112/
1915)**



CODE: LCPR93178
**TURBO LANCE TTR-16 +
M22 Ø1,35
(FOR 1310P4)**



CODE: LCPR40011
**TURBO LANCE
TTR-16 + M22 Ø 1,15
(FOR 1708P4)**



CODE: LCPR40014
**TURBO LANCE TPR-20 +
M22 Ø1,30
(FOR 1813P/1814P4)**



CODE: KTRI40319
**MAINTENANCE KIT 500H
(FOR 1813P)**



CODE: KTRI40311
**MAINTENANCE KIT 500H
(FOR 1112P4/1310P4/
1708P4)**



CODE: KTRI40313
**MAINTENANCE KIT 500H
(FOR 1814P4/1915P4)**



CODE: KTRI40478
**KIT FOR HOT WATER
FEEDING VERSION -
(FOR 1813P)**



CODE: KTRI40479
**KIT FOR HOT WATER FEEDING
VERSION (FOR 1112P4/1310P4
/1708P4/1814P4/1915P4)**



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

OPTION [1]

OPTION [2]

CODE: LCPR40040
FOAMER KIT 1 I



CODE: KTRI40527
EJECTOR KIT + P70 HYJET





HIGH-PRESSURE WASHERS - COLD WATER

PW-C45 PREMIUM

PRESSURE

110÷190
bar

FLOW RATE

500÷900
l/h

ABSORBED POWER

2,9÷4,9
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ MAINTENANCE CHECK LED
- ▶ WARNING LEDS
- ▶ DRY RUNNING PROTECTION - DRP



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP



MSCTM
MULTIFUNCTION
SAFETY
CONTROL

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

		PW-C45 DP 1112P4 M	PW-C45 DP 1310P4 M	PW-C45 DP 1708P4 M	PW-C45 DP 1813P T	PW-C45 DP 1814P4 T	PW-C45 DP 1915P4 T
CODE		IDAF40912	IDAF40913	IDAF40914	IDAF40915	IDAF40916	IDAF40917
PERFORMANCE							
Operating pressure	bar/Mpa	30-110/3-11	30-130/3-13	30-170/3-17	30-180/3-18	30-180/3-18	30-190/3-19
Flow rate	l/h	300-720	300-600	400-500	450-800	450-840	450-900
Max inlet water temperature	°C	50	50	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	1-230-50/14,1	1-230-50/14,5	3-400-50/9,3	3-400-50/9,6	3-400-50/10,3
Absorbed power	kW	3	2,9	3	4,9	4,6	4,9
Motor pole/rpm		4-1400	4-1400	4-1400	2-2800	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic
Detergent tank	l	-	-	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95
Weight	Kg	40,2	40,1	40,2	42,2	44	47,3

STANDARD EQUIPMENT

CODE: IPPR40025
**HANDGRIP G6000 +
EXTENSION P330+M22**



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN05200
**H.P. NOZZLE 1/4 1505
(FOR 1112P4)**



CODE: UGLN11196
**H.P. NOZZLE 1/4 15035
(FOR 1310P4)**



CODE: UGLN75421
**H.P. NOZZLE 1/4 15025
(FOR 1708P4)**



CODE: UGLN49987
**H.P. NOZZLE LANCE
1/4 15045 - (FOR
1813P/1814P4/1915P4)**



CODE: TBAP40229
H.P. HOSE 1/4" 10 m



OPTIONAL ACCESSORIES

CODE: KTRI40505
**HOSE REEL KIT (WITHOUT
HOSE)**



CODE: KTRI40506
**HOSE REEL KIT (WITH 20 m
HOSE)**



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCLC49492
**LANCE FOR WASHING
FLOORS 0,35 (FOR
1310P4/1708P4)**



CODE: LCLC49493
**LANCE FOR WASHING
FLOORS 0,45 (FOR 1112P4/
1813P/1814P4/1915P4)**



CODE: LCPR14859
**SANDBLASTERKIT Ø1,5mm
(FOR 1112P4/1813P/1814P4
/1915P4)**



CODE: LCPR24943
**SANDBLASTER KIT Ø 1,3 mm
(FOR 1310P4/1708P4)**



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
**FIXED HYDROBRUSH
LANCE**



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40053
**TURBO LANCE TPR-20 +
M22 Ø1,50 (FOR 1112/
1915)**



CODE: LCPR93178
**TURBO LANCE TTR-16 +
M22 Ø1,35
(FOR 1310P4)**



CODE: LCPR40011
**TURBO LANCE
TTR-16 + M22 Ø 1,30
(FOR 1708P4)**



CODE: LCPR40014
**TURBO LANCE TPR-20 +
M22 Ø1,30
(FOR 1813P/1814P4)**



CODE: KTRI40319
**MAINTENANCE KIT 500H
(FOR 1813P)**



CODE: KTRI40311
**MAINTENANCE KIT 500H
(FOR 1112P4/1310P4/
1708P4)**



CODE: KTRI40313
**MAINTENANCE KIT 500H
(FOR 1814P4/1915P4)**



CODE: KTRI40478
**KIT FOR HOT WATER
FEEDING VERSION -
(FOR 1813P)**



CODE: KTRI40479
**KIT FOR HOT WATER FEEDING
VERSION (FOR 1112P4/1310P4
/1708P4/1814P4/1915P4)**



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

OPTION [1]

OPTION [2]

CODE: LCPR40040
FOAMER KIT 1 I



CODE: KTRI40527
EJECTOR KIT + P70 HYJET





HIGH-PRESSURE WASHERS - COLD WATER



PW-C45

(PAINTED STEEL STRUCTURE)

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH BRASS HEAD AND CERAMIC PISTONS.



HEAVY-DUTY STRUCTURE, ANTI COLLISION, STEEL FRAME COVER.



LARGE WHEELS IMPROVE MANEUVERABILITY AND EASE TRANSPORT.

TECHNICAL DATA

		PW-C45 D1310P4m M	PW-C45 D1915P4m T
CODE		IDAF41104	IDAF41105
PERFORMANCE			
Operating pressure max	bar/Mpa	40-130/4-13	40-190/4-19
Flow rate	l/h	300-600	360-900
Inlet water max. temperature	°C	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	3-400-50/9,9
Absorbed power	kW	3	5
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-
Detergent delivery		-	-
Dimension (LxWxH)	cm	78x45x100	78x45x100
Weight	Kg	47	53

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 1915)



CODE: TBAP25324
H.P. HOSE R1 10 m 5/16"



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS
M22-M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAMER KIT 1 l



CODE: TBAP40062
H.P.HOSER1 15m 5/16"



CODE: TBAP44379
H.P.HOSE R1 20 m N5/16"



CODE: LCPR13557
SANDBLASTER KIT D.1,6 -
(FOR 1915)



CODE: LCPR14858
SANDBLASTER KIT D.1,4 -
(FOR 1310)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
Ø 1,35



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 - (FOR 1310)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 - (FOR 1915)



CODE: KTRI40505
HOSE REEL KIT



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION





HIGH-PRESSURE WASHERS - COLD WATER



PW-C45

(PAINTED STEEL STRUCTURE)

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH BRASS
HEAD AND CERAMIC PISTONS.



HEAVY-DUTY STRUCTURE, ANTI
COLLISION, STEEL FRAME COVER.



LARGE WHEELS IMPROVE
MANEUVERABILITY AND EASE
TRANSPORT.

TECHNICAL DATA

		PW-C45 D1310P4m M	PW-C45 D1915P4m T
CODE		IDAF41104	IDAF41105
PERFORMANCE			
Operating pressure max	bar/Mpa	40-130/4-13	40-190/4-19
Flow rate	l/h	300-600	360-900
Inlet water max. temperature	°C	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	3-400-50/9,9
Absorbed power	kW	3	5
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-
Detergent delivery		-	-
Dimension (LxWxH)	cm	78x45x100	78x45x100
Weight	Kg	47	53

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 1915)



CODE: TBAP25324
H.P. HOSE R1 10 m 5/16"



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS
M22-M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAMER KIT 1 l




CODE: TBAP40062
H.P.HOSER1 15m 5/16"




CODE: TBAP44379
H.P.HOSE R1 20 m N5/16"



CODE: LCPR13557
SANDBLASTER KIT D.1,6 -
(FOR 1915)



CODE: LCPR14858
SANDBLASTER KIT D.1,4 -
(FOR 1310)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
Ø 1,35



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 - (FOR 1310)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 - (FOR 1915)



CODE: KTRI40505
HOSE REEL KIT



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION





HIGH-PRESSURE WASHERS - COLD WATER

PW-C50

DELAYED TOTAL STOP MODELS

PRESSURE

160÷210
bar

FLOW RATE

1000÷1300
l/h

ABSORBED POWER

6,3÷6,7
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS



WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



PROFESSIONAL PRESSURE
GAUGE ENABLING A
CONSTANT CHECK OF
WORKING PRESSURE



LARGE DIAMETER WHEELS
(PUNCTURE PROOF)



STURDY PAINTED STEEL
FRAME

TECHNICAL DATA

		PW-C50 D2117P T	PW-C50 D1718P T	PW-C50 D1622P T
Code		IDAF40261	IDAF40265	IDAF40270
PERFORMANCE				
Operating pressure	bar/Mpa	30-210/3-21	30-170/3-17	30-160/3-16
Flow rate	l/h	1000	1100	1300
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/12	3-400-50/12,2	3-400-50/13
Absorbed power	kW	6,4	6,3	6,7
Motor pole/rpm		4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	4	4	4
Detergent delivery		low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	77x51x88	77x51x88	77x51x88
Weight	Kg	68	68	67

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40047
EXTENSION P580
1,45GLO (FOR 2117)



CODE: LCPR40050
EXTENSION P580 1,65VLA
(FOR 1718)



CODE: LCPR40056
EXTENSION P580 1,75GRI
(FOR 1622)



CODE: TBAP25324
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: SPID24911
HYDROBRUSH LANCE



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m
(FOR 2117)



CODE: TBAP24406
DRAIN KIT 20 m
(FOR 1718/1622)



CODE: LCPR40040
FOAMER KIT 1 l



CODE: LCLC49494
LANCE FOR WASHING
FLOOR 0,55



CODE: LCPR14859
SANDBLASTER KIT Ø 1,5 mm
(FOR 2117)



CODE: LCPR14860
SANDBLASTER KIT Ø 1,7 mm
(FOR 1718/1622)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: KTRI29366
PLUNGER EJECTOR DEVICE



CODE: LCPR40054
TURBO LANCE TPR255
M22 0,40 (FOR 2117)



CODE: LCPR40052
TURBO LANCE TPR20 M22
1,60 (FOR 1718)



CODE: LCPR40055
TURBO LANCE R.J. 255
M22 0,70 (FOR 1622)



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 1622)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2117/1718)



CODE: KTRI40304
KIT FOR HOT WATER
FEEDING VERSION -
(FOR 1622)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION - (2117)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C50 P

DELAYED TOTAL STOP MODELS

PRESSURE

160÷210
bar

FLOW RATE

1000÷1300
l/h

ABSORBED POWER

6,3÷6,7
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS



WITH HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



4 POLES MOTOR, AIR-COOLED
AND PROTECTED WITH
THERMAL CUTOUT



STURDY PAINTED STEEL
FRAME



ERGONOMIC HANDLE WITH
LANCE HOLDER AND HOSE
CABLE SUPPORT REEL

TECHNICAL DATA

Code		PW-C50P D2117P T IDAF40263	PW-C50P D1718P T IDAF40267	PW-C50P D1622P T IDAF40272
PERFORMANCE				
Operating pressure	bar/Mpa	30-210/3-21	30-170/3-17	30-160/3-16
Flow rate	l/h	1000	1100	1300
Max inlet water temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/12	3-400-50/12,2	3-400-50/13
Absorbed power	kW	6,4	6,3	6,7
Motor pole/rpm		4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	4	4	4
Detergent delivery		low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	77x51x88	77x51x88	77x51x88
Weight	Kg	74	74	76

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40047
EXTENSION P580
1,45GLO (FOR 2117)



CODE: LCPR40050
EXTENSION P580 1,65VLA
(FOR 1718)



CODE: LCPR40056
EXTENSION P580 1,75GRI
(FOR 1622)



CODE: LCPR40054
TURBO LANCE TPR255
M22 0,40 (FOR 2117)



CODE: LCPR40052
TURBO LANCE TPR20 M22
1,60 (FOR 1718)



CODE: LCPR40055
TURBO LANCE R.J. 255
M22 0,70 (FOR 1622)



CODE: TBAP40062
HIGH PRESSURE HOSE 15 m



OPTIONAL ACCESSORIES

CODE: SPID24911
HYDROBRUSH LANCE



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m
(FOR 2117)



CODE: TBAP24406
DRAIN KIT 20 m
(FOR 1718/1622)



CODE: LCPR40040
FOAMER KIT 1 l



CODE: LCLC49494
LANCE FOR WASHING
FLOOR 0,55



CODE: LCPR14859
SANDBLASTER KIT Ø 1,5 mm
(FOR 2117)



CODE: LCPR14860
SANDBLASTER KIT Ø 1,7 mm
(FOR 1718/1622)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: KTRI29366
PLUNGER EJECTOR DEVICE



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 1622)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2117/1718)



CODE: KTRI40304
KIT FOR HOT WATER
FEEDING VERSION -
(FOR 1622)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION - (2117)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C55 VALUE

PRESSURE

170÷250
bar

FLOW RATE

900÷1300
l/h

ABSORBED POWER

6,4÷8,4
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

CODE		PW-C55 D2117PT IDAF40922	PW-C55 D1721PT IDAF40923	PW-C55 D2021PT IDAF40924	PW-C55 D2515PT IDAF40925
PERFORMANCE					
Operating pressure	bar/Mpa	30-210/3-21	30-170/3-17	30-200/3-20	30-250/3-25
Flow rate	l/h	300-1000	300-1300	400-1300	450-900
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/13,3	3-400-50/14	3-400-50/15,8	3-400-50/14,9
Absorbed power	kW	6,4	7,3	8,4	7,5
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	88x48x104	88x48x104	88x48x104	88x48x104
Weight	Kg	61,4	63,3	69	69,1

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 M22



CODE: LCPR40087
**EXTENSION P70 INOX
(FOR 1721/2117)**



CODE: LCPR40159
**LANCE P70 INOX 0°
(FOR 2021/2515)**



CODE: UGLN49987
**H.P. NOZZLE 1/4 15045
(FOR 2117)**



CODE: UGLN02303
**H.P. NOZZLE 1/4 15065
(FOR 2021)**



CODE: UGLN49986
**H.P. NOZZLE 1/4 1504 (FOR
2515)**



CODE: UGLN49997
**H.P. NOZZLE 1/4 25075
(FOR 1721)**



CODE: TBAP25324
**HIGH PRESSURE HOSE
10 m**



OPTIONAL ACCESSORIES

CODE: KTRI40505
**HOSE REEL KIT (WITHOUT
HOSE)**



CODE: KTRI40506
**HOSE REEL KIT (WITH 20 m
HOSE)**



CODE: LCPR29360
MUDGUARD LANCE P90



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

OPTION [1]

OPTION [2]

CODE: LCPR40040
FOAMER KIT 1 l



CODE: KTRI40527
EJECTOR KIT + P70 HY.JET



CODE: TBAP23853
**DRAIN KIT 10 m
(FOR 2117)**



CODE: TBAP24406
**DRAIN KIT 20 m
(FOR 1721/2021)**



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: LCPR14859
**SANDBLASTER KIT Ø 1,5 mm
(FOR 2117P)**



CODE: LCPR14858
**SANDBLASTER KIT Ø 1,4 mm
(FOR 2515P)**



CODE: PRCH40041
SAND BAG 25 Kg



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40135
**EXTENSION P70 + TPR-
255 Ø0,45 (FOR 2117)**



CODE: LCPR40170
**EXTENSION P70 + R.J.255
Ø0,75 (FOR 1721)**



CODE: LCPR40174
**EXTENSION P70 + R.J.255
Ø0,70 (FOR 2021)**



CODE: LCPR40103
**EXTENSION P70 + TPR-
255 Ø0,40 (FOR 2515)**



CODE: SPID24939
**FIXED HYDROBRUSH
LANCE**



CODE: LCLC49494
**LANCE FOR WASHING
FLOORS 0,55**



CODE: KTRI40436
**MAINTENANCE KIT 500H
(FOR 1721P/2021P)**



CODE: KTRI40338
**MAINTENANCE KIT 500H
(FOR 2117P)**



CODE: KTRI40439
**MAINTENANCE KIT 500H
(FOR 2515)**



CODE: KTRI40336
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117)**



CODE: KTRI40323
**KIT FOR HOT WATER
FEEDING VERSION
(1721/2021)**



CODE: KTRI40304
**KIT FOR HOT WATER
FEEDING VERSION
(FOR 2515)**





HIGH-PRESSURE WASHERS - COLD WATER

PW-C55 PREMIUM

PRESSURE

170÷250
bar

FLOW RATE

900÷1300
l/h

ABSORBED POWER

6,4÷8,4
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ MAINTENANCE CHECK LED
- ▶ WARNING LEDS



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

CODE		PW-C55 DP2117P T IDAF40926	PW-C55 DP1721P T IDAF40927	PW-C55 DP2021P T IDAF40928	PW-C55 DP2515P T IDAF40929
PERFORMANCE					
Operating pressure	bar/Mpa	30-210/3-21	30-170/3-17	30-200/3-20	30-250/3-25
Flow rate	l/h	300-1000	300-1300	400-1300	450-900
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/13,3	3-400-50/14	3-400-50/15,8	3-400-50/14,9
Absorbed power	kW	6,4	7,3	8,4	7,5
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	88x48x104	88x48x104	88x48x104	88x48x104
Weight	Kg	61,4	63,3	69	69,1

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 M22



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 1721/2117)



CODE: LCPR40159
LANCE P70 INOX 0°
(FOR 2021/2515)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 2117)



CODE: UGLN02303
H.P. NOZZLE 1/4 15065
(FOR 2021)



CODE: UGLN49986
H.P. NOZZLE 1/4 1504
(FOR 2515)



CODE: UGLN49997
H.P. NOZZLE LANCE 1/4
25075 - (FOR 1721)



CODE: TBAP25324
HIGH PRESSURE HOSE
10 m



OPTIONAL ACCESSORIES

CODE: KTRI40505
HOSE REEL KIT (WITHOUT
HOSE)



CODE: KTRI40506
HOSE REEL KIT (WITH 20 m
HOSE)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: TBAP23853
DRAIN KIT 10 m
(FOR 2117)



CODE: TBAP24406
DRAIN KIT 20 m
(FOR 1721/2021)



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: PRCH40041
SAND BAG 25 Kg



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40135
EXTENSION P70 + TPR-
255 Ø0,45 (FOR 2117)



CODE: LCPR40103
EXTENSION P70 + TPR-
255 Ø0,40 (FOR 2515)



CODE: SPID24939
FIXED HYDROBRUSH
LANCE



CODE: LCLC49494
LANCE FOR WASHING
FLOORS 0,55



CODE: KTRI40439
MAINTENANCE KIT 500H
(FOR 2515)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117)



CODE: KTRI40323
KIT FOR HOT WATER
FEEDING VERSION
(1721/2021)



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT OPTION [1]

CODE: LCPR40040
FOAMER KIT 1 I



OPTION [2]

CODE: KTRI40527
EJECTOR KIT + P70 HY.JET



CODE: LCPR14859
SANDBLASTER KIT Ø 1,5 mm
(FOR 2117P)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm
(FOR 2515P)



CODE: LCPR40170
EXTENSION P70 + R.J.255
Ø0,75 (FOR 1721)



CODE: LCPR40174
EXTENSION P70 + R.J.255
Ø0,70 (FOR 2021)



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 1721P/2021P)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2117P)



CODE: KTRI40304
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2515)





HIGH-PRESSURE WASHERS - COLD WATER



PW-C55

(PAINTED STEEL STRUCTURE)

PRESSURE

170÷210
bar

FLOW RATE

1000÷1300
l/h

ABSORBED POWER

6.7÷8,6
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH BRASS HEAD AND CERAMIC PISTONS.



HEAVY-DUTY STRUCTURE, ANTI COLLISION, STEEL FRAME COVER.



LARGE WHEELS IMPROVE MANEUVERABILITY AND EASE TRANSPORT.

TECHNICAL DATA

		PW-C55 D2117P4m T	PW-C55 D1721P4m T	PW-C55 D2021P4m T
CODE		IDAF41106	IDAF41108	IDAF41109
PERFORMANCE				
Operating pressure max	bar/Mpa	40-210/4-21	40-170/4-17	40-200/4-20
Flow rate	l/h	360-1000	360-1300	390-1300
Inlet water max. temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/12,7	3-400-50/12,6	3-400-50/16,7
Absorbed power	kW	6,8	6,7	8,6
Motor pole/rpm		4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-
Detergent delivery		-	-	-
Dimension (LxWxH)	cm	78x45x100	78x45x100	78x45x100
Weight	Kg	72	61	73

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 2017)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(FOR 1721/2021)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 2117)



CODE: UGLN49997
H.P. NOZZLE 1/4 15075
(FOR 1721)



CODE: UGLN02303
H.P. NOZZLE 1/4 15065 -
(FOR 2021)



CODE: TBAP25324
H.P. HOSE R1 10 m
5/16"



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: TBAP24406
DRAIN KIT 20 M - M22 -
(FOR 1721/2021)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAMER KIT 1 l



CODE: TBAP40062
H.P.HOSER1 15m 5/16"



CODE: TBAP44379
H.P.HOSE R1 20 m N5/16"



CODE: LCPR13557
SANDBLASTER KIT D.1,6 -
(FOR 1915)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR40054
TURBO LANCE TPR255 Ø
0,40 - (FOR 2117)



CODE: LCPR40131
EXTENSION P70 + R.JET
255 Ø 0,75 - (FOR 1721)



CODE: LCPR40132
EXTENSION P70 + R.JET
255 Ø 0,65 - (FOR 2021)



CODE: KTRI40505
HOSE REEL KIT



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117)



CODE: KTRI40323
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1721)



CODE: KTRI40436
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2021)





HIGH-PRESSURE WASHERS - COLD WATER



PW-C55

(PAINTED STEEL STRUCTURE)

PRESSURE

170÷210
bar

FLOW RATE

1000÷1300
l/h

ABSORBED POWER

6.7÷8,6
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH BRASS HEAD AND CERAMIC PISTONS.



HEAVY-DUTY STRUCTURE, ANTI COLLISION, STEEL FRAME COVER.



LARGE WHEELS IMPROVE MANEUVERABILITY AND EASE TRANSPORT.

TECHNICAL DATA

		PW-C55 D2117P4m T	PW-C55 D1721P4m T	PW-C55 D2021P4m T
CODE		IDAF41106	IDAF41108	IDAF41109
PERFORMANCE				
Operating pressure max	bar/Mpa	40-210/4-21	40-170/4-17	40-200/4-20
Flow rate	l/h	360-1000	360-1300	390-1300
Inlet water max. temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/12,7	3-400-50/12,6	3-400-50/16,7
Absorbed power	kW	6,8	6,7	8,6
Motor pole/rpm		4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-
Detergent delivery		-	-	-
Dimension (LxWxH)	cm	78x45x100	78x45x100	78x45x100
Weight	Kg	72	61	73

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 2017)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(FOR 1721/2021)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 2117)



CODE: UGLN49997
H.P. NOZZLE 1/4 15075
(FOR 1721)



CODE: UGLN02303
H.P. NOZZLE 1/4 15065 -
(FOR 2021)



CODE: TBAP25324
H.P. HOSE R1 10 m
5/16"



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: TBAP24406
DRAIN KIT 20 M - M22 -
(FOR 1721/2021)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: LCPR40040
FOAMER KIT 1 l



CODE: TBAP40062
H.P.HOSER1 15m 5/16"



CODE: TBAP44379
H.P.HOSE R1 20 m N5/16"



CODE: LCPR13557
SANDBLASTER KIT D.1,6 -
(FOR 1915)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR40054
TURBO LANCE TPR255 Ø
0,40 - (FOR 2117)



CODE: LCPR40131
EXTENSION P70 + R.JET
255 Ø 0,75 - (FOR 1721)



CODE: LCPR40132
EXTENSION P70 + R.JET
255 Ø 0,65 - (FOR 2021)



CODE: KTRI40505
HOSE REEL KIT



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117)



CODE: KTRI40323
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1721)



CODE: KTRI40436
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2021)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C70

DELAYED TOTAL STOP MODELS

PRESSURE

200÷250
bar

FLOW RATE

1000÷1260
l/h

ABSORBED POWER

8,4÷9,5
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ DRY RUNNING PROTECTION - DRP



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



PROFESSIONAL PRESSURE
GAUGE



STURDY AND ERGONOMIC
HANDLE FOR AN EASY
MANOEUVRABILITY



A SINGLE KNOB FOR
MACHINE SWITCHING ON &
OFF AND FOR DETERGENT
DOSING

TECHNICAL DATA

		WITHOUT HOSE REEL		WITH HOSE REEL	
		PW-C70 D2021P T IDAF40319	PW-C70 D2517P T IDAF40321	PW-C70P D2021P T IDAF40320	PW-C70P D2517P T IDAF40322
PERFORMANCE					
Operating pressure	bar/Mpa	30-200/3-20	30-250/3/25	30-200/3-20	30-250/3/25
Flow rate	l/h	480-1260	480-1000	480-1260	480-1000
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/15,6	3-400-50/17	3-400-50/15,6	3-400-50/17
Absorbed power	kW	8,4	9,5	8,4	9,5
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	25	25	25	25
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	82x48x87	82x48x87	82x48x87	82x48x87
Weight	Kg	83	83,2	84	85,2

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40160
EXTENSION PD70 INOX 0°



CODE: UGLN49996
H.P NOZZLE 1/4 2507
(FOR 2021)



CODE: UGLN49990
H.P NOZZLE 1/4 25034
(FOR 2517 WITH HOSE REEL)



CODE: UGLN49991
H.P NOZZLE 1/4 2504
(FOR 2517 WITHOUT HOSE REEL)



CODE: UGLN89941
L.P NOZZLE 1/4 6070
BRASS (FOR ALL MODELS)



CODE: TBAP25324
HIGH PRESSURE HOSE
10 m (WITHOUT HOSE REEL)



CODE: TBAP40013
HIGH PRESSURE HOSE
15 m (WITH HOSE REEL)



OPTIONAL ACCESSORIES

CODE: SPID24911
ROTATING HYDROBRUSH
LANCE



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP24406
DRAIN KIT 20 m
(FOR 2021)



CODE: LCPR40045
TURBO LANCE P70 + M22
Ø0,45 - (FOR 2517)



CODE: LCPR40088
TURBO LANCE P70 + M22
Ø0,80 - (FOR 2021)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm
(FOR 2517)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR24906
LANCE WITH DOUBLE
NOZZLE HOLDER



CODE: LCPR29360
MUDGUARD LANCE - P90



CODE: LCPR40040
FOAM HEAD KIT



CODE: LCLC49494
LANCE FOR WASHING
FLOORS 0,55



CODE: KTRI40436
MAINTENANCE KIT 500H
(FOR 2021)



CODE: KTRI40438
MAINTENANCE KIT 500H
(FOR 2517)



CODE: KTRI40304
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2517)



CODE: KTRI40323
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2021)





HIGH-PRESSURE WASHERS - COLD WATER

PW-C85

PRESSURE

200÷350
bar

FLOW RATE

900÷1800
l/h

ABSORBED POWER

12,3÷12,5
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS



PAINTED STEEL STRUCTURE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PLUNGER PUMP WITH
BRASS HEAD AND CERAMIC
PISTONS



HEAVY-DUTY STRUCTURE,
ANTI-COLLISION, STEEL
FRAME COVER



MAINTENANCE-FREE
ELECTRIC MOTOR, AIR-
COOLED AND PROTECTED
WITH THERMAL CUTOUT

TECHNICAL DATA

		15 HP	
		PW-C85 D2030P4 T IDAF40832	PW-C85 D3515P4 T IDAF40827
Code			
PERFORMANCE			
Operating pressure	bar/Mpa	40-200/4-20	350/35
Flow rate	l/h	390-1800	900
Max inlet water temperature	°C	50	50
Power supply	Ph-V-Hz/A	3-400-50/23	3-400-50/22,4
Absorbed power	kW	12,5	12,3
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-
Detergent delivery		-	-
Dimension (LxWxH)	cm	78x59x90	78x59x90
Weight	Kg	115	115

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000
(FOR 2030)



CODE: IPIP42787
GRIP RL56 M24 + 3/8
(FOR 3515)



CODE: LCPR40159
EXTENSION P70 INOX 0°
(FOR 2030)



CODE: LCLC42786
EXTENSION L=105 cm
(FOR 3515)



CODE: UGLN02314
H.P. NOZZLE 1/4 2510
(FOR 2030)



CODE: UGLN40026
H.P. NOZZLE 1/4 15035
500 BAR (FOR 3515)



CODE: TBAP40010
H.P. HOSE R2 10 m 3/8"
M22 (FOR 2030)



CODE: TBAP00029
H.P. HOSE R2 10 m 5/16"
3/8M-M - (FOR 3515)



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22
(NOT FOR 3515)



CODE: TBAP24406
DRAIN KIT 20 m
(NOT FOR 3515)



CODE: LCPR29360
MUDGUARD LANCE P90
(NOT FOR 3515)



CODE: LCPR40040
FOAMER HEAD KIT 1 l
(NOT FOR 3515)



CODE: LCLC40022
SANDBLASTER KIT P105 cm
Ø0,35 (FOR 3515)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR40133
EXTENSION P70 + R.J.255
Ø100 (FOR 2030)



CODE: LCLC47893
EXTENSION 105 cm
TURBO Ø035 (FOR 3515)



CODE: KTRI40400
HOSE REEL KIT (FOR 2030)



CODE: KTRI40441
MAINTENANCE KIT 500H
(FOR 2030)



CODE: KTRI40440
MAINTENANCE KIT 500H
(FOR 3515)





HIGH-PRESSURE WASHERS - COLD WATER

ABSOLUTE-C

PRESSURE

200÷500
bar

FLOW RATE

1000÷2500
l/h

ABSORBED POWER

16÷22
kW



EXCLUSIVE CHARACTERISTICS

- ▶ THERMOSTATIC VALVE - TSV
- ▶ REMOTE-CONTROLLED SAFETY STOP - ST
- ▶ DRY RUNNING PROTECTION - DRP

Ø40 STEEL TUBE FRAME WITH STAINLESS STEEL COVERS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



PROFESSIONAL PRESSURE
GAUGE ENABLING THE
CONSTANT MONITORING OF
WORKING PRESSURE



HIGH-CAPACITY &
SELF-CLEANING FILTER



THERMOSTATIC VALVE
PROTECTING THE
PUMP FROM POSSIBLE
OVERHEATING

TECHNICAL DATA

		ABSOLUTE-C S2041P T IDAF40349	ABSOLUTE-C S3521P T IDAF40350	ABSOLUTE-C S5015P T IDAF40351	NEW ABSOLUTE-C S5022P T IDAF40932
Code					
PERFORMANCE					
Operating pressure	bar/Mpa	200/20	350/25	500/50	500/50
Flow rate	l/h	2500	1300	1000	1320
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/31	3-400-50/29,8	3-400-50/30,6	3-400-50/39,3
Absorbed power	kW	17,5	17,5	16	22
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		ST	ST	ST	ST
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		-	-	-	-
Dimension (LxWxH)	cm	120x70x100	120x70x100	120x70x100	120x70x100
Weight	Kg	190	182	185	220

STANDARD EQUIPMENT

CODE: IPPR40006
HANDGRIP G3600 + P330 M24 (FOR 2041)



CODE: IPPR40005
HANDGRIP G7300 + EXTENSION330 M24 M24 (FOR 3521)



CODE: IPPR40024
HANDGRIP ST3600 + P380 M24 (FOR 5015/5022)



CODE: LCPR40028
EXTENSION P70 INOX M24 (FOR 2041)



CODE: LCPR40026
EXTENSION P70 INOX M24 (FOR 3521/5015/5022)



CODE: UGLN07790
H.P NOZZLE 1/4 2513 (FOR 2041)



CODE: UGLN05200
H.P NOZZLE 1/4 1505 (FOR 3521)



CODE: UGLN40018
H.P NOZZLE 1/4 15028 500BAR (FOR 5015)



CODE: UGLN40040
H.P NOZZLE 1/4 15040 (FOR 5022)



CODE: TBAP40050
H.P HOSE R3 15 m 3/8" M24 (FOR 3521/5015/5022)



CODE: TBAP40054
H.P HOSE R2 15 m 1/2" M24 (FOR 2041)



OPTIONAL ACCESSORIES

CODE: RCIN40011
HOSE COUPLINGS M24 500B (FOR 5015)



CODE: RCIN40012
HOSE COUPLINGS M24 HF (FOR 2041/3521)



CODE: LCPR40032
ROTATING LANCE P70 M24 (FOR 3521)



CODE: LCPR40033
ROTATING LANCE P70 M24 (FOR 2041)



CODE: LCPR40031
ROTATING LANCE P70 M24(FOR 5015)



CODE: LCPR40173
ROTATING LANCE P70 M24 (FOR 5022)



CODE: TBAP40070
DRAIN KIT 10 m M24 CD.03 INOX (FOR 5015)



CODE: TBAP40071
DRAIN KIT 15 m M24 CD.03 INOX (FOR 5015)



CODE: TBAP40072
DRAIN KIT 10 m M24 CD.05 INOX (FOR 3521/5022)



CODE: TBAP40073
DRAIN KIT 15 m M24 CD.05 INOX (FOR 3521/5022)



CODE: LCPR40142
SANDBLASTER KIT 15028 (FOR 5015)



CODE: LCPR40144
SANDBLASTER KIT 1505 (FOR 3521)



CODE: LCPR40172
SANDBLASTER KIT 15040 (FOR 5022)



CODE: PRCH40041
SAND BAG 25 Kg





HIGH-PRESSURE WASHERS - COLD WATER

BENZ-C

ENDOTHERMIC ENGINE

PRESSURE

120÷250
bar

FLOW RATE

660÷1800
l/h

ENGINE POWER

6,5÷13
Hp

BENZ-C H1811

- Direct motor-pump coupling
- Without hydraulic decelerator

BENZ-C H2013 /

BENZ-C H2515

- Equipped with elasting coupling
- Without hydraulic decelerator

BENZ-C DL2515

- Equipped with elasting coupling
- With hydraulic decelerator

BENZ-CL 2216 /

BENZ-C L 2021

- Equipped with gearbox
- Without hydraulic decelerator

BENZ-C L DL2217 /

BENZ-C L DL2021 /

BENZ-C L DL1230

- Equipped with gearbox
- With hydraulic decelerator
- Electric starter (only 1230 model)

EXCLUSIVE CHARACTERISTICS

- THERMOSTATIC VALVE - TSV
- ENGINE THROTTLE CONTROL - RS (ONLY DL MODELS)



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN

SPECS



ONLY "L" VERSIONS ARE PROVIDED WITH A GEARBOX IN ORDER TO GUARANTEE PUMP LIFESPAN EXTENSION



FLEXIBLE COUPLING BETWEEN PUMP AND ENGINE FOR COMPONENTS LIFESPAN EXTENSION ("H" VERSION)



THERMOSTATIC VALVE PROTECTING THE PUMP FROM POSSIBLE OVERHEATING IN BY-PASS PHASE

TECHNICAL DATA

		BENZ-C H1811PI P	BENZ-C H2013PI P	BENZ-C H2515PI P	BENZ-C H DL2515PI P	BENZ-C L2216PI P	BENZ-C L2021PI P	BENZ-C L DL2217PI P	BENZ-C L DL2021PI P	BENZ-C L DL1230PI P
Code		IDAF40352	IDAF40353	IDAF40354	IDAF40355	IDAF40356	IDAF40357	IDAF40358	IDAF40359	IDAF40947
PERFORMANCE										
Operating pressure max	bar/Mpa	30-180/3-18	30-200/3-20	30-250/3-25	30-250/3-25	30-220/3-22	30-200/3-20	30-220/3-22	30-200/3-20	30-120/3-12
Flow rate	l/h	330-660	400-800	450-900	450-900	500-1000	400-1260	450-1000	450-1260	450-1800
Max inlet water temperature	°C	50	50	50	50	50	50	50	50	50
Engine type		Honda GX200 (gasoline)	Honda GX270 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)	Honda GX390 (gasoline)
Engine power	Hp	6,5	9	13	13	13	13	13	13	13
Engine speed	rpm	3600	3600	3600	3600	1500	1500	1500	1500	1500
Remote control		BYP	BYP	BYP	BYP	BYP	BYP	BYP	BYP	BYP
Pump/head/pistons		IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic
Detergent tank	l	-	-	-	-	-	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure	low pressure	low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	86x56x54	105x66x75	105x66x75	105x66x75	105x66x75	105x66x75	105x66x75	105x66x75	105x66x75
Weight	Kg	47	70	75	75	85	85	75	75	85
Motor-pump coupling		direct	elastic coupling	elastic coupling	elastic coupling	gearbox	gearbox	gearbox	gearbox	gearbox

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 M22



CODE: LCPR40013
EXTENSION INOX P70 + HYJET



CODE: UGLN49990
H.P. NOZZLE 1/4 25034 (FOR 1811/2013/2515)



CODE: UGLN05199
H.P. NOZZLE 1/4 2505 (FOR 2216/2217)



CODE: UGLN49995
H.P. NOZZLE 1/4 25065 (FOR 2021)



CODE: UGLN75267
H.P. NOZZLE 1/4 2514 (FOR 1230)



CODE: TBAP25324
H.P. HOSE R1 10 m 5/16"



CODE: TBAP40010
H.P. HOSE R2 10 m 3/8" (FOR 1230)



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS M22



CODE: LCPR24906
LANCE WITH DOUBLE NOZZLE HOLDER



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: TBAP23853
DRAIN KIT 10 m (FOR 1811/2013)



CODE: TBAP24406
DRAIN KIT 20 m (FOR 2216/2217/2021)



CODE: TBAP40062
FLEXIBLE HOSE 15 m



CODE: TBAP44379
FLEXIBLE HOSE 20 m



CODE: LCPR40009
TURBO LANCE P70 Ø 035 (FOR 1811/2013/2515)



CODE: LCPR41973
TURBO LANCE P70 Ø 055 (FOR 2216/2217)



CODE: LCPR88522
TURBO LANCE P70 Ø 065 (FOR 2021)



CODE: KTRI40186
HOSE REEL KIT



CODE: LCPR40040
FOAMER HEAD KIT 1 l



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm (FOR 1811/2013/2515)



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6 mm (FOR 2216/2217)



CODE: LCPR14860
SANDBLASTER KIT Ø 1,7 mm (FOR 2021)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCLC49492
LANCE FOR WASHING FLOORS 0,35 (FOR 1811/2013)



CODE: LCLC49494
LANCE FOR WASHING FLOORS 0,55 (FOR 2021)



CODE: KTRI00038
INJECTOR KIT





HIGH-PRESSURE WASHERS - COLD WATER

DIESEL-C

ELECTRIC STARTER

PRESSURE

200 bar

FLOW RATE

1000 l/h

ENGINE POWER

10 Hp



EXCLUSIVE CHARACTERISTICS

- ▶ THERMOSTATIC VALVE - TSV
- ▶ ENGINE THROTTLE CONTROL - RS

YANMAR SERIE
DIESEL ENGINE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



IPC
PUMP

SPECS



LARGE DIAMETER, WIDE
TREAD TYRED WHEELS
SUITABLE FOR ANY SURFACE



PROVIDED WITH A
REDUCTION GEAR IN ORDER
TO EXTEND PUMP LIFESPAN



EQUIPPED WITH ENGINE
THROTTLE CONTROL IT
REDUCES ENGINE RPM WHEN
BY-PASS IS ACTIVATED

TECHNICAL DATA

Code		DIESEL-C L2017P D
PERFORMANCE		IDAF40794
Operating pressure max	bar/Mpa	30-200/3-20
Flow rate	l/h	630-1000
Max inlet water temperature	°C	50
Engine type		Yanmar L100N6 (diesel)
Engine power	Hp	10
Engine speed	rpm	1500
Remote control		BYP
Pump/head/pistons		IPC plunger/brass/ceramic
Detergent tank	l	-
Detergent delivery		low pressure
Dimension (LxWxH)	cm	105x66x75
Weight	Kg	120
Motor-pump coupling		gearbox

STANDARD EQUIPMENT

CODE: IPPR40025 HANDGRIP G6000	CODE: LCPR40013 EXTENSION INOX P70+ HYJET	CODE: UGLN49987 H.P NOZZLE 1/4 15045	CODE: TBAP25324 HIGH PRESSURE HOSE 10 m
			

OPTIONAL ACCESSORIES

CODE: RCIN10810 HOSE COUPLINGS M22	CODE: LCPR24906 LANCE WITH DOUBLE NOZZLE HOLDER	CODE: LCPR29360 MUDGUARD LANCE P90	CODE: TBAP23853 DRAIN KIT 10 m	CODE: TBAP24406 DRAIN KIT 20 m
				
CODE: TBAP40062 FLEXIBLE HOSE 15 m	CODE: TBAP44379 FLEXIBLE HOSE 20 m	CODE: KTRI40526 HOSE REEL KIT	CODE: LCPR40040 FOAM HEAD KIT 1 l	CODE: LCPR14859 SANDBLASTER KIT Ø 1,5
				
CODE: PRCH40041 SAND BAG 25 Kg	CODE: LCPR40054 TURBO LANCE TPR-255 Ø0,40	CODE: LCLC49494 LANCE FOR WASHING FLOORS Ø,55	CODE: KTRI40444 MAINTENANCE KIT 500H	CODE: KTRI40336 KIT FOR HOT WATER FEEDING VERSION
				



HOT WATER GENERATOR

FIRE BOX

PRESSURE

175÷350
bar

FLOW RATE

1260 l/h

ABSORBED POWER

0,3 kW



EXCLUSIVE CHARACTERISTICS

- BOILER IGNITION DELAY - IBD

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



HEAVY INDUSTRY



SPECS



SINGLE PHASE BURNER
MOTOR CONNECTED TO FAN
AND DIESEL FUEL PUMP



COVER AND TROLLEY IN
PAINTED SHEET METAL



ELECTRIC CONTROL PANEL
WITH ON-OFF SWITCH AND
THERMOSTAT

TECHNICAL DATA

Code		30M FIRE BOX	40M FIRE BOX	40/350 FIRE BOX
		CDVE49715	CDVE49716	CDVE40027
PERFORMANCE				
Operating pressure max	bar/Mpa	175/17,5	200/20	350/35
Flow rate	l/h	360-1260	360-1260	360-1260
Outlet water max. temperature	°C	140	140	140
Power supply	Ph-V-Hz/A	1-230-50/2	1-230-50/2	1-230-50/2
Absorbed power	kW	0,3	0,3	0,3
Fuel tank	l	18	18	18
Fuel consumption max	kg/h	5,8	7,2	7,2
Boiler thermal power	kW	70	90	90
Dimension (LxWxH)	cm	79x75x92	120x70x100	120x70x100
Weight	kg	108	111	112

STANDARD EQUIPMENT

CODE: RCIN03755
HOSE COUPLINGS



CODE: TBAP29050
HIGH PRESSURE HOSE
L2310 R2 3/8F - 3/8F





HIGH-PRESSURE WASHERS - COLD WATER STATIONARY

ML CMP

DELAYED TOTAL STOP MODELS

PRESSURE

130÷210
bar

FLOW RATE

600÷1000
l/h

ABSORBED POWER

3÷7,5
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ NOOZLE CLOG CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ DRY RUNNING PROTECTION - DRP
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



EASY ACCESS TO ALL
COMPONENTS FOR AN EASY
MAINTENANCE



HIGH CAPACITY INLET WATER
FILTER



BY-PASS VALVE IS PROVIDED
WITH 1 HOLDING METAL
PLATE IN ORDER TO PROTECT
IT FROM MECHANICAL STRESS

TECHNICAL DATA

		ML CMP D1310P4 M	ML CMP D1813P T	ML CMP D1915P4 T	ML CMP D2117P4 T
Code		IDAF40486	IDAF40535	IDAF40536	IDAF40537
PERFORMANCE					
Operating pressure	bar/Mpa	30-130/3-13	30-180/3-18	30-190/3-19	30-210/3-21
Flow rate	l/h	300-600	400-800	450-900	480-1000
Inlet water max. temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/15	3-400-50/8,5	3-400-50/9,5	3-400-50/12
Absorbed power	kW	3	5,1	6,5	7,5
Motor pole/rpm		4-1400	2-2800	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		-	-	-	-
Dimension (LxWxH)	cm	59x39x29	59x39x29	59x39x29	59x39x29
Weight	kg	49,2	50	56,4	67

STANDARD EQUIPMENT

CODE: IPIP40022
GRIP G6000 BAYONET



CODE: LCLC40004
EXTENSION P70 INOX
BAYONET



CODE: UGLN49990
H.P NOZZLE 1/4 25034
(FOR 1310)



CODE: UGLN49991
H.P NOZZLE 1/4 2504
(FOR 1813)



CODE: UGLN49987
H.P NOZZLE 1/4 15045
(FOR 1915/2117)



CODE: TBAP25324
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 INOX



CODE: LCPR14858
SADBASTER KIT Ø 1,4
(FOR 1310) TO USE WITH
IPPR40025



CODE: LCPR14859
SADBASTER KIT Ø 1,5
(FOR 2117) TO USE WITH
IPPR40025



CODE: LCPR13557
SADBASTER KIT Ø 1,6
(FOR 1813/1915) TO USE
WITH IPPR40025



CODE: LCPR93178
TURBO LANCE TTR-16
D.1,35 - (FOR 1310/1915)
TO USE WITH IPPR40025



CODE: LCPR40016
TURBO LANCE TTR-16 D.1,40
(FOR 1813) TO USE WITH
IPPR40025



CODE: LCPR40054
TURBO LANCE TPR-255
D.0,40 - (FOR 2117) TO
USE WITH IPPR40025



CODE: KTRI37674
HOSE REEL KIT



CODE: AVTB39119
INOX HOSE REEL KIT



CODE: RCIN10810
HOSE COUPLINGS



CODE: KTRI28914
ROTATING ARM



CODE: LCPR40039
FOAMER KIT BAYONET



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 1813)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2117)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4/1915P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1813P)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117P4)





HIGH-PRESSURE WASHERS - COLD WATER STATIONARY

ML-C

PRESSURE

150÷200
bar

FLOW RATE

900÷1260
l/h

ABSORBED POWER

5,5÷7,1
kW



EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ FLOODING PREVENTION SYSTEM - FPS

STAINLESS STEEL STRUCTURE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



HIGH-PRESSURE DETERGENT
DELIVERY DOSING SYSTEM



PROFESSIONAL PRESSURE
GAUGE ENSURING A
CONSTANT CONTROL OF
WORKING PRESSURE



PUMP WITH BRASS HEAD
AND THREE CERAMIC
PISTONS ENSURING A LONG-
TERM LIFESPAN

TECHNICAL DATA

		ML-C D1515PIT	ML-C D1521PIT	ML-C D1618PIT	ML-C D2015PIT
Code		IDAF40366	IDAF40367	IDAF40368	IDAF40369
PERFORMANCE					
Operating pressure	bar/Mpa	150/15	150/15	160/16	200/20
Flow rate	l/h	900	1260	1080	900
Inlet water max. temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/9,4	3-400-50/14	3-400-50/14,1	3-400-50/13,2
Absorbed power	kW	5,5	7,1	7,1	7,1
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic	IPG plunger/brass/ceramic
Detergent tank	l	optional [2x25 l]	optional [2x25 l]	optional [2x25 l]	optional [2x25 l]
Detergent delivery		high pressure	high pressure	high pressure	high pressure
Dimension (LxWxH)	cm	77x41x41	77x41x41	77x41x41	77x41x41
Weight	kg	85	90	92	92
Motor -pump coupling		elastic coupling	elastic coupling	elastic coupling	elastic coupling

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 INOX
(FOR 1515/2015)



CODE: LCPR40159
EXTENSION P70 INOX 0° -
(FOR 1521/1618)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 2015)



CODE: UGLN49993
H.P. NOZZLE 1/4 25055
(FOR 1515)



CODE: UGLN49997
H.P. NOZZLE 1/4 25075
(FOR 1521)



CODE: UGLN49995
H.P. NOZZLE 1/4 25065
(FOR 1618)



CODE: TBAP25324
H.P. HOSE R1 10 m 5/16''
(FOR 1515)



CODE: TBAP40010
H.P. HOSE R2 10 m 3/8''
(FOR 1521/1618)



CODE: TBAP40009
H.P. HOSE R2 10 m 5/16''
(FOR 2015)



OPTIONAL ACCESSORIES

CODE: KTRI37674
HOSE REEL KIT



CODE: AVTB39119
INOX HOSE REEL KIT



CODE: LCPR39134
FOAMER HEAD P30



CODE: KTRI28914
ROTATING ARM



CODE: LCLC41140
LANCE FOR WASHING
FLOORS INOX



CODE: KTRI28935
LANCE HOLDER



CODE: LCPR14859
SANDBLASTER KIT Ø 1,5 mm
(FOR 2015)



CODE: LCPR14860
SANDBLASTER KIT Ø 1,7 mm
(FOR 1515/1618)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: KTRI39249
PAINTED WALL FIXING
BRACKET



CODE: KTRI75463
STAINLESS STEEL WALL
FIXING BRACKET



CODE: KTRI39250
PAINTED STAND



CODE: KTRI75370
STAINLESS STEEL STAND



CODE: KTRI39246
REMOTE CONTROL



CODE: KTRI75367
REMOTE CONTROL WITH
DETERGENT CONTROL



CODE: KTRI39247
REMOTE CONTROL WITH
DETERGENT CONTROL +
WAX CONTROL



CODE: KTRI49930
KIT FOR HOT WATER FEEDING
VERSION
(FOR 1515/1521/2015)



CODE: KTRI49931
KIT FOR HOT WATER FEEDING
VERSION (FOR 1618)



CODICE: MPVR13701
25L DETERGENT TANK
2 PCS



CODICE: LCPR41973
TURBO LANCE Ø 0.55
(FOR 1515)



CODE: LCPR40088
TURBO LANCE Ø 0.80
(FOR 1521)



CODE: LCPR88522
TURBO LANCE Ø 0.65
(FOR 1618)



CODE: LCPR40045
TURBO LANCE Ø 0.45
(FOR 2015)





HIGH-PRESSURE WASHERS - COLD WATER STATIONARY

MLC-C

DELAYED TOTAL STOP MODELS

PRESSURE

130÷210
bar

FLOW RATE

600÷1000
l/h

ABSORBED POWER

3÷6,4
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ INTELLIGENT PROPORTIONAL SWITCH OFF - IPSF
- ▶ DRY RUNNING PROTECTION - DRP



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSCT™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



EQUIPPED WITH A PAINTED METAL PLATE FOR WALL-MOUNTING



PUMP WITH BRASS HEAD AND THREE CERAMIC PISTONS ENSURING LONG-TERM LIFESPAN



PROFESSIONAL PRESSURE GAUGE ENSURING A CONSTANT CONTROL OF WORKING PRESSURE

TECHNICAL DATA

		MLC-C D1310P4 M	MLC-C D1813P T	MLC-C D1915P4 T	MLC-C D2117P4 T
Code		PPEL40079	PPEL40081	PPEL40083	PPEL40085
PERFORMANCE					
Operating pressure	bar/Mpa	30-130/3-13	30-180/3-18	30-190/3-19	30-210/3-21
Flow rate	l/h	300-600	400-800	450-900	480-1000
Inlet water max. temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,3	3-400-50/8,6	3-400-50/9,4	3-400-50/12
Absorbed power	kW	3	4,7	5,1	6,4
Motor pole/rpm		4-1400	2-2800	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		-	-	-	-
Dimension (LxWxH)	cm	53x34x60	53x34x60	53x36x60	58x39x60
Weight	kg	31	40	45,2	50,2

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40087
EXTENSION P70 INOX



CODE: UGLN40000
H.P. NOZZLE 1/4 15034
(FOR 1310)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 1813/1915/2117)



CODE: TBAP25324
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: IPIP40022
GRIP G6000 BAYONET



CODE: LCLC40004
EXTENSION P70 - INOX
BAYONET



CODE: LCPR40039
FOAMER KIT 1 l BAYONET
(FOR IPIP40022)



CODE: LCPR40040
FOAMER KIT M22 1 l
(FOR IPPR40025)



CODE: LCPR14858
SANDBASTER KIT Ø 1,4
(FOR 1310) TO USE WITH
IPPR40025



CODE: LCPR14859
SANDBASTER KIT Ø 1,5
(FOR 2117) TO USE WITH
IPPR40025



CODE: LCPR13557
SANDBASTER KIT Ø 1,6
(FOR 1813/1915) TO USE
WITH IPPR40025



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
D.1,35 - (FOR 1310/1915)
TO USE WITH IPPR40025



CODE: LCPR40016
TURBO LANCE TTR-16 D.1,40
(FOR 1813) TO USE WITH
IPPR40025



CODE: LCPR40054
TURBO LANCE TPR-255
D.O.40 - (FOR 2117) TO
USE WITH IPPR40025



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310)



CODE: KTRI40317
MAINTENANCE KIT 500H
(FOR 1813)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915)



CODE: KTRI40338
MAINTENANCE KIT 500H
(FOR 2117)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4/1915P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1813P)



CODE: KTRI40336
KIT FOR HOT WATER
FEEDING VERSION
(FOR 2117P4)





HIGH-PRESSURE WASHERS - COLD WATER STATIONARY

SML-C

PRESSURE

100÷200
bar

FLOW RATE

1260÷1800
l/h

ABSORBED POWER

6,3÷9,4
kW



EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ FLOODING PREVENTION SYSTEM - FPS

STAINLESS STEEL STRUCTURE

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



HIGH-PRESSURE DETERGENT
DELIVERY DOSING SYSTEM



PROFESSIONAL PRESSURE
GAUGE ENSURING A
CONSTANT CONTROL OF
WORKING PRESSURE



STAINLESS STEEL WATER
TANK

TECHNICAL DATA

		SML-C D1030P T	SML-C D1530PIT	SML-C D2021PIT
Code		IDAF40370	IDAF40371	IDAF40372
PERFORMANCE				
Operating pressure	bar/Mpa	100/10	150/15	200/20
Flow rate	l/h	1800	1800	1260
Inlet water max. temperature	°C	50	50	50
Power supply	Ph-V-Hz/A	3-400-50/12,8	3-400-50/18,5	3-400-50/17
Absorbed power	kW	6,3	7,5	9,4
Motor pole/rpm		4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS
Pump/head/pistons		lpg plunger/brass/ceramic	lpg plunger/brass/ceramic	lpg plunger/brass/ceramic
Detergent tank	l	optional (2x25)	optional (2x25)	optional (2x25)
Detergent delivery		high pressure	high pressure	high pressure
Dimension (LxWxH)	cm	93x44x41	93x44x41	77x41x41
Weight	kg	80	90	120

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40159
EXTENSION P70 INOX 0°



CODE: UGLN02317
H.P. NOZZLE 1/4 2515
(FOR 1030)



CODE: UGLN02314
H.P. NOZZLE 1/4 2510
(FOR 1530)



CODE: UGLN49994
H.P. NOZZLE 1/4 2506
(FOR 2021)



CODE: TBAP40010
H.P. HOSE R2 10 m 3/8"



OPTIONAL ACCESSORIES

CODE: KTRI37674
HOSE REEL KIT



CODE: AVTB39119
INOX HOSE REEL KIT INOX



CODE: LCPR39134
FOAMER HEAD P30



CODE: KTRI28914
ROTATING ARM



CODE: LCLC41140
LANCE FOR WASHING
FLOORS INOX



CODE: KTRI28935
LANCE HOLDER



CODE: LCPR14860
SANDBLASTER KIT Ø 1,7 mm
(FOR 2021)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR40089
EXTENSION P70 TURBO
D.10 (FOR 1530)



CODE: LCPR88522
EXTENSION P70 TURBO
D.065 (FOR 2021)



CODE: KTRI75461
PAINTED WALL FIXING
BRACKET



CODE: KTRI75369
PAINTED STAND



CODE: KTRI75462
STAINLESS STEEL WALL
FIXING BRACKET



CODE: KTRI75371
STAINLESS STEEL STAND



CODE: KTRI49930
KIT FOR HOT WATER
FEEDING VERSION



CODE: KTRI39246
REMOTE CONTROL



CODE: KTRI75367
REMOTE CONTROL WITH
DETERGENT CONTROL



CODE: KTRI39247
REMOTE CONTROL WITH
DETERGENT CONTROL +
WAX CONTROL



CODICE: MPVR13701
25L DETERGENT TANK
2 PCS



По вопросам продаж и поддержки обращайтесь:			
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	