

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



## NEW GENERATION HIGH SPEED MOTORS

---

### EFFICIENT AND POWERFUL

Premium wet&dry vacuum cleaners are equipped with the new,extremely efficient and powerful generation of high speed motors.



# MORE

POWERFUL, SILENT, DURABLE

---

### BENEFITS

- 01 Advanced mechanical design, compact and lightweight ensuring no loss in performance
- 02 More durable: up to 800 working hours
- 03 More silent



#### INDEPENDENT MOTORS



#### NO PERFORMANCE LOSS

2 motors and 3 motors equipped machines have special valves allowing the separate start of the motors without any power loss. This function allows the operator to adjust the power according to the specific use and have a spare motor. Light indicators show how many motors are running and alert if there is any breakdown of the power cord.

#### BENEFITS

01

Power selection according to usage

02

Possibility to have a ready-to-use spare motor



#### SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM



#### FOAM & LIQUIDS STOP

Wet & Dry vacuum cleaners are equipped with a special device - the Integrated Anti-Foam System - which protects the floater from foam. The floater detects and blocks liquids when tank is full; thanks to its watertight rubber seal, this innovative system protects the motor ensuring maximum safety.

#### BENEFITS

01

The Integrated Anti-Foam System guarantees the correct floater operation mode

02


The floater detects and blocks liquids when tank is full

03

The motor is protected by the floater



#### DRAIN HOSE



#### PRACTICAL SOLUTION TO EMPTY THE TANK

Wet & Dry (large capacity) models are equipped with drain valve solutions to facilitate tank emptying.

#### BENEFITS

01

Possibility to empty the tank from liquids

02

User-friendly design



**TIPPING  
TROLLEY**



### LESS EFFORTS TO EMPTY THE TANK

Wet & Dry (large capacity) models are equipped with a tipping tank system and a front handle to make emptying operations easy and fast.

#### BENEFITS

01


Ideal for large quantities of liquids

02

Designed for working efficiently and in total safety



**DFS  
DUAL  
FILTRATION  
SYSTEM**



### WET&DRY UNIQUE FILTERING SYSTEM

Thanks to DFS (Dual Filtration System), it is not necessary to remove the filter when you switch from dust recovery to liquids aspiration.

#### BENEFITS

01

DFS is practical and useful system: no need to remove the filter during liquids suction

02

DFS is versatile: you can vacuum both dust and liquids



---

## DAILY CLEANING

- ▶ KITCHENS CLEANING
- ▶ FLOORS DRYING AFTER WASHING WITH SINGLE BRUSH SWEEPERS
- ▶ BATHROOM FIXTURE AND TOILETS

---

## GENERAL MAINTENANCE

- ▶ CAR PARKS
- ▶ HALLS
- ▶ COFFEE SHOPS AND DINING ROOMS

# HARDWARE & COMMUNITIES



---

## GENERAL MAINTENANCE

- ▶ CAR WASH
- ▶ POOLSIDE AND SPA CLEANING
- ▶ GARAGE AND WORKING AREAS

---

## REGULAR CLEANING

- ▶ LOADING&UNLOADING AREAS
- ▶ TRUCK CARGO BEDS
- ▶ FOUNTAINS

# AGRICULTURE & INDUSTRY



---

## GENERAL MAINTENANCE

- ▶ CLEANING OF MECHANICAL VEHICLES AND TANKS
- ▶ REMOVAL FROM SEWER DRAINAGE AREAS
- ▶ RECOVERY OF ACCIDENTAL SPILLINGS

---

## REGULAR CLEANING

- ▶ REMOVAL OF PLANTS LEAKS
- ▶ VANS AND TRACTORS CLEANING
- ▶ LIQUIDS REMOVAL AFTER MACHINERIES WASHING



VACUUM CLEANERS - WET & DRY - BASIC

# YP 1/20 W&D YS 1/20 W&D

POWER MAX

1400 W

WATER LIFT

1735  
mmH<sub>2</sub>O

AIRFLOW

108 m<sup>3</sup>/h

TANK CAPACITY

20 l



## MOST FREQUENTLY USE

HORECA



RETAIL



AGRICULTURE



CONSTRUCTION



HARDWARE CUSTOMER



LOGISTIC & TRANSPORT



AUTOMOTIVE



## SPECS



BLOWING DEVICE



CABLE HOOK



PARKING POSITION

TECHNICAL DATA

Code		YP 1/20 W&D	YS 1/20 W&D
PERFORMANCE		ASD012701	ASD015089
Usage		WET & DRY	WET & DRY
Motor		1	1
Power	W	1200 - 1400 max	1200 - 1400 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	1735	1735
Airflow	m³/h	108	108
Tank Capacity/Material	l	20/plastic	20/steel
Cable length	m	5	5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	78	78
Diameter of accessories	mm	32	32
Dimensions (LxWxH)	mm	330x310x500	330x310x500
Weight	Kg	5,6	5,6

STANDARD EQUIPMENT

CODE: TBFX00994  
FLEXIBLE HOSE 1,5 MT  
WITH HANDLE



CODE: TBFX00988  
ALUMINIUM TUBES X3



CODE: SPPV02190  
WET & DRY FLOOR BRUSH



CODE: KTRI02538  
BRUSHES SET



CODE: KTRI02536  
CLOTH FILTER



CODE: MPVR11450  
RING (TO BE USED  
WITHOUT CLOTH FILTER)



OPTIONAL ACCESSORIES

CODE: FTDP00449  
PAPER BAG SET OF 10 PCS



CODE: CNPR00422  
CARTRIDGE







VACUUM CLEANERS - WET & DRY - PROFESSIONAL

# YP 1/27 W&D YS 1/27 W&D

POWER MAX

1500 W

WATER LIFT

2230  
mmH<sub>2</sub>O

AIRFLOW

255 m<sup>3</sup>/h

TANK CAPACITY

27 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA



RETAIL



HEALTHCARE



EDUCATION



AGRICULTURE



CONSTRUCTION



HARDWARE CUSTOMER



LOGISTIC & TRANSPORT



AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™

## SPECS



INTEGRATED ANTI-FOAM  
SYSTEM



CABLE HOOK



INNOVATIVE HEAD GASKET

## TECHNICAL DATA

Code		YP 1/27 W&D	YS 1/27 W&D
PERFORMANCE		ASD015072	ASD015078
Usage		WET&DRY	WET&DRY
Motor		1	1
Power	W	1250 - 1500 max	1250 - 1500 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2230	2230
Airflow	m <sup>3</sup> /h	255	255
Tank Capacity/Material	l	27/plastic	27/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72	70
Diameter of accessories	mm	36	36
Dimensions (LxWxH)	mm	360x360x630	360x360x630
Weight	Kg	8,0	9,0

## STANDARD EQUIPMENT

CODE: TBFX00704  
FLEXIBLE HOSE 2 M  
Ø36 MM



CODE: LAFN28238  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø36 MM



CODE: LAFN85073  
HANDLE WITH AIR  
REGULATOR Ø36 MM



CODE: SPPV01771  
DOUBLE USE BRUSH  
Ø36 MM



CODE: SPPV28245  
WET FLOOR TOOL  
Ø36 MM



CODE: SPPV28242  
FLAT LANCE Ø36 MM



CODE: SPPV28243  
ROUND BRUSH Ø36 MM



CODE: MPVR00141  
SMALL TOOL



CODE: KTRI02133  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP72226  
PAPER BAG 1 PC



CODE: KTRI03035  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00462  
MICROFIBER BAG 1 PC



CODE: KTRI04795  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00222  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 1/16 W&D GS 1/18 W&D

POWER MAX

1300 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

200 m<sup>3</sup>/h

TANK CAPACITY

16 l  
18 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA



RETAIL



HEALTHCARE



EDUCATION



AGRICULTURE



CONSTRUCTION



HARDWARE CUSTOMER



LOGISTIC & TRANSPORT



AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



ERGONOMIC HANDLE



TOOL HOLDER



TROLLEY WITH 2 FRONT  
SWIVELLING WHEELS AND 2  
LARGE REAR WHEELS

## TECHNICAL DATA

		GP 1/16 W&D	GS 1/18 W&D
Code		ASD015013	ASD015033
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		1	1
Power	W	1100 - 1300 max	1100 - 1300 max
Voltage	V	220-240	220-240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	200	200
Tank Capacity/Material	l	16/plastic	18/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	70	70
Diameter of accessories	mm	36	36
Dimensions (LxWxH)	mm	380x380x500	380x380x500
Weight	Kg	10,0	11,0

## STANDARD EQUIPMENT

CODE: TBFX00704  
FLEXIBLE HOSE 2 M  
Ø36 MM



CODE: LAFN28238  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø36 MM



CODE: LAFN85073  
HANDLE WITH AIR  
REGULATOR Ø36 MM



CODE: SPPV01771  
DOUBLE USE BRUSH  
Ø36 MM



CODE: SPPV28245  
WET FLOOR TOOL  
Ø36 MM



CODE: SPPV28242  
FLAT LANCE Ø36 MM



CODE: SPPV28243  
ROUND BRUSH Ø36 MM



CODE: MPVR00141  
SMALL TOOL



CODE: KTRI02133  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP33284  
PAPER BAG 1 PC



CODE: KTRI02639  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00455  
MICROFIBER BAG 1 PC



CODE: KTRI04794  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00222  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: MPVR11566  
CREVICE TOOL 35 CM



CODE: MPVR11567  
FLEXIBLE CREVICE TOOL  
60 CM





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 1/27 W&D GS 1/33 W&D

POWER MAX

1300 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

200 m<sup>3</sup>/h

TANK CAPACITY

27 l  
33 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA

RETAIL

HEALTHCARE

EDUCATION

AGRICULTURE

CONSTRUCTION

HARDWARE CUSTOMER

LOGISTIC & TRANSPORT

AUTOMOTIVE

## INNOVATIONS



BLACK  
IS  
GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



EXTREMELY FLEXIBLE HOOKS



CABLE HOOK



FLEXIBLE HOSE IS LOCKED  
SECURELY AND RELIABLY

## TECHNICAL DATA

		GP 1/27 W&D	GS 1/33 W&D
Code		ASD015015	ASD015036
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		1	1
Power	W	1100 - 1300 max	1100 - 1300 max
Voltage	V	220-240	220-240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	200	200
Tank Capacity/Material	l	27/plastic	33/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	70	70
Diameter of accessories	mm	36	36
Dimensions (LxWxH)	mm	380x380x650	380x380x650
Weight	Kg	10,5	12,0

## STANDARD EQUIPMENT

CODE: TBFX00704  
FLEXIBLE HOSE 2 M  
Ø36 MM



CODE: LAFN28238  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø36 MM



CODE: LAFN85073  
HANDLE WITH AIR  
REGULATOR Ø36 MM



CODE: SPPV01771  
DOUBLE USE BRUSH  
Ø36 MM



CODE: SPPV28245  
WET FLOOR TOOL  
Ø36 MM



CODE: SPPV28242  
FLAT LANCE Ø36 MM



CODE: SPPV28243  
ROUND BRUSH Ø36 MM



CODE: MPVR00141  
SMALL TOOL



CODE: KTRI02133  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP72226  
PAPER BAG 1 PC



CODE: KTRI03035  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00462  
MICROFIBER BAG 1 PC



CODE: KTRI04795  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00222  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: MPVR11566  
CREVICE TOOL 35 CM



CODE: MPVR11567  
FLEXIBLE CREVICE TOOL  
60 CM





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 1/35 W&D GS 1/41 W&D

POWER MAX

1300 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

200 m<sup>3</sup>/h

TANK CAPACITY

35 l  
41 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA

RETAIL

HEALTHCARE

EDUCATION

AGRICULTURE

CONSTRUCTION

HARDWARE CUSTOMER

LOGISTIC & TRANSPORT

AUTOMOTIVE

## INNOVATIONS



BLACK  
IS  
GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



INNOVATIVE HEAD GASKET



INTEGRATED ANTI-FOAM  
SYSTEM



AP TUBES ARE LIGHTWEIGHT  
AND EXTREMELY ROBUST



## TECHNICAL DATA

		GP 1/35 W&D	GS 1/41 W&D
Code		ASD015019	ASD015039
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		1	1
Power	W	1100 - 1300 max	1100 - 1300 max
Voltage	V	220-240	220-240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	200	200
Tank Capacity/Material	l	35/plastic	41/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	70	70
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	450x460x840	380x380x900
Weight	Kg	11,0	13,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: KTRI02142  
FILTERING KIT (FOR GP  
1/35 W&D)



CODE: KTRI02133  
FILTERING KIT (FOR GS  
1/41 W&D)



## OPTIONAL ACCESSORIES

CODE: FTDP72226  
PAPER BAG 1 PC (FOR GP  
1/35 W&D)



CODE: KTRI03035  
PAPER BAG SET OF 10 PCS  
(FOR GP 1/35 W&D)



X10

CODE: FTDP00298  
PAPER BAG 1 PC (FOR GS  
1/41 W&D)



CODE: KTRI03166  
PAPER BAG SET OF 10 PCS  
(FOR GS 1/41 W&D)



X10

CODE: FTDP00462  
MICROFIBER BAG 1 PC  
(FOR GP 1/41 W&D)



CODE: KTRI04795  
MICROFIBER BAG SET  
OF 10 PCS (FOR GP 1/35  
W&D)



X10

CODE: FTDP00463  
MICROFIBER BAG 1 PC  
(FOR GS 1/41 W&D)



CODE: KTRI04797  
MICROFIBER BAG SET OF  
10 PCS (FOR GS 1/41 W&D)



X10

CODE: FTDP00222  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM







VACUUM CLEANERS - WET & DRY - PROFESSIONAL

# YS 2/45 W&D

POWER MAX

2800 W

WATER LIFT

2230  
mmH<sub>2</sub>O

AIRFLOW

510 m<sup>3</sup>/h

TANK CAPACITY

45 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA

RETAIL

HEALTHCARE

EDUCATION

AGRICULTURE

CONSTRUCTION

HARDWARE CUSTOMER

LOGISTIC & TRANSPORT

AUTOMOTIVE

## INNOVATIONS



BLACK  
IS  
GREEN™

## SPECS



TROLLEY WITH SWIVELLING WHEELS



LIGHT SWITCHES



FLEXIBLE HOSE IS LOCKED SECURELY AND RELIABLY

## TECHNICAL DATA

<b>Code</b>		<b>YS 2/45 W&amp;D</b>
<b>PERFORMANCE</b>		ASD015079
<b>Usage</b>		WET & DRY
<b>Motor</b>		2
<b>Power</b>	W	2400 - 2800 max
<b>Voltage</b>	V	220 - 240
<b>Water lift</b>	mmH <sub>2</sub> O	2230
<b>Airflow</b>	m <sup>3</sup> /h	510
<b>Tank Capacity/Material</b>	l	45/steel
<b>Cable length</b>	m	8,5
<b>Sound Pressure Level</b> (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
<b>Diameter of accessories</b>	mm	38
<b>Dimensions (LxWxH)</b>	mm	480x480x780
<b>Weight</b>	Kg	20

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE





VACUUM CLEANERS - WET & DRY - PROFESSIONAL

# YP 2/62 W&D YS 2/62 W&D

POWER MAX

2800 W

WATER LIFT

2230  
mmH<sub>2</sub>O

AIRFLOW

510 m<sup>3</sup>/h

TANK CAPACITY

62 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS  
WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER &  
INTEGRATED ANTI-FOAM  
SYSTEM
- ▶ RELIABLE CONSTRUCTION  
FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA



EDUCATION



AGRICULTURE



COSTRUCTION



HARDWARE CUSTOMER



LOGISTIC & TRANSPORT



AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™

## SPECS



ANTI-FOAM SYSTEM



TROLLEY WITH HANDLE



LIGHT SWITCHES

## TECHNICAL DATA

		YP 2/62 W&D	YS 2/62 W&D
Code		ASD015074	ASD015081
PERFORMANCE			
Usage		WET & DRY	WET & DRY
Motor		2	2
Power	W	2400 - 2800 max	2400 - 2800 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2230	2230
Airflow	m <sup>3</sup> /h	510	510
Tank Capacity/Material	l	62/plastic	62/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74	74
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	540x480x880	540x480x880
Weight	Kg	21	21

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 2/62 W&D GS 2/62 W&D

POWER MAX

2600 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

400 m<sup>3</sup>/h

TANK CAPACITY

62 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

HORECA



EDUCATION



AGRICULTURE



COSTRUCTION



HARDWARE CUSTOMER



LOGISTIC & TRANSPORT



AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™




HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



DRAIN HOSE



TROLLEY WITH HANDLE



LARGE REAR WHEELS WITH  
TYRES

## TECHNICAL DATA

		GP 2/62 W&D	GS 2/62 W&D
Code		ASD015022	ASD015040
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		2	2
Power	W	2200 - 2600 max	2200 - 2600 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	400	400
Tank Capacity/Material	l	62/plastic	62/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72	72
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	550x600x960	550x600x960
Weight	Kg	20,0	21,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM



CODE: MPVR10391  
OPTIONAL TOOL HOLDER



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS





VACUUM CLEANERS - WET & DRY - PREMIUM

NEW

# GP 2/72 W&D GS 2/78 W&D

POWER MAX

2600 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

400 m<sup>3</sup>/h

TANK CAPACITY

72 l  
78 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART



## MOST FREQUENTLY USE

### AGRICULTURE



### CONSTRUCTION



### HARDWARE CUSTOMER



### HEAVY INDUSTRY



### LOGISTIC & TRANSPORT



### AUTOMOTIVE



## INNOVATIONS



BLACK IS GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



TIPPING TANK



FLEXIBLE HOSE IS LOCKED  
SECURELY AND RELIABLY



OPTIONAL FIXED ACCESSORY



## TECHNICAL DATA

		GP 2/72 W&D	GS 2/78 W&D
Code		ASD015240	ASD015513
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		2	2
Power	W	2200 - 2600 max	2200 - 2600 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	400	400
Tank Capacity/Material	l	72/plastic	78/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72	72
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	550x600x1030	550x600x980
Weight	Kg	21,0	22,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT (FOR GP  
2/72 W&D)



CODE: KTRI02949  
FILTERING KIT (FOR GS  
2/78 W&D)



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM



CODE: MPVR10391  
OPTIONAL TOOL HOLDER



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS







VACUUM CLEANERS - WET & DRY - PROFESSIONAL

# YP 3/62 W&D YS 3/62 W&D

POWER MAX

3500 W

WATER LIFT

2230  
mmH<sub>2</sub>O

AIRFLOW

765 m<sup>3</sup>/h

TANK CAPACITY

62 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS  
WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER &  
INTEGRATED ANTIFOAM  
SYSTEM
- ▶ RELIABLE CONSTRUCTION  
FOR INTENSIVE USE



## MOST FREQUENTLY USE

### AGRICULTURE



### CONSTRUCTION



### HARDWARE CUSTOMER



### HEAVY INDUSTRY



### LOGISTIC & TRANSPORT



### AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™

## SPECS



INNOVATIVE HEAD GASKET



TROLLEY WITH HANDLE



LIGHT SWITCHES

## TECHNICAL DATA

		YP 3/62 W&D	YS 3/62 W&D
Code		ASD015077	ASD015083
PERFORMANCE			
Usage		WET & DRY	WET & DRY
Motor		3	3
Power	W	3400 - 3500 max	3400 - 3500 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2230	2230
Airflow	m³/h	765	765
Tank Capacity/Material	l	62/plastic	62/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76	76
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	540x480x880	540x480x880
Weight	Kg	23	23

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 3/62 W&D GS 3/62 W&D

POWER MAX

3600 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

600 m<sup>3</sup>/h

TANK CAPACITY

62 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE



## MOST FREQUENTLY USE

### AGRICULTURE



### CONSTRUCTION



### HARDWARE CUSTOMER



### HEAVY INDUSTRY



### LOGISTIC & TRANSPORT



### AUTOMOTIVE



## INNOVATIONS



BLACK IS GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



PARKING POSITION



OPTIONAL TOOL HOLDER



ANTI-FOAM SYSTEM

## TECHNICAL DATA

		GP 3/62 W&D	GS 3/62 W&D
Code		ASD015025	ASD015043
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		3	3
Power	W	3300 - 3600 max	3300 - 3600 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m³/h	600	600
Tank Capacity/Material	l	62/plastic	62/steel
Cable length	m	8,5	8,5
Sound Pressure Level [EN 60704-1; EN 60704-2-1; IEC 60335-2-69]	dB(A)	74	74
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	550x600x960	550x600x960
Weight	Kg	22,0	24,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: MPVR10391  
OPTIONAL TOOL HOLDER



CODE: MPVR10391  
OPTIONAL TOOL HOLDER



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS





VACUUM CLEANERS - WET & DRY - PREMIUM

# GP 3/72 W&D GS 3/78 W&D

POWER MAX

3600 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

600 m<sup>3</sup>/h

TANK CAPACITY

72 l  
78 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART



## MOST FREQUENTLY USE

### AGRICULTURE



### CONSTRUCTION



### HARDWARE CUSTOMER



### HEAVY INDUSTRY



### LOGISTIC & TRANSPORT



### AUTOMOTIVE



## INNOVATIONS



BLACK  
IS  
GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



TIPPING TANK



TROLLEY WITH HANDLE



LIGHT SWITCHES

## TECHNICAL DATA

		GP 3/72 W&D	GS 3/78 W&D
Code		ASD015029	ASD015044
PERFORMANCE			
Usage		WET&DRY	WET&DRY
Motor		3	3
Power	W	3300 - 3600 max	3300 - 3600 max
Voltage	V	220 - 240	220 - 240
Water lift	mmH <sub>2</sub> O	2380	2380
Airflow	m <sup>3</sup> /h	600	600
Tank Capacity/Material	l	72/plastic	78/steel
Cable length	m	8,5	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74	74
Diameter of accessories	mm	38	38
Dimensions (LxWxH)	mm	550x600x1030	550x600x980
Weight	Kg	23,0	24,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT (FOR GP  
3/72 W&D)



CODE: KTRI02949  
FILTERING KIT (FOR GS  
3/78 W&D)



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS





VACUUM CLEANERS - WET & DRY - PREMIUM

# GS 3/78 W&D DFS

NEW

POWER MAX

3600 W

WATER LIFT

2380  
mmH<sub>2</sub>O

AIRFLOW

600 m<sup>3</sup>/h

TANK CAPACITY

78 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ DFS – 2 IN 1 FILTRATION
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DETACHABLE TANK AND SOLID CART



## MOST FREQUENTLY USE

### AGRICULTURE



### CONSTRUCTION



### HARDWARE CUSTOMER



### HEAVY INDUSTRY



### LOGISTIC & TRANSPORT



### AUTOMOTIVE



## INNOVATIONS



BLACK IS GREEN™



HIGH SPEED  
NEW GENERATION  
MOTORS

## SPECS



SYSTEM W FOR  
SIMULTANEOUS DRY AND  
WET&DRY PICK UP



TIPPING TANK



TROLLEY WITH HANDLE



## TECHNICAL DATA

<b>Code</b>		<b>GS 3/78 W&amp;D DFS</b>
<b>PERFORMANCE</b>		ASD015117
<b>Usage</b>		WET&DRY
<b>Motor</b>		3
<b>Power</b>	W	3300-3600 max
<b>Voltage</b>	V	220 - 240
<b>Water lift</b>	mmH <sub>2</sub> O	2380
<b>Airflow</b>	m <sup>3</sup> /h	600
<b>Tank Capacity/Material</b>	l	78/steel
<b>Cable length</b>	m	8,5
<b>Sound Pressure Level</b> (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
<b>Diameter of accessories</b>	mm	38
<b>Dimensions (LxWxH)</b>	mm	550x600x980
<b>Weight</b>	Kg	24,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP00285  
POLYESTER CARTRIDGE



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: SPPV01336  
CARPET BRUSH Ø38 MM



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS







VACUUM CLEANERS - WET & DRY - LIGHT INDUSTRIAL

## GC 1/35 W&D

POWER MAX

1200 W

WATER LIFT

2470  
mmH<sub>2</sub>O

AIRFLOW

210 m<sup>3</sup>/h

TANK CAPACITY

35 l

### EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTOR



### MOST FREQUENTLY USE

#### HEALTHCARE



#### PHARMA INDUSTRY



#### AGRICULTURE



#### CONSTRUCTION



#### HARDWARE CUSTOMER



#### HEAVY INDUSTRY



#### LOGISTIC & TRANSPORT



#### AUTOMOTIVE



### INNOVATIONS



BLACK  
IS  
GREEN™

### SPECS



ULTRA-SHOCKPROOF PLASTIC TANK



ANTI-FOAM SYSTEM



FLEXIBLE HOSE IS LOCKED SECURELY AND RELIABLY

## TECHNICAL DATA

<b>Code</b>		<b>GC1/35 W&amp;D</b>
<b>PERFORMANCE</b>		ASD015048
<b>Usage</b>		WET&DRY
<b>Motor</b>		1x 2-stage
<b>Power</b>	W	1000 - 1200 max
<b>Voltage</b>	V	220-240
<b>Water lift</b>	mmH <sub>2</sub> O	2470
<b>Airflow</b>	m <sup>3</sup> /h	210
<b>Tank Capacity/Material</b>	l	35/plastic (polyethylene)
<b>Cable length</b>	m	8,5
<b>Sound Pressure Level</b> (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	72
<b>Diameter of accessories</b>	mm	38
<b>Dimensions (LxWxH)</b>	mm	380x380x660
<b>Weight</b>	Kg	10,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: KTRI02943  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP72226  
PAPER BAG 1 PC



CODE: KTRI03035  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00462  
MICROFIBER BAG 1 PC



CODE: KTRI04795  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00222  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: MPVR28723  
CARPET BRUSH Ø38 MM





VACUUM CLEANERS - WET & DRY - LIGHT INDUSTRIAL

## GC 2/90 W&D

POWER MAX

2400 W

WATER LIFT

2470  
mmH<sub>2</sub>O

AIRFLOW

420 m<sup>3</sup>/h

TANK CAPACITY

90 l

### EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



### MOST FREQUENTLY USE

HEALTHCARE



PHARMA INDUSTRY



AGRICULTURE



CONSTRUCTION



HEAVY INDUSTRY



### INNOVATIONS



BLACK  
IS  
GREEN™

### SPECS



ULTRA-SHOCKPROOF PLASTIC TANK



DRAIN HOSE



LARGE WHEELS WITH TYRES

## TECHNICAL DATA

<b>Code</b>		<b>GC 2/90 W&amp;D</b>
<b>PERFORMANCE</b>		ASD015051
<b>Usage</b>		WET&DRY
<b>Motor</b>		2x 2-stage
<b>Power</b>	W	2000-2400 max
<b>Voltage</b>	V	220-240
<b>Water lift</b>	mmH <sub>2</sub> O	2470
<b>Airflow</b>	m <sup>3</sup> /h	420
<b>Tank Capacity/Material</b>	l	90/plastic (polyethylene)
<b>Cable length</b>	m	8,5
<b>Sound Pressure Level</b> (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	74
<b>Diameter of accessories</b>	mm	38
<b>Dimensions (LxWxH)</b>	mm	450x500x950
<b>Weight</b>	Kg	26,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
**FLEXIBLE HOSE 2,5 M  
Ø38 MM**



CODE: LAFN43048  
**ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM**



CODE: MPVR43047  
**HANDLE WITH AIR  
REGULATOR Ø38 MM**



CODE: SPPV43050  
**DUST TOOL Ø38 MM**



CODE: SPPV43051  
**WET TOOL Ø38 MM**



CODE: SPPV00156  
**FLAT LANCE Ø38 MM**



CODE: SPPV43052  
**ROUND BRUSH Ø38 MM**



CODE: MPVR43049  
**ADAPTER**



CODE: FTDP28733  
**FILTERING KIT**



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
**PAPER BAG 1 PC**



CODE: KTRI02912  
**PAPER BAG SET OF 10 PCS**



**X10**

CODE: FTDP00608  
**MICROFIBER BAG 1 PC**



CODE: KTRI04796  
**MICROFIBER BAG SET OF  
10 PCS**



**X10**

CODE: FTDP00223  
**PREFILTER PCB**



CODE: MPVR28723  
**STOP FILTER DISC TO FIX  
THE CARTRIDGE**



CODE: FTDP00528  
**PAPER CARTRIDGE**



CODE: FTDP00583  
**WASHABLE CARTRIDGE**



CODE: FTDP28844  
**HEPA CARTRIDGE**



CODE: FTDP28755  
**MESH FILTER**



CODE: SPPV01336  
**CARPET BRUSH Ø38 MM**



CODE: SPPV28248  
**FIXED ACCESSORY FOR  
LIQUID**



CODE: SPPV28247  
**FIXED ACCESSORY FOR  
DUST**



CODE: SPPV30894  
**FIXED ACCESSORY FOR  
DUST AND LIQUIDS**





VACUUM CLEANERS - WET & DRY - LIGHT INDUSTRIAL

# GC 3/107 W&D

POWER MAX

3600 W

WATER LIFT

2470  
mmH<sub>2</sub>O

AIRFLOW

630 m<sup>3</sup>/h

TANK CAPACITY

107 l

## EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ TIPPING TROLLEY
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



## MOST FREQUENTLY USE

HEALTHCARE



PHARMA INDUSTRY



AGRICULTURE



CONSTRUCTION



HEAVY INDUSTRY



## INNOVATIONS



BLACK  
IS  
GREEN™

## SPECS



ULTRA-SHOCKPROOF PLASTIC TANK



TIPPING TANK



TROLLEY WITH HANDLE

## TECHNICAL DATA

		GC 3/107 W&D
Code	ASD015055	
PERFORMANCE		
Usage	WET&DRY	
Motor	3x 2-stage	
Power	W	3000-3600 max
Voltage	V	220 - 240
Water lift	mmH <sub>2</sub> O	2470
Airflow	m³/h	630
Tank Capacity/Material	l	107/plastic (polyethylene)
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-69)	dB(A)	76
Diameter of accessories	mm	38
Dimensions (LxWxH)	mm	500x620x1110
Weight	Kg	32,0

## STANDARD EQUIPMENT

CODE: TBFX00542  
FLEXIBLE HOSE 2,5 M  
Ø38 MM



CODE: LAFN43048  
ALUMINIUM/PLASTIC  
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047  
HANDLE WITH AIR  
REGULATOR Ø38 MM



CODE: SPPV43050  
DUST TOOL Ø38 MM



CODE: SPPV43051  
WET TOOL Ø38 MM



CODE: SPPV00156  
FLAT LANCE Ø38 MM



CODE: SPPV43052  
ROUND BRUSH Ø38 MM



CODE: MPVR43049  
ADAPTER



CODE: FTDP28733  
FILTERING KIT



## OPTIONAL ACCESSORIES

CODE: FTDP28862  
PAPER BAG 1 PC



CODE: KTRI02912  
PAPER BAG SET OF 10 PCS



X10

CODE: FTDP00608  
MICROFIBER BAG 1 PC



CODE: KTRI04796  
MICROFIBER BAG SET OF  
10 PCS



X10

CODE: FTDP00223  
PREFILTER PCB



CODE: MPVR28723  
STOP FILTER DISC TO FIX  
THE CARTRIDGE



CODE: FTDP00528  
PAPER CARTRIDGE



CODE: FTDP00583  
WASHABLE CARTRIDGE



CODE: FTDP28844  
HEPA CARTRIDGE



CODE: FTDP28755  
MESH FILTER



CODE: SPPV01336  
CARPET BRUSH Ø38 MM



CODE: SPPV28248  
FIXED ACCESSORY FOR  
LIQUID



CODE: SPPV28247  
FIXED ACCESSORY FOR  
DUST



CODE: SPPV30894  
FIXED ACCESSORY FOR  
DUST AND LIQUIDS



По вопросам продаж и поддержки обращайтесь:		
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132
		Смоленск (4812)29-41-54
		Сочи (862)225-72-31
		Ставрополь (8652)20-65-13
		Сургут (3462)77-98-35
		Тверь (4822)63-31-35
		Томск (3822)98-41-53
		Тула (4872)74-02-29
		Тюмень (3452)66-21-18
		Ульяновск (8422)24-23-59
		Уфа (347)229-48-12
		Хабаровск (4212)92-98-04
		Челябинск (351)202-03-61
		Череповец (8202)49-02-64
		Ярославль (4852)69-52-93