

Пылесосы для химчистки (экстракторы)

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



EXCLUSIVE IPC PUMP

RADIAL PISTON PUMP - FOR HEAVY DUTY APPLICATIONS

The injection pump picks up the detergent solution from the integrated tank and sprays it onto the surface, which is cleaned afterwards by special nozzles.



PUMP POWER
90 W



PUMP CAPACITY
1.8 l/min



PUMP PRESSURE
3.5 bar

SUITABLE FOR CLEANING:
HARD FLOORS, CARPETS, CAR INTERIORS, SOFAS AND UPHOLSTERIES

BENEFITS

- 01 Great reliability thanks to internal manufacturing and quality controls
- 02 Designed for heavy duty and frequent applications
- 03 High-efficiency pressure
- 04 Double protection: - An automatic Bypass System avoids overpressure
- Overpressure control switch for additional safety

RETAIL, OFFICES, COLLECTIVITIES



WASHING AND DRYING

- ▶ SOFA, COUCHES, CARPETS
- ▶ HARD FLOORS OR LARGE SURFACES
- ▶ CINEMA, THEATRE AND MEETING ROOMS SEATS

GENERAL MAINTENANCE

- ▶ ELEVATORS
- ▶ HALLS
- ▶ CORRIDORS

CARWASH & OTHERS



CLEANING AND MAINTENANCE

- ▶ TRUCKS AND CARS FABRIC INTERIORS
- ▶ MATTRESS AND CARPETS DISINFECTION AND SANITIZATION
- ▶ KITCHENS EXTRACTOR FANS FOR GREASE REMOVAL

SANITIZATION

- ▶ MOSQUES AND PLACES OF WORSHIP
- ▶ EXAMINATION CHAIRS FOR MEDICAL CLINICS
- ▶ OUTDOOR SUNBLINDS



WET EXTRACTORS - PROFESSIONAL

NEW

GP 1/16 EXT

POWER MAX

1200 W

WATER LIFT

2470
mmH₂O

AIRFLOW

210 m³/h

TANK CAPACITY

16 l

PUMP POWER

48 W

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTOR



MOST FREQUENTLY USE

HORECA



RETAIL



OFFICE



EDUCATION



AUTOMOTIVE



INNOVATIONS



BLACK
IS
GREEN™

SPECS



EXTERNAL DETERGENT TANK



NOZZLE FOR FLOOR AND
CARPET



ERGONOMIC HANDLE

TECHNICAL DATA

Code		GP 1/16 EXT
PERFORMANCE		ASD013066
Usage		WET&DRY
Motor		1x 2-stage
Power	W	1000 - 1200 max
Voltage	V	220-240
Water lift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity/Material	l	16/plastic
Detergent tank capacity/type	l	3/external
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Diameter of accessories	mm	36
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Dimensions (LxWxH)	mm	380x380x50
Weight	Kg	12

STANDARD EQUIPMENT

CODE: TBFX85412
FLEXIBLE HOSE 2 M



CODE: MPVR85445
CLIPS (4 PCS) TO FIX
HYDROLITYC HOSE



CODE: SPPV85446
NOZZLE FOR FLOOR AND
CARPET



CODE: SPPV40311
EXTRACTOR UPHOLSTERY
TOOL



CODE: SPPV28430
DOUBLE USE BRUSH



CODE: SPPV28242
FLAT LANCE



CODE: SPPV28243
ROUND BRUSH



CODE: MPVR00141
SMALL TOOL



CODE: KTRI02133
FILTERING KIT





WET EXTRACTORS - PROFESSIONAL

GP 1/27 EXT

POWER MAX

1200 W

WATER LIFT

2470
mmH₂O

AIRFLOW

210 m³/h

TANK CAPACITY

27 l

PUMP POWER

48 W

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTOR



MOST FREQUENTLY USE

HORECA



RETAIL



OFFICE



EDUCATION



AUTOMOTIVE



INNOVATIONS



BLACK
IS
GREEN™

SPECS



INTERNAL DETERGENT TANK



NOZZLE FOR FLOOR AND
CARPET



CABLE HOOK

TECHNICAL DATA

Code		GP 1/27 EXT
PERFORMANCE		ASD015060
Usage		WET&DRY
Motor		1x 2-stage
Power	W	1000 - 1200 max
Voltage	V	220-240
Water lift	mmH ₂ O	2470
Airflow	m³/h	210
Tank Capacity/Material	l	27/plastic
Detergent tank capacity/type	l	6/internal
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Diameter of accessories	mm	36
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Dimensions (LxWxH)	mm	380x380x500
Weight	Kg	11,0

STANDARD EQUIPMENT

CODE: TBFX00704
FLEXIBLE HOSE 2 M
Ø36 MM



CODE: MPVR85445
CLIPS (4 PCS) TO FIX
HYDROLITYC HOSE



CODE: SPPV85446
NOZZLE FOR FLOOR AND
CARPET



CODE: SPPV40311
EXTRACTOR UPHOLSTERY
TOOL



CODE: KTRI04111
FILTERING KIT



OPTIONAL ACCESSORIES

CODE: SPPV28430
DOUBLE USE BRUSH
Ø36 MM



CODE: SPPV28242
FLAT LANCE Ø36 MM



CODE: SPPV28243
ROUND BRUSH Ø36 MM



CODE: MPVR00141
SMALL TOOL Ø36 MM





WET EXTRACTORS - PREMIUM

GS 1/33 EXT

POWER MAX

1200 W

WATER LIFT

2470
mmH₂O

AIRFLOW

210 m³/h

TANK CAPACITY

33 l

PUMP POWER

48 W

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ NEW BLEND FLEX HOSE
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTOR



MOST FREQUENTLY USE

HORECA



RETAIL



OFFICE



EDUCATION



AUTOMOTIVE



INNOVATIONS



BLACK
IS
GREEN™

SPECS



INTERNAL DETERGENT TANK



ERGONOMIC HANDLE



TROLLEY WITH 2 FRONT
SWIVELING WHEELS AND 2
LARGE REAR WHEELS

TECHNICAL DATA

GS 1/33 EXT		
Code	ASD015062	
PERFORMANCE		
Usage	WET&DRY	
Motor	1x 2-stage	
Power	W	1000 - 1200 max
Voltage	V	220-240
Water lift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity/Material	l	33/steel
Detergent tank capacity/type	l	11/internal
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Diameter of accessories	mm	36
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Dimensions (LxWxH)	mm	380x380x650
Weight	Kg	12,0

STANDARD EQUIPMENT

CODE: TBFX01077
FLEXIBLE HOSE 2 M
Ø36 MM



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



CODE: SPPV72123
NOZZLE FOR FLOOR AND
CARPET



OPTIONAL ACCESSORIES

CODE: KTRI04111
FILTERING KIT



CODE: SPPV28430
DOUBLE USE BRUSH Ø36
MM



CODE: SPPV28242
FLAT LANCE Ø36 MM



CODE: SPPV28243
ROUND BRUSH Ø36 MM



CODE: MPVR00141
SMALL TOOL Ø36 MM



CODE: SPPV72266
CHROMED CARPET
CLEANER (1 NOZZLE)
Ø36 MM





WET EXTRACTORS - PROFESSIONAL

NEW

GS 2/62 EXT GARAGE

POWER MAX

2400 W

WATER LIFT

2470
mmH₂O

AIRFLOW

420 m³/h

TANK CAPACITY

62 l

PUMP POWER

48 W

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ AP TUBE
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

HORECA



OFFICE



EDUCATION



AUTOMOTIVE



INNOVATIONS



BLACK
IS
GREEN™

SPECS



EXTERNAL DETERGENT TANK



DRAIN HOSE



EXTRACTOR UPHOLSTERY
TOOL

TECHNICAL DATA

GS 2/62 EXT GARAGE		
Code	ASD012939	
PERFORMANCE		
Usage	WET&DRY	
Motor	2x 2-stage	
Power	W	2000-2400 max
Voltage	V	220-240
Water lift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity/Material	l	62/steel
Detergent tank capacity/type	l	25/external
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	74
Diameter of accessories	mm	38
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Dimensions (LxWxH)	mm	550x600x960
Weight	Kg	21

STANDARD EQUIPMENT

CODE: TBBP72095
FLEXIBLE HOSE WITH
HYDROLYTIC HOSE 2,5 M
Ø38 MM



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



CODE: LAFN43048
ALUMINIUM/PLASTIC
TUBES 2X50 CM Ø38 MM



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 MM



CODE: SPPV43050
DUST TOOL Ø38 MM



CODE: SPPV43051
WET TOOL Ø38 MM



CODE: SPPV00156
FLAT LANCE Ø38 MM



CODE: SPPV43052
ROUND BRUSH Ø38 MM



CODE: MPVR43049
ADAPTER



CODE: FTDP28733
FILTERING KIT



OPTIONAL ACCESSORIES

CODE: SPPV72103
FLOOR CLEANER 1 NOZZLE
Ø38 MM



CODE: SPPV86673
CARPET CLEANER 1
NOZZLE Ø38 MM



CODE: SPPV01336
CARPET BRUSH Ø38 MM





WET EXTRACTORS - PREMIUM

GS 2/62 EXT

POWER MAX

2400 W

WATER LIFT

2470
mmH₂O

AIRFLOW

420 m³/h

TANK CAPACITY

62 l

PUMP POWER

90 W

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ NEW BLEND FLEX HOSE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

HORECA



OFFICE



EDUCATION



AUTOMOTIVE



INNOVATIONS



BLACK
IS
GREEN™



EXCLUSIVE
IPC
PUMP

SPECS



EXTERNAL DETERGENT TANK



DRAIN HOSE



EXTRACTOR CARPET CLEANER

TECHNICAL DATA

		GS 2/62 EXT
Code	ASD015065	
PERFORMANCE		
Usage	WET&DRY	
Motor	2x 2-stage	
Power	W	2000-2400 max
Voltage	V	220-240
Water lift	mmH ₂ O	2470
Airflow	m³/h	420
Tank Capacity/Material	l	62/steel
Detergent tank capacity/type	l	25/external
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	74
Diameter of accessories	mm	38
Pump power	W	90
Pump capacity	l/min	1,8
Pump pressure	bar	3,5
Dimensions (LxWxH)	mm	550x600x960
Weight	Kg	21

STANDARD EQUIPMENT

CODE: TBFX01066
FLEXIBLE HOSE 2,5 M
Ø38 MM



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



CODE: SPPV28781
CARPET CLEANER 2
NOZZLES Ø38 MM



CODE: FTDP28733
FILTERING KIT



OPTIONAL ACCESSORIES

CODE: SPPV72118
FLOOR CLEANER 4
NOZZLE



CODE: SPPV72340
EXTRACTION POWER
WAND ATLANTA (FLOOR
AND CARPET)



CODE: SPPV01837
EXTRACTION POWER
WAND FLORIDA (ONLY
FOR CARPET)





WET EXTRACTORS - PREMIUM



GP 2/62 SPRAY EXT HEPA

POWER MAX

2400
W

WATER LIFT

2470
mmH₂O

AIRFLOW

420
m³/h

TANK CAPACITY

62
l

PUMP POWER

90
W

ONE STEP
AHEAD

EXCLUSIVE FEATURES

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALENT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ DOUBLE STAGE MOTORS
- ▶ DFS - DUAL FILTRATION SYSTEM FOR SIMULTANEOUS DRY AND WET PICK UP
- ▶ DOUBLE LAYER CARTRIDGE POLYESTER/HEPA H14 FOR AEROSOL AND PARTICLES FILTRATION



MOST FREQUENTLY USE

FACILITY MANAGEMENT



COMMUNITIES



HORECA



SCHOOLS



HEALTHCARE



CAR WASH



RETAIL



FOOD PROCESSING



INNOVATIONS



BLACK
IS
GREEN™



EXCLUSIVE
IPC
PUMP



NEW BLEND
FLEXIBLE HOSE

SPECS



EXTERNAL DETERGENT TANK
WITH DRAIN SYSTEM



SYSTEM DFS FOR SIMULTANEOUS
DRY AND WET PICK UP AND HEPA
FILTRATION



HIGH RESISTANT AND EFFICIENT
ATOMIZATION SPRAY ACCESSORY

TECHNICAL DATA

GP 2/62 SPRAY EXT HEPA		
Code	ASD013902	
PERFORMANCE		
Usage	WET&DRY	
Motor	2 - double stage	
Power	W	2000-2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity / Material	l	62 / Plastic
Detergent tank capacity / Type / Material	l	25 / external / PE
Cable length	m	8,5
Sound Pressure Level	dB(A)	74
Diameter of accessories	mm	38
Pump power	W	90
Pump capacity	l/min	1,8
Pump pressure	bar	3,5
Sprayer mode capacity (Duty cycle)	min	30-35 (NO LIMIT)
Maximum reachable distance	m radius	15
Atomisation	micron	< 200
Dimensions (LxWxH)	mm	550x600x960
Weight	Kg	21

STANDARD EQUIPMENT

CODE: TBFX01189
FLEXIBLE HOSE 2,5 M
Ø38 mm



CODE: LAFN43048 (1 PC)
ALUMINIUM-PLASTIC TUBE
50 cm Ø38 mm (MACHINE
COMES WITH 2 PCS)



CODE: MPVR43047
HANDLE WITH AIR
REGULATOR Ø38 mm



CODE: SPPV43050
DUST TOOL Ø38 mm



CODE: SPPV43051
WET TOOL Ø38 mm



CODE: SPPV00156
FLAT LANCE Ø38 mm



CODE: SPPV43052
ROUND BRUSH
Ø38 mm



CODE: MPVR43049
ADAPTER



CODE: SPPV28251
EXTRACTOR
UPHOLSTERY TOOL



CODE: SPPV28781
CARPET CLEANER 2
NOZZLES Ø38 mm



CODE: FTDP00846
HEPA H14 +
POLY CARTRIDGE
2.960 cm²



CODE: KTRI06196 PROFESSIONAL SPRAY KIT COMPOSED OF:

CODE: LCLC00027
SPRAY GUN 600 MM (A)

CODE: TBBP00738
SPRAY SUPPLY
HOSE ASSEMBLY 5M (B)

NEW



OPTIONAL ACCESSORIES

CODE: SPPV01336
CARPET BRUSH
Ø38 mm



CODE: SPPV72118
FLOOR CLEANER 4
NOZZLE





WET EXTRACTORS - PROFESSIONAL



GP 1/27 SPRAY EXT HEPA

POWER MAX

1200
W

WATER LIFT

2470
mmH₂O

AIRFLOW

210
m³/h

TANK CAPACITY

27
l

PUMP POWER

48
W



ONE STEP
AHEAD

EXCLUSIVE FEATURES

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALENT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ SAFE AND RELIABLE, LIGHTWEIGHT AND COMPACT
- ▶ DOUBLE STAGE MOTOR
- ▶ DFS - DUAL FILTRATION SYSTEM FOR SIMULTANEOUS DRY AND WET PICK UP
- ▶ DOUBLE LAYER CARTRIDGE POLYESTER/HEPA H14 FOR AEROSOL AND PARTICLES FILTRATION

MOST FREQUENTLY USE

FACILITY MANAGEMENT



COMMUNITIES



HORECA



SCHOOLS



HEALTHCARE



CAR WASH



RETAIL



FOOD PROCESSING



INNOVATIONS



BLACK
IS
GREEN™



NEW BLEND
FLEXIBLE HOSE

SPECS



EXTERNAL DETERGENT TANK
EASILY REMOVABLE



SYSTEM DFS FOR SIMULTANEOUS
DRY AND WET PICK UP AND HEPA
FILTRATION



HIGH RESISTANT AND EFFICIENT
ATOMIZATION SPRAY ACCESSORY

TECHNICAL DATA

GP 1/27 SPRAY EXT HEPA		
Code		ASD013901
PERFORMANCE		
Usage		WET&DRY
Motor		1 - double stage
Power	W	1000-1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity / Material	l	27 / Plastic
Detergent tank capacity / Type / Material	l	3 / external / PE
Cable length	m	8,5
Sound Pressure Level	dB(A)	72
Diameter of accessories	mm	36
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Sprayer mode capacity (Duty cycle)	min	9 (2 ON- 1 OFF)
Maximum reachable distance	m radius	15
Atomisation	micron	< 200
Dimensions (LxWxH)	mm	380x380x650
Weight	Kg	12

STANDARD EQUIPMENT

CODE: TBFX01183

FLEXIBLE HOSE 2M Ø36 MM



CODE: MPVR85445 (FOR 1 PC)

CLIPS TO FIX HYDROLITYC HOSE (MACHINE COMES WITH 4PCS)



CODE: SPPV28430

DOUBLE USE BRUSH Ø36 MM



CODE: SPPV28242

FLAT LANCE Ø36 MM



CODE: SPPV28243

ROUND BRUSH Ø36 MM



CODE: MPVR00141

SMALL TOOL Ø36 MM



CODE: SPPV85446

NOZZLE FOR FLOOR AND CARPET Ø36 MM



CODE: SPPV40311

EXTRACTOR UPHOLSTERY TOOL Ø36 MM



CODE: FTDP00845

HEPA+POLY CARTRIDGE



CODE: KTRI06196 PROFESSIONAL SPRAY KIT COMPOSED OF:

CODE: LCLC00027

SPRAY GUN 600 MM (A)

CODE: TBBP00738

SPRAY SUPPLY HOSE ASSEMBLY 5M (B)

NEW



По вопросам продаж и поддержки обращайтесь:		
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132
		Смоленск (4812)29-41-54
		Сочи (862)225-72-31
		Ставрополь (8652)20-65-13
		Сургут (3462)77-98-35
		Тверь (4822)63-31-35
		Томск (3822)98-41-53
		Тула (4872)74-02-29
		Тюмень (3452)66-21-18
		Ульяновск (8422)24-23-59
		Уфа (347)229-48-12
		Хабаровск (4212)92-98-04
		Челябинск (351)202-03-61
		Череповец (8202)49-02-64
		Ярославль (4852)69-52-93