

Поломочные машины

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93




APC™ ADVANCED PRODUCTIVITY CONTROL

DOUBLE PRODUCTIVITY WITH THE SAME AMOUNT OF WATER.

APC allows to double the productivity of the machine, in order to obtain a constant cleaning quality and to give the user full control of the working cycle: this by displaying the remaining liters, minutes and the available square meters to be cleaned.

APC™ WITHOUT APC™



BENEFITS

- 01 Double cleaning autonomy with a single water filling.
- 02 Less water and chemical consumption.
- 03 Capability to plan the cleaning path.
- 04 Full monitoring of tank water litrage.



ANC[™] ADVANCED NOISE CONTROL

SILENT.

ANC[™] reduces noise level down to 59 Db.

ANC[™] WITHOUT ANC[™]



BENEFITS

- 01 Noise level reduced by 3 dB.
- 02 Suitability for applications in critical areas where silence is a must.
- 03 Suitability for applications in crowded places.



INTERCHANGEABLE BRUSH HEAD

CHANGE YOUR CLEANING PATH IN 3 STEPS

Transform it according to your needs.



BENEFITS


- 01 Warehouse stock reductions.
- 02 Easy to transform.



TELEMATICS GPS

YOUR MACHINES FLEET IN A CLICK

Geolocation: Locates your machines. Anywhere. Anytime.



BENEFITS

- 01 Battery life full control: correct recharge and discharge cycles monitoring.
- 02 machine usage: working hours and motor consumptions.
- 03 User ID: any machine has an identification key.
- 04 Remote Shutdown: possibility to switch off the machine also from a different location.



ECO
SELECT


LESS NOISE - LESS ENERGY CONSUMPTION.

Eco Select permits to reduce energy consumption and in daily cleaning operations it increases machine running time by 20%. Noise level is reduced to 2 Db allowing cleaning operations even critical areas where silence is a must. Long-term & programmed maintenance with consequent cost savings.

ECO SELECT WITHOUT ECO SELECT




Running
time



BENEFITS

- 01 Brush motor consumption reduced by 20%.
- 02 Suction motor consumption reduced by 20%.
- 03 Reduced water consumption.
- 04 Reduced brush wear.
- 05 Reduced motors carbon brush consumption.
- 06 Noise level reduced down to 2Db.
- 07 Possibility to choose the desired operating mode.



CARPET KIT

EASY TO TRANSFORM.

CT15 Roller version can work on hard floors and carpets. It can be transformed from hard floor to carpet version in a minute thanks to an injection-extraction cleaning system. An additional optional upholstery tool allows cleaning operations on sofas, armchairs and on other surfaces.



TRANSPORT WHEEL

PATENTED TRANSPORT WHEEL

CT15 roller version is equipped with a patented standard transport/parking wheel system in order to make usage and storage easy. In parking position brushes and blades are not stressed by machine weight.



BENEFITS

- 01 Transformable form hard floor to carpet version in just 1 minute.
- 02 Multifunctional devices for all cleaning needs.
- 03 Injection-extraction cleaning system.



UDC™
ULTIMATE
DRAIN COMBO

DRAINS BETTER.

CT46 ensures high drying performances on all surfaces thanks to the perfect technological combo of standard three-stage suction motor, V squeegee assembly and a mixture of blades made of different materials.



BENEFITS



SLS™ SELF LEVELING SYSTEM

CONSTANT HIGH CLEANING PERFORMANCES.

SLS™ can be electronic or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



BENEFITS


- 01 Brush head self levelling and self adjusting.
- 02 Perfect adherence of brushes to floors.
- 03 Electronic or Mechanical system according to machine model.



DBL™
DOUBLE
BATTERY LIFE

OPTIMIZE BATTERY CYCLES.

DBL™ optimizes charging cycles and increases battery life up to 100%.



BATTERY LIFE



BENEFITS

- 01 Double extended battery life.
- 02 Charging cycle optimization.
- 03 Lifespan increase up to 100%.
- 04 Avoid needless recharges.
- 05 Recharge is done only when required.



ECS™ ECO COST CLEANING SOLUTION 600 RPM

CONSTANT HIGH CLEANING PERFORMANCES.

ECS transforms a drop of water in a powerful cleaning system.



BENEFITS

- 01 Water consumption reduced by 80%.
- 02 Optimization of chemical requirement and detergents employment reduced by 90%.
- 03 Reduced noise level.



MEMORY CARD

YOUR SERVICE UNDER CONTROL

Full control of your machine with service assistance management.



BENEFITS

- 01 Warning of correct/incorrect battery charging cycles.
- 02 Control of the machine effective working hours.
- 03 Brush motors absorption.
- 04 Keep track of error messages.



SERVICE MENU

INNOVATIVE PREVENTION FEATURE

The system allows the constant management of scheduled maintenance.



BENEFITS

- 01 A message alerts the operator to call the service when required.
- 02 Critical issues prevention.
- 03 Reduced maintenance costs.

RETAIL



CLEANING INDOOR FLOORING

- ▶ FRESH ZONES FOR VEGETABLES, FISH AND MEAT STORAGE: CENTRALIZED BATHROOMS
- ▶ CAFETERIAS, STAFF ROOMS AND KITCHENS
- ▶ PREWASHING AND DAILY CLEANING OPERATIONS

CLEANING LARGE AREAS

- ▶ MULTY-STOREY PARKING CAR PARKS
- ▶ HALLWAYS AND CORRIDORS
- ▶ WAREHOUSE CLEANING

DISTRIBUTION

- ▶ CLEANING BETWEEN PALLETS AISLES, SHELVES AND IN RESTRICTED AREAS
- ▶ PREWASHING OPERATIONS AND MAINTENANCE CLEANING
- ▶ LOADING & UNLOADING BAYS CLEANING

HORECA



RESTAURANTS

- ▶ MAINTENANCE CLEANING
- ▶ KITCHEN AND DINING ROOMS
- ▶ HALLWAYS AND COMMON AREAS

HOTELS

- ▶ HALLWAYS AND COMMON AREAS
- ▶ CONVENTION CENTERS CLEANING
- ▶ STORAGE ROOMS CLEANING

CLEANING EXTERNAL AREAS

- ▶ HALLWAYS AND COMMON AREAS
- ▶ PARKING AND STORAGE AREAS CLEANING
- ▶ SILOS AND MULTY-STOREY CAR PARKS

CLEANING CONTRACTORS



SHOPS

- ▶ MAINTENANCE CLEANING
- ▶ INDOOR AREAS
- ▶ TOILETS

SERVICES

- ▶ RESIDENTIAL AREAS
- ▶ CANTEENS
- ▶ PUBLIC SERVICES

INDUSTRY

- ▶ OFFICES CLEANING
- ▶ DEEP CLEANING
- ▶ PRODUCTION AREAS & WAREHOUSES

MUNICIPALITIES



PUBLIC INSTITUTIONS

- ▶ MAINTENANCE CLEANING
- ▶ HALLWAYS AND COMMON AREAS CLEANING
- ▶ CORRIDORS AND ELEVATORS CLEANING

SCHOOLS & UNIVERSITIES

- ▶ DAILY CLEANING
- ▶ ENTRANCE, HALLWAYS AND COMMON AREAS CLEANING
- ▶ CLASSROOMS CLEANING

HOSPITALITY

- ▶ HALLWAYS AND COMMON AREAS CLEANING
- ▶ DAILY CLEANING
- ▶ HIGH-RISK AND INTENSIVE CARE AREAS CLEANING



SCRUBBER DRIERS - WALK BEHIND

CT15

MAX PRODUCTIVITY

1300 m²/h

BATTERIES RUNNING TIME

1 h

WATER TANK RUNNING TIME

40'
working session



AVAILABLE IN ROLLER VERSION



BATTERY AND BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



ECO
SELECT



ECST[™]
ECO COST
CLEANING
SOLUTION



DBLT[™]
DOUBLE
BATTERY
LIFE



CARPET
KIT



SLST[™]
SELF
LEVELING
SYSTEM



ANC[™]
ADVANCED
NOISE
CONTROL

SPECS



FOLDABLE HANDLE



CARPET KIT



PRESET WORKING
PROGRAMS

TECHNICAL DATA

		CT15 B35 LPTB01229	CT15 C35 LPTE00517	CT15 B35R LPTB02862	CT15 C35R LPTE00630	CT15 B35 ECS LPTB02510
Code						
PERFORMANCE						
Max theoretical productivity	m ² /h	1300	1300	1300	1300	800
Cleaning path	mm	350	350	350	350	350
Water tank capacity (solution recovery)	l	16/19	16/19	16/19	16/19	16/19
Max running time	min	70	Unlimited	70	Unlimited	70
Voltage	V-Ah	24(2x12)-29 GEL	230-50/60	24(2x12)-29 GEL	230-50/60	24(2x12)-29 GEL
Installed power	W	550	400	550	400	550
Brush pressure	kg	25	25	16	25	16
Squeegee width	mm	450	450	450	450	450
Max speed	km/h	3,5	3,5	3,5	3,5	3,5
Weight	kg	59	37,5	60	52	59
Dimension (LxWxH)	mm	960x550x1220	960x550x1220	753x440x1220	753x440x1220	740x394x535

STANDARD ACCESSORIES

	CT15 B35	CT15 C35	CT15 B35R	CT15 C35R	CT15 B35 ECS
BRUSHES					
PPL soft	SPPV01481	SPPV01481	-	-	SPPV01481
Cylindrical brush - PPL soft	-	-	SPPV01552	SPPV01552	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR05917 536mm	MPVR05917 536mm	-	-	MPVR05917 536mm
LATEX REAR BLADE	MPVR05918 596mm	MPVR05918 596mm	-	-	MPVR05918 596mm
OIL RESISTANT PU FRONT BLADES	-	-	MPVR31594 536mm	MPVR31594 536mm	-
OIL RESISTANT PU REAR BLADES	-	-	MPVR10734 596mm	MPVR10734 596mm	-

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MPVR05950

**SPLASH GUARD
(DISC VERSION)**



CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: KTRI04731

**KIT CARPET CT15R B
(ROLLER VERSION)**



CODE: KTRI04761

**KIT CARPET CT15R C
230VAC (ROLLER VERSION)**



CODE: KTRI04762

**KIT CARPET CT15R C
115VAC (ROLLER VERSION)**



CODE: KTRI04779

**EXTERNAL INJECTION -
EXTRACTION KIT**

PICTURE
NOT
AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00114	2	12V 29 Ah [C5]	196x130x168	70 min	On board battery charger 24V 5 Ah KTRI02305
EXIDE gel battery BAAC00123	2	12V 25 Ah [C5]	210x175x175	80 min	On board battery charger 24V 5 Ah KTRI02305

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

CT30

MAX PRODUCTIVITY

1670 m²/h

BATTERIES RUNNING TIME

2,5 h
1,5 h eco version

WATER TANK RUNNING TIME

45'
working session



BATTERY AND BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



ECO
SELECT



DBL™
DOUBLE
BATTERY
LIFE



SLSTM™
SELF
LEVELING
SYSTEM



ANCTM™
ADVANCED
NOISE
CONTROL

SPECS



FOLDABLE HANDLE



PRESET WORKING
PROGRAMS



THREE-PHASE VACUUM MOTOR

TECHNICAL DATA

Code		CT30 B45 LPTB02435	CT30 C45 LPTB00531	CT30 B45 ECO LPTB01523
PERFORMANCE				
Max theoretical productivity	m ² /h	1670	1670	1670
Cleaning path	mm	450	450	450
Water tank capacity (solution recovery)	l	28/30	28/30	28/30
Max running time	min	150	Unlimited	155
Voltage	V-Ah	24(2x12)-74 GEL	230-50/60	24(2x12)-50 AGM
Installed power	W	550	400	550
Brush pressure	kg	17/21	17/21	17/21
Squeegee width	mm	550	400	550
Max speed	km/h	3,5	3,5	3,5
Weight	kg	98	53	98
Dimension (LxWxH)	mm	960x550x1220	960x550x1220	960x550x1220

STANDARD ACCESSORIES

	CT30 B45	CT30 C45	CT30 B45 ECO
BRUSHES			
BRUSH	SPPV01188	SPPV01188	SPPV01188
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR05953 - 660mm	MPVR05953 - 660mm	MPVR05953 - 660mm
LATEX REAR BLADE	MPVR05954 - 715mm	MPVR05954 - 715mm	MPVR05954 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MPVR05966
SPLASH GUARD



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI02084
REAR HD SQUEEGEE KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00117	2	12V 74 Ah [C5]	257x172x212	150 min	On board battery charger 24V 10Ah KTRI02245
EXIDE gel battery BAAC00124	2	12V 63 Ah [C5]	261x171x210	130 min	On board battery charger 24V 10Ah KTRI02245
AGM battery (only Eco) BAAC00134	2	12V 50 Ah [C5]	229x138x212	90 min	On board battery charger 24V 5 Ah KTRI02305



SCRUBBER DRIERS - WALK BEHIND

CT45

MAX PRODUCTIVITY

1750 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

50'
working session



BATTERY AND BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



ECO
SELECT



DBL™
DOUBLE
BATTERY
LIFE



SLST™
SELF
LEVELING
SYSTEM



ANCTM
ADVANCED
NOISE
CONTROL

SPECS



FOLDABLE HANDLE



PRESET WORKING
PROGRAMS



THREE-PHASE VACUUM MOTOR

TECHNICAL DATA

Code		CT45 B50 LPTB01520	CT45 BT50 LPTB02695	CT45 C50 LPTE01103
PERFORMANCE				
Max theoretical productivity	m2/h	1750	1750	1750
Cleaning path	mm	500	500	500
Water tank capacity (solution recovery)	l	40/45	40/45	40/45
Max running time	min	140	140	Unlimited
Voltage	V-Ah	24(2x12)-74 GEL	24(2x12)-74 GEL	230-50/60
Installed power	W	550	550	400
Brush pressure	kg	16/25	16/25	16/25
Squeegee width	mm	730	730	730
Max speed	km/h	3,5	3,5	3,5
Weight	kg	110	110	65
Dimension (LxWxH)	mm	821x576x1220	821x576x1220	821x576x1220

STANDARD ACCESSORIES

	CT45 B50	CT45 BT50	CT45 C50
BRUSHES			
BRUSH	SPPV01332	SPPV01332	SPPV01332
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR06287 - 815mm	MPVR06287 - 815mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MPVR05966
SPLASH GUARD



CODE: KTRI02140
CHEM DOSE



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00117	2	12V 74 Ah [C5]	257x172x212	150 min	On board battery charger 24V 10Ah KTRI02245
EXIDE gel battery BAAC00124	2	12V 63 Ah [C5]	261x171x210	130 min	On board battery charger 24V 10Ah KTRI02245



SCRUBBER DRIERS - WALK BEHIND

CT46

MAX PRODUCTIVITY

1750 m²/h

BATTERIES
RUNNING TIME

3 h

WATER TANK
RUNNING TIME

50'
working session



MOST FREQUENTLY USE



INNOVATIONS

- ECO SELECT
- DBL™ DOUBLE BATTERY LIFE
- UDCT™ ULTIMATE DRAIN COMBO
- SLST™ SELF LEVELING SYSTEM
- ANC™ ADVANCED NOISE CONTROL

SPECS



FOLDABLE HANDLE



LARGE BATTERY BOX



PATENTED TRANSPORT WHEEL

TECHNICAL DATA

		CT46 B50	CT46 C50
Code		LPTB01802	LPTE00642
PERFORMANCE			
Max theoretical productivity	m ² /h	1750	1750
Cleaning path	mm	500	500
Water tank capacity (solution recovery)	l	40/46	40/46
Max running time	min	180	Unlimited
Voltage	V-Ah	24(2x12)-105 GEL	230-50/60
Installed power	W	910	950
Brush pressure	kg	16/25	16/25
Squeegee width	mm	730	730
Max speed	km/h	3,5	3,5
Weight	kg	120	68
Dimension (LxWxH)	mm	855x580x1220	855x580x1220

STANDARD ACCESSORIES

		CT46 B50	CT46 C50
BRUSHES			
BRUSH		SPPV01332	SPPV01332
SQUEEGEE BLADES			
LATEX FRONT BLADE		MPVR06287 - 815mm	MPVR06287 - 815mm
LATEX REAR BLADE		MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MPVR06072 SPLASH GUARD



CODE: KTRI02140 CHEM DOSE



CODE: KTRI02257 EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	190 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00124	2	12V 63 Ah [C5]	261x171x210	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	190 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480



SCRUBBER DRIERS - WALK BEHIND

CT40

MAX PRODUCTIVITY

2250 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

45'
working session



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECS™
ECO COST
CLEANING
SOLUTION



SLSTM™
SELF
LEVELING
SYSTEM



ANCTM™
ADVANCED
NOISE
CONTROL

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH
SPECIAL ELECTROMECHANICAL
SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT40 BT50 LPTB01408	CT40 C50 LPTB00546	CT40 B50 LPTB01406	CT40 BT55R LPTB01411	CT40 BT50 ECS LPTB01475
Code						
PERFORMANCE						
Max theoretical productivity	m ² /h	2250	1750	1750	2475	1800
Cleaning path	mm	500	500	500	550	500
Water tank capacity (solution recovery)	l	40/50	40/50	40/50	40/50	40/50
Max running time	min	140	Unlimited	140	140	140
Voltage	V-Ah	24(2x12)- 105 GEL	230-50	24(2x12)- 105 GEL	24(2x12)- 105 GEL	24(2x12)- 105 GEL
Installed power	W	480	550	480	480	480
Brush pressure	kg	23	23	23	13,6/18,6	23
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	4,5	4,5	4,5	4,5	4,5
Weight	kg	145	83	139	145	73
Dimension (LxWxH)	mm	1230x516x960	1230x516x960	1230x516x960	1230x516x960	1230x516x960

STANDARD EQUIPMENT

	CT40 BT50	CT40 C50	CT40 B50	CT40 BT55R	CT40 BT50 ECS
BRUSHES					
PPL soft	SPPV01498	SPPV01498	SPPV01498		SPPV01498
Cylindrical brush - PPL soft Ø 0,3 mm				SPPV01163	
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08042- 815mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08043 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MECB42513

MAIN CABLE M/F
SOCKET - 20 M
[3X2,5 MM2 230V - 50HZ]



CODE: KTRI02274

ACCESSORIES
SUPPORT KIT



CODE: KTRI01763

CHEM DOSE KIT



CODE: KTRI01870

SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: MPVR05611

SPLASH GUARD



CODE: KTRI02080
DEBRIS COLLECTOR



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Dry charge plate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

CT55

MAX PRODUCTIVITY

2700 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

60'
working session



AVAILABLE WITH DOUBLE BRUSH



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLS™
SELF
LEVELING
SYSTEM



ANC™
ADVANCED
NOISE
CONTROL

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH
SPECIAL ELECTROMECHANICAL
SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT55 B55 LPTB01516	CT55 BT55 LPTB01517	CT55 C55 LPTB01102	CT55 BT60 LPTB01518	CT55 BT55 R LPTB01519
Code						
PERFORMANCE						
Max theoretical productivity	m ² /h	1925	2475	2475	2700	2475
Cleaning path	mm	550	550	550	600	550
Water tank capacity (solution recovery)	l	55/60	55/60	55/60	55/60	55/60
Max running time	min	140	140	Unlimited	140	140
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50	24(2x12)-105 GEL	24(2x12)-105 GEL
Installed power	W	480	480	550	480	480
Brush pressure	kg	27	23	30	30	13,6/18,6
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	5	5	5	5	5
Weight	kg	154	169,5	169,5	175,5	175,5
Dimension (LxWxH)	mm	1190x685x1018	1190x685x1018	1190x640x1018	1190x685x1018	1190x685x1018

STANDARD EQUIPMENT

	CT55 B55	CT55 BT55	CT55 C55	CT55 BT60	CT55 BT55 R
BRUSHES					
PPL soft	SPPV01505	SPPV01505	SPPV01505	SPPV01473	-
Cylindrical brush - PPL soft Ø 0,3 mm	-	-	-	-	SPPV01163
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02141
CHEM DOSE KIT



CODE: MPVR05611
SPLASH GUARD



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI01870
SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: KTRI02080
DEBRIS COLLECTOR



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

CT70

MAX PRODUCTIVITY

2700 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

60'
working session



AVAILABLE WITH SINGLE BRUSH



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECS™
ECO COST
CLEANING
SOLUTION



SLSTM™
SELF
LEVELING
SYSTEM



ANCTM™
ADVANCED
NOISE
CONTROL

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH
SPECIAL ELECTROMECHANICAL
SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
Code		LPTB01414	LPTB01416	LPTB01417	LPTB01418	LPTB01419	LPTB01420	LPTB02379
PERFORMANCE								
Max theoretical productivity	m ² /h	1925	2475	2700	3150	3825	2475	3500 (5 times higher)
Cleaning path	mm	550	550	600	700	850	550	700
Water tank capacity (solution recovery)	l	70/75	70/75	70/75	70/75	70/75	70/75	70/75
Max running time	min	78	78	78	78	78	78	78
Voltage	V-Ah	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL
Installed power	W	480	480	480	480	480	480	480
Brush pressure	kg	18,5	18,5	30,5	31,5	31,5	13,6/18,6	15-37
Squeegee width	mm	815	815	815	1010	1010	815	1010
Max speed	km/h	4,5	4,5	4,5	4,5	4,5	4,5	4,5
Weight	kg	85,5	91,5	93,7	94,5	95	100,2	94,5
Dimension (LxWxH)	mm	1230x587x960	1230x587x960	1210x680x960	1220x748x960	1260x893x960	1260x893x960	1220x748x1140

STANDARD EQUIPMENT

	CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
BRUSHES							
PPL soft	SPPV01505	SPPV01505	SPPV01473	SPPV01472	SPPV01516	-	SPPV01481
Cylindrical brush - PPL soft Ø 0,3 mm	-	-	-	-	-	SPPV01163	-
SQUEEGEE BLADES							
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: MPVR05611
SPASH GUARD



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI01870
SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: KTRI02080
DEBRIS COLLECTOR



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	180 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	180 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	190 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	190 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	190 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

CT51

NEW
AVAILABLE IN MAY

MAX PRODUCTIVITY

Up to
3150 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

Up to **60'**
working session



AVAILABLE WITH SINGLE
BRUSH



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



INTER-
CHANGEABLE
BRUSH
HEAD



MEMORY
CARD



TELEMATICS
GPS



ECO
SELECT



SLSTTM
SELF
LEVELING
SYSTEM




ANCTTM
ADVANCED
NOISE
CONTROL



DBLTM
DOUBLE
BATTERY
LIFE

SPECS



NO TOOLS ADJUSTABLE
SQUEEGEE



INTERCHANGEABLE BRUSH
HEAD



PRESET WORKING
PROGRAMS

TECHNICAL DATA

Code		CT51 B50 LPTB02976	CT51 B55 LPTB01822	CT51 BT55 LPTB01823	CT51 BT60 LPTB01826	CT51 BT70 LPTB01824
PERFORMANCE						
Max theoretical productivity	m ² /h	2000	2000	2475	2700	3150
Cleaning path	mm	550	550	550	600	700
Water tank capacity (solution recovery)	l	50/53	50/53	50/53	50/53	50/53
Max running time	min	150	150	150	150	150
Voltage	V-Ah	24	24	24	24	24
Installed power	W	1050	1050	1550	1550	1550
Brush pressure	kg	18	18	18	23	23
Squeegee width	mm	815	815	815	1010	1010
Max speed	km/h	3,5	3,5	4,2	4,2	4,2
Weight	kg	90	90	90,5	95	97,5
Dimension (LxWxH)	mm	1328 x 563 x 1033	1328 x 563 x 1033	1329 x 563 x 1033	1279 x 653 x 1033	1279 x 735 x 1033

STANDARD EQUIPMENT

BRUSHES

	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70
PPL soft	SPPV01332	SPPV01352	SPPV01352	SPPV01473	SPPV01472

SQUEEGEE BLADES

LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI04847
SPLASH GUARD 55CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04850
THREE-STAGE SUCTION
MOTOR KIT



CODE: KTRI04851
BRUSH HEAD KIT
(55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT
(60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT
(70 VERSION)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 15 Ah- KTRI04845 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS

TECHNICAL DATA

		CT51 XP60 LPTB01828	CT51 XP70 LPTB01825
Code			
PERFORMANCE			
Max theoretical productivity	m ² /h	2700	3150
Cleaning path	mm	600	700
Water tank capacity (solution recovery)	l	50/53	50/53
Max running time	min	150	150
Voltage	V-Ah	24	24
Installed power	W	1550	1550
Brush pressure	kg	31	31
Squeegee width	mm	1010	1010
Max speed	km/h	4,2	4,2
Weight	kg	95,5	97,5
Dimension (LxWxH)	mm	1279 x 653 x 1033	1279 x 735 x 1033

STANDARD EQUIPMENT

		CT51 XP60	CT51 XP70
BRUSHES			
PPL soft		SPPV01473	SPPV01472
SQUEEGEE BLADES			
LATEX FRONT BLADE		MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE		MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES	PADS/SUPER PADS	SQUEEGEE BLADES
		

OPTIONAL ACCESSORIES

CODE: KTRI04846 CHEM DOSE KIT 	CODE: KTRI04847 SPLASH GUARD 55CM 	CODE: KTRI04848 TOOLS BAR 	CODE: KTRI04849 AUTO-REFILL SYSTEM 	CODE: KTRI02257 EXTERNAL SUCTION KIT 
CODE: KTRI04850 THREE-STAGE SUCTION MOTOR KIT 	CODE: KTRI04851 BRUSH HEAD KIT (55 VERSION) 	CODE: KTRI04852 BRUSH HEAD KIT (60 VERSION) 	CODE: KTRI04853 BRUSH HEAD KIT (70 VERSION) 	CODE: KTRI04854 ROLLER BRUSH HEAD KIT 

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 15 Ah- KTRI04845 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS

TECHNICAL DATA

Code		CT51 C50 230V LPTE00669	CT51 C55 230V LPTE00646	CT51 XP55R LPTB01834
PERFORMANCE				
Max theoretical productivity	m ² /h	1800	2000	2475
Cleaning path	mm	500	550	550
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	150	150	150
Voltage	V-Ah	230	230	24
Installed power	W	1100	1100	2350
Brush pressure	kg	18	18	18
Squeegee width	mm	815	815	815
Max speed	km/h	3,5	3,5	4,2
Weight	kg	94	94	101
Dimension (LxWxH)	mm	1329 x 563 x 1033	1329 x 563 x 1033	1329 x 563 x 1033

STANDARD EQUIPMENT

	CT51 C50 230V	CT51 C55 230V	CT51 XP55R
BRUSHES			
PPL soft	SPPV01332	SPPV01352	
Cylindrical brush - PPL soft Ø 0,3 mm			SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI04847
SPLASH GUARD 55CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04850
THREE-STAGE SUCTION
MOTOR KIT



CODE: KTRI04851
BRUSH HEAD KIT
(55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT
(60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT
(70 VERSION)



CODE: KTRI04854
ROLLER BRUSH HEAD KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 15 Ah - KTRI04845 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

CT71

NEW
AVAILABLE IN JUNE

MAX PRODUCTIVITY

Up to
3150 m²/h

BATTERIES RUNNING TIME

2,5 h standard

WATER TANK RUNNING TIME

Up to **75'**
working session



AVAILABLE WITH SINGLE BRUSH



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



INTER-
CHANGEABLE
BRUSH
HEAD



MEMORY
CARD



TELEMATICS
GPS



ECO
SELECT



SLST™
SELF
LEVELING
SYSTEM




ANCT™
ADVANCED
NOISE
CONTROL



DBL™
DOUBLE
BATTERY
LIFE

SPECS



NO TOOLS ADJUSTABLE
SQUEEGEE



INTERCHANGEABLE BRUSH
HEAD



PRESET WORKING
PROGRAMS

TECHNICAL DATA

Code		CT71 B55 LPTB01855	CT71 BT55 LPTB01856	CT71 BT60 LPTB02919	CT71 BT70 LPTB01857
PERFORMANCE					
Max theoretical productivity	m²/h	2000	2475	2700	3150
Cleaning path	mm	550	550	600	700
Water tank capacity (solution recovery)	l	70/70	70/70	70/70	70/70
Max running time	min	150	150	150	150
Voltage	V-Ah	24	24	24	24
Installed power	W	1050	1550	1550	1550
Brush pressure	kg	18	18	23	23
Squeegee width	mm	815	815	1010	1010
Max speed	km/h	3,5	4,2	4,2	4,2
Weight	kg	91,5	92	95	99
Dimension (LxWxH)	mm	1327x563x1033	1327x563x1033	1279x653x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70
BRUSHES				
PPL soft	SPPV01352	SPPV01352	SPPV01473	SPPV01472
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI04847
SPLASH GUARD 55CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04850
THREE-STAGE SUCTION MOTOR KIT

PICTURE NOT AVAILABLE

CODE: KTRI04851
BRUSH HEAD KIT (55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT (60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT (70 VERSION)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 15 Ah- KTRI04845 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS

TECHNICAL DATA

Code		CT71 XP60 LPTB02921	CT71 XP70 LPTB01858	CT71 XP55R LPTB02927
PERFORMANCE				
Max theoretical productivity	m ² /h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	70/70	70/70	70/70
Max running time	min	150	150	150
Voltage	V-Ah	24	24	24
Installed power	W	1550	1550	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	1010	1010	815
Max speed	km/h	4,2	4,2	4,2
Weight	kg	96	99	104
Dimension (LxWxH)	mm	1279x653x1033	1297x753x1033	1288x640x1033

STANDARD EQUIPMENT

	CT71 XP60	CT71 XP70	CT71 XP55R
BRUSHES			
PPL soft	SPPV01473	SPPV01472	-
Cylindrical brush - PPL soft Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI04846
CHEM DOSE KIT



CODE: KTRI04847
SPLASH GUARD 55CM



CODE: KTRI04848
TOOLS BAR



CODE: KTRI04849
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04850
THREE-STAGE SUCTION MOTOR KIT



CODE: KTRI04851
BRUSH HEAD KIT (55 VERSION)



CODE: KTRI04852
BRUSH HEAD KIT (60 VERSION)



CODE: KTRI04853
BRUSH HEAD KIT (70 VERSION)



CODE: KTRI04854
ROLLER BRUSH HEAD KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 15 Ah- KTRI04845 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 15 Ah KTRI04845 Stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS





SCRUBBER DRIERS - WALK BEHIND

CT90

MAX PRODUCTIVITY

3825 m²/h

BATTERIES RUNNING TIME

4 h

WATER TANK RUNNING TIME

80'
working session



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLS™
SELF
LEVELING
SYSTEM



ANC™
ADVANCED
NOISE
CONTROL

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



"V"-SHAPED SQUEEGEE

TECHNICAL DATA

Code		CT90 BT60 LPTB01421	CT90 BT70 LPTB01422	CT90 BT85 LPTB01423
PERFORMANCE				
Max theoretical productivity	m ² /h	2700	3150	3825
Cleaning path	mm	600	700	850
Water tank capacity (solution recovery)	l	85/90	85/90	85/90
Max running time	min	270	270	270
Voltage	V-Ah	24(4x6) - 180 GEL	24(4x6) - 180 GEL	24(4x6) - 180 GEL
Installed power	W	480	480	480
Brush pressure	kg	30,6	31,4	37
Squeegee width	mm	815	942	942
Max speed	km/h	4,2	4,2	4,2
Weight	kg	97,6	98,4	104
Dimension (LxWxH)	mm	1328x680x1025	1328x748x1025	1444x893x1025

STANDARD ACCESSORIES

	CT45 B50	CT45 BT50	CT45 C50
BRUSHES			
BRUSH	SPPV01473	SPPV01472	SPPV01516
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI01871
**SOLUTION TANK DRAIN
AND LEVEL HOSE KIT**



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	240	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	246x192x275	240	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah [C5]	240x190x275	240	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30Ah - BACA00066



SCRUBBER DRIERS - WALK BEHIND

CT105

MAX PRODUCTIVITY

4500 m²/h

BATTERIES RUNNING TIME

4,5 h

WATER TANK RUNNING TIME

100'
working session



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLST™
SELF
LEVELING
SYSTEM



ANCT™
ADVANCED
NOISE
CONTROL

SPECS



NEW LARGE COVER



NEW ERGONOMIC HANDLE



HIGH QUALITY MOTOR GEAR
BOX

TECHNICAL DATA

		CT105 BT70 LPTB02876	CT105 BT85 LPTB02877	CT105 BT105 LPTB02874
Code				
PERFORMANCE				
Max theoretical productivity	m²/h	3150	3825	4725
Cleaning path	mm	700	850	1050
Water tank capacity (solution recovery)	l	100/110	100/110	100/110
Max running time	min	250	250	250
Voltage	V-Ah	24(4x6) - 250 GEL	24(4x6) - 250 GEL	24(4x6) - 250 GEL
Installed power	W	650	650	650
Brush pressure	kg	67	69	70,8
Squeegee width	mm	950	950	1010
Max speed	km/h	4,5	4,5	4,5
Weight	kg	170	173	182
Dimension (LxWxH)	mm	1596x744x1075	1641x880x1075	1750x1112x1075

STANDARD ACCESSORIES

	CT105 BT70	CT105 BT85	CT105 BT105
BRUSHES			
BRUSH	SPPV01472	SPPV01516	SPPV01352
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: KTRI02052
DEBRIS COLLECTOR



CODE: KTRI02257
EXTERNAL SUCTION KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	180	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	246x192x275	180	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah [C5]	240x190x275	190	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	4	6V 222 Ah [C5]	260x180x295	240	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
EXIDE gel battery BAAC00017	4	6V 222 Ah [C5]	311x183x358	240	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00062	4	6V 320Ah [C5]	243x197x275	250	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00077	4	6V 222 Ah [C5]	305x180x365	300	Stand alone low frequency 24V 30 Ah BACA00066



SCRUBBER DRIERS - RIDE ON

CT80

MAX PRODUCTIVITY

4200 m²/h

BATTERIES RUNNING TIME

4,5 h

WATER TANK RUNNING TIME

50'
working session



AVAILABLE WITH SINGLE
BRUSH



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



ECO
SELECT



ANCTM
ADVANCED
NOISE
CONTROL



DBLTM
DOUBLE
BATTERY
LIFE



MEMORY
CARD



SLSTM
SELF
LEVELING
SYSTEM



SERVICE
MENU

SPECS



4 BATTERIES LODGED IN 1ST
CATEGORY



PRESET WORKING
PROGRAMS



MEMORY CARD

TECHNICAL DATA

		CT80 BT55 LPTB02679	CT80 BT60 LPTB02680	CT80 BT70 LPTB02681
Code				
PERFORMANCE				
Max theoretical productivity	m ² /h	3300	3600	4200
Cleaning path	mm	530	614	678
Water tank capacity (solution recovery)	l	80/83	80/83	80/83
Productivity for shift	m ²	up to 2475	up to 2700	up to 3150
Max running time	min	over 150	over 240	over 240
Voltage	V-Ah	24(2x12)-105	24(4x6)-180	24(4x6)-180
Installed power	W	480	550	550
Brush pressure	kg	22	50	50
Squeegee width	mm	710	942	942
Max speed	km/h	6	6	6
Weight	kg	204	271,5	282,6
Dimension (LxWxH)	mm	1310x673x1030	1310x675x1030	1310x760x1030

STANDARD ACCESSORIES

	CT80 BT55	CT80 BT60	CT80 BT70
BRUSHES			
BRUSH	SPPV01352	SPPV01511	SPPV01472
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 660mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRIV02232
CHEM DOSE KIT



CODE: KTRI02229
FLASHING BEACON KIT



CODE: KTRI02252
CLEAN WATER DRAIN KIT



CODE: KTRI02233
FRONT BUMPER KIT



CODE: KTRI02234
REAR BUMPER KIT



CODE: KTRI02235
ACCESSORIES KIT



CODE: KTRI02236
DEBRIS COLLECTOR KIT



CODE: KTRI02247
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04689
FRONT ACCESSORIES
HOLDER (ONLY FOR BT55)

CODE: KTRI02249
SPLASH GUARD

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x175x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
Acid tubolar plate BAAC00070	2	12V 118 Ah [C5]	345x174x283	150	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	240x190x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah [C5]	246x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134 Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - RIDE ON

CT81

NEW

MAX PRODUCTIVITY

4200 m²/h

BATTERIES
RUNNING TIME

4,5 h

WATER TANK
RUNNING TIME

90'
working session



AVAILABLE WITH DOUBLE
BRUSH



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



APC™
ADVANCED
PRODUCTIVITY
CONTROL



ANC™
ADVANCED
NOISE
CONTROL



DBL™
DOUBLE
BATTERY
LIFE



MEMORY
CARD



SLS™
SELF
LEVELING
SYSTEM



SERVICE
MENU

SPECS



4 BATTERIES LODGED IN 1ST
CATEGORY



PRESET WORKING
PROGRAMS



MEMORY CARD

TECHNICAL DATA

Code		CT81 BT55 LPTB02802	CT81 BT60 LPTB02803	CT81 BT70 LPTB02804
PERFORMANCE				
Max theoretical productivity	m ² /h	3300	3600	4200
Cleaning path	mm	530	614	678
Water tank capacity (solution recovery)	l	80/83	80/83	80/83
Max running time	min	over 150	over 240	over 240
Voltage	V-Ah	24[2x12]-105	24[4x6]-180	24[4x6]-180
Installed power	W	480	550	550
Brush pressure	kg	22	50	50
Squeegee width	mm	710	942	942
Max speed	km/h	6	6	6
Weight	kg	204	271,5	282,6
Dimension (LxWxH)	mm	1310x673x1030	1310x675x1030	1310x760x1030

STANDARD ACCESSORIES

	CT81 BT55	CT81 BT60	CT81 BT70
BRUSHES			
BRUSH	SPPV01352	SPPV01511	SPPV01472
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 660mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRIV02232
CHEM DOSE KIT



CODE: KTRIO2229
FLASHING BEACON KIT



CODE: KTRIO2252
CLEAN WATER DRAIN KIT



CODE: KTRIO2233
FRONT BUMPER KIT



CODE: KTRIO2234
REAR BUMPER KIT



CODE: KTRIO2235
ACCESSORIES KIT



CODE: KTRIO2236
DEBRIS COLLECTOR KIT



CODE: KTRIO2247
AUTO-REFILL SYSTEM



CODE: KTRIO2257
EXTERNAL SUCTION KIT



CODE: KTRIO2249
SPLASH GUARD (ONLY FOR BT55)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	140	On board battery charger 24V 15Ah KTRIO2231 Stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x175x285	140	On board battery charger 24V 15Ah KTRIO2231 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x174x283	150	On board battery charger 24V 15Ah KTRIO2231 Stand alone high frequency BLS010 BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	270	On board battery charger 24V 25Ah KTRIO2230 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	240x190x275	270	On board battery charger 24V 25Ah KTRIO2230 Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah [C5]	246x192x275	270	On board battery charger 24V 25Ah KTRIO2230 Stand alone high frequency BLS020 BACA00134 Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - RIDE ON

CT 110

MAX PRODUCTIVITY

5250 m²/h

BATTERIES RUNNING TIME

4 h

WATER TANK RUNNING TIME

100'
working session



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECS™
ECO COST
CLEANING
SOLUTION



SLSTM™
SELF
LEVELING
SYSTEM



ANCTM™
ADVANCED
NOISE
CONTROL

SPECS



INTUITIVE CONTROL PANEL



INTEGRATED CHEM DOSE



EASY MAINTENANCE

TECHNICAL DATA

Code		CT110 BT60 LPTB01312	CT110 BT70 LPTB01311	CT110 BT85 LPTB01313	CT110 BT70 R LPTB02272	CT110 BT85 ECS LPTB02371
PERFORMANCE						
Max theoretical productivity	m ² /h	3900	4550	5525	4550	7500
Cleaning path	mm	600	700	850	700	850
Water tank capacity (solution recovery)	l	110/115	110/115	110/115	110/115	110/115
Max running time	min	240	240	240	240	240
Voltage	V-Ah	24 (4x6) - 222 GEL	24 (4x6) - 222 GEL	24 (4x6) - 222 GEL	24 (4x6) - 222 GEL	24 (4x6) - 222 GEL
Installed power	W	550	550	550	550	550
Brush pressure	kg	35	45	60	23,5	60
Squeegee width	mm	815	940	1010	1010	1010
Max speed	km/h	6,5	6,5	6,5	6,5	6,5
Weight	kg	209	214	231	209	231
Dimension (LxWxH)	mm	1504x722x1201	1504x759x1021	1504x909x1201	1504x722x1201	1530x950x1460

STANDARD EQUIPMENT

	CT110 BT60	CT110 BT70	CT110 BT85	CT110 BT70 R	CT110 BT85 ECS
BRUSHES					
Brush	SPPV01473	SPPV01472	SPPV01516	-	SPPV01472
Cylindrical brush - PPL soft Ø 0,4 mm	-	-	-	SPPV01320	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02257 EXTERNAL SUCTION KIT



CODE: KTRI01746 ALUMINIUM PLATFORM KIT



CODE: KTRI01710 FLASHING BEACON KIT



CODE: KTRI01711 CHEM DOSE KIT



CODE: KTRI01806 REAR WASTE KIT



CODE: KTRI02040 DEBRIS COLLECTOR KIT



CODE: KTRI02037 FRONT BUMPER KIT



CODE: KTRI02038 REAR BUMPER KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	246x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah [C5]	240x190x275	210	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30 Ah BACA00066
AGM battery BAAC00107	4	6V 222 Ah [C5]	260x180x295	250	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134



SCRUBBER DRIERS - RIDE ON

CT 160

MAX PRODUCTIVITY

6175 m²/h

BATTERIES RUNNING TIME

5,5 h

WATER TANK RUNNING TIME

90'
working session



AVAILABLE IN ROLLER VERSION



AVAILABLE IN SWEEPER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLST™
SELF
LEVELING
SYSTEM



ANCT™
ADVANCED
NOISE
CONTROL

SPECS



PRESET WORKING PROGRAM



PRE-SWEEP SYSTEM



SEPARATE DETERGENT
DOSING SYSTEM

TECHNICAL DATA

		CT160 BT70 LPTB01331	CT160 BT85 LPTB01332	CT160 BT95 LPTB01333	CT160 BT75R LPTB01334	CT160 BT75R SWEEP LPTB01335
Code						
PERFORMANCE						
Max theoretical productivity	m ² /h	4550	5525	6175	4875	4875
Cleaning path	mm	700	850	950	750	750
Water tank capacity (solution recovery)	l	145/170	145/170	145/170	145/170	145/170
Max running time	min	250	250	250	250	250
Voltage	V-Ah	36 (6x6) - 240 GEL	36 (6x6) - 240 GEL	36 (6x6) - 240 GEL	36 (6x6) - 240 GEL	36 (6x6) - 240 GEL
Installed power	W	650	650	650	670	670
Brush pressure	kg	70	90	100	35	35
Squeegee width	mm	830	1010	1100	1010	1010
Max speed	km/h	6	6	6	6	6
Weight	kg	273	290	292	280	300
Dimension (LxWxH)	mm	1720x850x1360	1720x1010x1360	1720x1100x1360	1750x885x1360	1810x1050x1360

STANDARD ACCESSORIES

	CT160 BT70	CT160 BT85	CT160 BT95	CT160 BT75R	CT160 BT75R SWEEP
BRUSHES					
Brush	SPPV01533	SPPV01527	SPPV01539	-	SPPV01286
Cylindrical brush - PPL soft Ø 0,4 mm	-	-	-	SPPV01286	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR02848 - 880mm	MPVR02830 - 1020mm	MPVR02850 - 1170mm	MPVR02830 - 1020mm	MPVR02830 - 1020mm
LATEX REAR BLADE	MPVR06233 - 920mm	MPVR05883 - 1040mm	MPVR05884 - 1210mm	MPVR05883 - 1040mm	MPVR05883 - 1040mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: KTRI01806

REAR WASTE KIT



CODE: KTRI01597 (CT160 BT85)
KTRI02078 (CT160 BT95)

FRONT BUMPER KIT

PICTURE
NOT
AVAILABLE

CODE: KTRI02077 (CT160 BT 85-95)

REAR BUMPER KIT



CODE: KTRI02105

CHEM DOSE KIT

PICTURE
NOT
AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	6	6V 180 Ah [C5]	244x192x275	210	Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	6	6V 180 Ah [C5]	246x192x275	210	Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	6	6V 185 Ah [C5]	240x190x275	220	Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	6	6V 222 Ah [C5]	305x180x365	280	Stand alone high frequency BLS030 BACA00138
EXIDE gel battery BAAC00017	6	6V 222 Ah [C5]	311x183x358	280	Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00062	6	6V 220 Ah [C5]	243x197x275	280	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubular plate BAAC00077	6	6V 320 Ah [C5]	243x197x275	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubular plate BAAC00086	6	6V 320 Ah [C5]	246x198x430	320	Stand alone low frequency 36V 35 Ah BACA00127
Dry charge tubular plate BAAC00088	6	6V 320 Ah [C5]	245x198x430	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubular plate BAAC00113	1	36V 320 Ah [C5]	243x197x275	350	Stand alone low frequency 36V 35 Ah BACA00127

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - RIDE ON

CT 230

MAX PRODUCTIVITY

6825 m²/h

BATTERIES RUNNING TIME

5 h

WATER TANK RUNNING TIME

100'
working session



AVAILABLE IN ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLS™
SELF
LEVELING
SYSTEM



ANC™
ADVANCED
NOISE
CONTROL

SPECS



PRESET WORKING PROGRAM



PRE-SWEEP SYSTEM



EASY MAINTENANCE

TECHNICAL DATA

		CT230 BT85 LPTB02038	CT230 BT105 LPTB02045	CT230 BT100 R SWEEP LPTB01521
Code				
PERFORMANCE				
Max theoretical productivity	m²/h	5400	6825	7500
Cleaning path	mm	850	1050	1000
Water tank capacity (solution recovery)	l	205/225	205/225	205/225
Max running time	min	300	300	300
Voltage	V-Ah	36 (1x36) - 320 WET	36 (1x36) - 320 WET	36 (1x36) - 320 WET
Installed power	W	956	956	956
Brush pressure	kg	100	100	35
Squeegee width	mm	1010	1280	1280
Max speed	km/h	9	9	9
Weight	kg	377,5	377,5	377,5
Dimension (LxWxH)	mm	1950x1155x1466	1950x1155x1466	1950x1170x1466

STANDARD ACCESSORIES

		CT230 BT85	CT230 BT105	CT230 BT100 R SWEEP
BRUSHES				
BRUSH		SPPV01527	SPPV01546	-
LATEX REAR BLADE		-	-	SPPV01330
SQUEEGEE BLADES				
LATEX FRONT BLADE		MPVR05908 - 1180mm	MPVR05885 - 1420mm	MPVR05908 - 1180mm
LATEX REAR BLADE		MPVR05909 - 1230mm	MPVR05886 - 1490mm	MPVR05909 - 1230mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01944

OVERHEAD GUARD KIT



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
GEL battery BAAC00108	6	6V 222 Ah (C5)	305x180x365	250	Stand alone high frequency BLS030 BACA00138
EXIDE gel battery BAAC00017	6	6V 222 Ah (C5)	311x183x358	250	Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00113	1	36V 320 Ah (C5)	243x197x275	360	Stand alone low frequency 36V 35 Ah BACA00127



SCRUBBER DRIERS - WALK BEHIND

70 BEX 53

MAX PRODUCTIVITY

2120 m²/h

BATTERIES
RUNNING TIME

2,1 h

WATER TANK
RUNNING TIME MAX

56'
working session



MOST FREQUENTLY USE

- EXPLOSION-RISK AREAS

INNOVATIONS

- ▶ FOR EX ZONE 1 AND 2
- ▶ SPECIFICATION: ATEX 94/9/EG
- ▶ SPECIFICATION: EEX II 2G IIB T4
- ▶ RUST-RESISTANT

SPECS



ELECTRICALLY CONDUCTIVE
BRUSHES



STAINLESS STEEL BATTERY
BOX



EASY ACCESS TO ALL
MACHINE COMPONENTS FOR
AN EASY MAINTENANCE

TECHNICAL DATA

Code		70 BEX 53
PERFORMANCE		85089
Max theoretical productivity	m ² /h	2120
Cleaning path	mm	530
Water tank capacity (solution recovery)	l	70
Max running time	min	126
Voltage	V-Ah	12 x 2 V / 160 Ah
Installed power	W	1530
Brush pressure	kg	37
Squeegee width	mm	870
Max speed	km/h	4
Weight	kg	358
Dimension (LxWxH)	mm	1500x830x1165

STANDARD ACCESSORIES

BRUSHES		70 BEX 53
MIXED BRISTLES PHOSPHOR-BRONZE BRUSH		
SQUEEGEE BLADES		
SIZE S COMPLETE SQUEEGEE		

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
Single cell battery / 16235	12x	2V 160Ah 5 EPzB			TRICOM FUTUR HF E 24 V / 16 A - 85514



SCRUBBER DRIERS - WALK BEHIND

71 BF 72 ES+

MAX PRODUCTIVITY

3960 m²/h

BATTERIES
RUNNING TIME

3,25-2,88
h

WATER TANK
RUNNING TIME MAX

37'
working session



MOST FREQUENTLY USE

- FOOD & MEAT PROCESSING
INDUSTRY & CHEESE
FACTORIES

INNOVATIONS

- ▶ GWS - GANSOW WATER MANAGEMENT SYSTEM
- ▶ CLAM-SHELL STRUCTURE
- ▶ TOTALLY MADE OF STAINLESS STEEL
- ▶ COMPLIANT WITH HACCP

SPECS



ACX CONTROL



BIG TANK LID FOR QUICK
FILLING AND EASY CLEANING



EASY ACCESS TO ALL
MACHINE COMPONENTS FOR
AN EASY MAINTENANCE

TECHNICAL DATA

Code		71 BF 72 ES+
PERFORMANCE		85603
Max theoretical productivity	m ² /h	3960
Cleaning path	mm	720
Water tank capacity (solution recovery)	l	70
Max running time	min	195 / 173
Voltage	V-Ah	4 x 6 V 160 / 180 Ah
Installed power	W	2670
Brush pressure	kg	40
Squeegee width	mm	1000
Max speed	km/h	5,5
Weight	kg	230
Dimension (LxWxH)	mm	1580x740x1150

STANDARD ACCESSORIES

	71 BF 72 ES+
SQUEEGEE BLADES	
FRONT SQUEEGEE BLADE	
REAR SQUEEGEE BLADE	
COMPLETE SQUEEGEE	

OPTIONAL ACCESSORIES

CODE: 19270 PPN - 0,5 MM, 45° SLOPED BRUSH	CODE: 19272 BLACK SOFT - 0,22, 45° SLOPED BRUSH	CODE: 19271 45° SLOPED PES BRUSH	CODE: 19221 PES/K320, SEGMENTED BRUSH	CODE: 19178 PASC - BLUE BRUSH (K500), 0,5 MM
CODE: 19090 PASC - GREY BRUSH (K320), 0,6 MM	CODE: 19001 PASC - GREEN BRUSH (K120)	CODE: 19016 PPN - 0,8 MM - BRUSH	CODE: 13128 BLACK SUPER PAD WITHOUT CENTRAL PART	CODE: 13127 GREEN SUPER PAD WITHOUT CENTRAL PART
CODE: 13129 YELLOW SUPER PAD WITHOUT CENTRAL PART	CODE: 12785 RED SUPER PAD WITHOUT CENTRAL PART	CODE: 40224 BLACK SUPER PAD WITH CENTRAL PART	CODE: 40223 GREEN SUPER PAD WITH CENTRAL PART	CODE: 40221 YELLOW SUPER PAD WITH CENTRAL PART
CODE: 41409 RED SUPER PAD WITH CENTRAL PART	CODE: 19039 SUPER PAD DRIVE PLATE	CODE: 19252 MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE	CODE: 13009 DRIVE PLATE CENTRAL PART	CODE: 13078 CORE (ENTRY FOR CENTRAL PART)
CODE: 17011 MICROFIBRE PAD BLUE/WHITE	CODE: 16817 WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)	CODE: 16894 WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)	CODE: SL03563LIN LINATEX REAR SQUEEGEE BLADE	CODE: SL03564 RUBBER FRONT SQUEEGEE BLADE
CODE: SL03563 RUBBER REAR SQUEEGEE BLADE	CODE: SL03564UGL RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE	CODE: 40403 FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 MM FLOOR SUCTION NOZZLE	CODE: 41873 FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS	CODE: 41604 COMPLETE SUCTION MANUAL
CODE: 41748 MOP CARRIER	CODE: 41895 NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)	CODE: 41872 CLEAN WATER TANK AUTOMATIC FILLING	CODE: 45027 STOPCOCK FOR DIRT WATER DRAIN HOSE	CODE: 41947 CHEMICAL DOSING SYSTEM

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	BATTERY CHARGERS
Battery block maintenance free Gel/13322	2x	6 V 160 Ah	E 24V / 25 A - 85651
Battery block maintenance free Gel/13533	4x	6 V 180 Ah	E 24V / 25 A - 85651

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

41 BF 57 RR 41 BF 68 RR

MAX PRODUCTIVITY

3135 m²/h
3740 m²/h

BATTERIES RUNNING TIME

2,15 h
2,15 h

WATER TANK RUNNING TIME MAX

27'
working session
23'
working session



MOST FREQUENTLY USE

- FOOD & MEAT PROCESSING
INDUSTRY & CHEESE
FACTORIES

INNOVATIONS

- ▶ GWS - GANSOW WATER MANAGEMENT SYSTEM
- ▶ HEPA FILTER CLASS H13
- ▶ ALL COVERS MADE OF STAINLESS STEEL
- ▶ STAINLESS STEEL SQUEEGEE
- ▶ ANTISTATIC DESIGN

SPECS



ACX CONTROL



BIG TANK LID FOR QUICK
FILLING AND EASY CLEANING



EASY ACCESS TO ALL
MACHINE COMPONENTS FOR
AN EASY MAINTENANCE

TECHNICAL DATA

		41 BF 57 RR	41 BF 68 RR
Code		85643	85644
PERFORMANCE			
Max theoretical productivity	m²/h	3135	3740
Cleaning path	mm	570	680
Water tank capacity (solution recovery)	l	40	40
Max running time	min	129	118
Voltage	V-Ah	2 x 12 V / 105 Ah	2 x 12 V / 105 Ah
Installed power	W	1260	1610
Brush pressure	kg	31,5	31,5
Squeegee width	mm	870	870
Max speed	km/h	5,5	5,5
Weight	kg	172	178
Dimension (LxWxH)	mm	1430x605x1130	1390x690x1130

STANDARD ACCESSORIES

SQUEEGEE BLADES

SQUEEGEE BLADE FRONT PU HP

SQUEEGEE BLADE REAR PU HP

SQUEEGEE COMPLETE SIZE S

CODE 41 BF 57 RR: 19259	CODE 41 BF 57 RR: 19260	CODE 41 BF 57 RR: 19261	CODE 41 BF 57 RR: 19224	CODE 41 BF 57 RR: 19181
CODE 41 BF 68 RR: 19267 PPN - 0,5 MM, 45° SLOPED BRUSH	CODE 41 BF 68 RR: 19269 BLACK SOFT - 0,22, 45° SLOPED BRUSH	CODE 41 BF 68 RR: 19268 45° SLOPED PES BRUSH	CODE 41 BF 68 RR: 19207 PES/K320, SEGMENTED BRUSH	CODE 41 BF 68 RR: 19177 PASC - BLUE BRUSH (K500), 0,5 MM
CODE 41 BF 57 RR: 19091	CODE 41 BF 57 RR: 19010	CODE 41 BF 57 RR: 19019	CODE 41 BF 57 RR: 01610	CODE 41 BF 57 RR: 01603
CODE 41 BF 68 RR: 19094 PASC - GREY BRUSH (K320), 0,6 MM	CODE 41 BF 68 RR: 19081 PASC - GREEN BRUSH (K120)	CODE 41 BF 68 RR: 19077 PPN - 0,8 MM - BRUSH	CODE 41 BF 68 RR: 13892 BLACK SUPER PAD WITHOUT CENTRAL PART	CODE 41 BF 68 RR: 13891 GREEN SUPER PAD WITHOUT CENTRAL PART
CODE 41 BF 57 RR: 01635	CODE 41 BF 57 RR: 13750	CODE 41 BF 57 RR: 41035	CODE 41 BF 57 RR: 41029	CODE 41 BF 57 RR: 41032
CODE 41 BF 68 RR: 13895 YELLOW SUPER PAD WITHOUT CENTRAL PART	CODE 41 BF 68 RR: 13893 RED SUPER PAD WITHOUT CENTRAL PART	CODE 41 BF 68 RR: 41237 BLACK SUPER PAD WITH CENTRAL PART	CODE 41 BF 68 RR: 41236 GREEN SUPER PAD WITH CENTRAL PART	CODE 41 BF 68 RR: 41472 YELLOW SUPER PAD WITH CENTRAL PART
CODE 41 BF 57 RR: 41161	CODE 41 BF 57 RR: 19037	CODE 41 BF 57 RR: 19242	CODE 41 BF 57 RR: 13009	CODE 41 BF 57 RR: 13078
CODE 41 BF 68 RR: 41473 RED SUPER PAD WITH CENTRAL PART	CODE 41 BF 68 RR: 19078 SUPER PAD DRIVE PLATE	CODE 41 BF 68 RR: 19251 MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE	CODE 41 BF 68 RR: 13009 DRIVE PLATE CENTRAL PART	CODE 41 BF 68 RR: 13078 CORE (ENTRY FOR CENTRAL PART)
CODE 41 BF 57 RR: 16302	CODE 41 BF 57 RR: 16816	CODE 41 BF 57 RR: 16896		
CODE 41 BF 68 RR: 16340 MICROFIBRE PAD BLUE/WHITE	CODE 41 BF 68 RR: 16815 WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)	CODE 41 BF 68 RR: 16893 WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)		
CODE: SL03518LIN LINATEX REAR SQUEEGEE BLADE	CODE: SL03517 RUBBER FRONT SQUEEGEE BLADE	CODE: SL03518 RUBBER REAR SQUEEGEE BLADE	CODE: SL03517UGL RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE	CODE: PMVR02024VA SIZE L COMPLETE SQUEEGEE BLADE
CODE: 40403 FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 MM FLOOR SUCTION NOZZLE	CODE: 41873 FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS	CODE: 41604 COMPLETE SUCTION MANUAL	CODE: 41748 MOP CARRIER	CODE: 41888 NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)
CODE: 40852 STAINLESS STEEL BRUSH HEAD BUMPER	CODE: 41872 CLEAN WATER TANK AUTOMATIC FILLING	CODE: 45027 STOPCOCK FOR DIRT WATER DRAIN HOSE	CODE: 41947 CHEMICAL DOSING SYSTEM	

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	BATTERY CHARGERS
Battery block maintenance free Gel/ 13287	2x	12 V / 105 Ah	E 24V / 15 A - 85650

RECOMMENDED BATTERIES AND BATTERY CHARGERS



SCRUBBER DRIERS - WALK BEHIND

ESD MODELS

ESD MODELS

31 B 50 ESD
41 B 57 ESD
41 BF 57 ESD
61 BF 68 ESD
91 BF 85 ESD
121 BF 85 ESD

CODE

85712
85713
85714
85718
85709
85704



MOST FREQUENTLY USE

- CLEAN ROOMS

INNOVATIONS

- ▶ FULL ANTISTATIC DESIGN
- ▶ STAINLESS STEEL SQUEEGEE
- ▶ GWS - GANSOW WATER MANAGEMENT SYSTEM

SPECS



ACX CONTROL



BIG TANK LID FOR QUICK
FILLING AND EASY CLEANING



EASY ACCESS TO ALL
MACHINE COMPONENTS FOR
AN EASY MAINTENANCE

OPTIONAL ACCESSORIES

PPN - 0,5 MM, 45° SLOPED BRUSH	BLACK SOFT - 0,22, 45° SLOPED BRUSH	45° SLOPED PES BRUSH	PES/K320, SEGMENTED BRUSH	PASC - BLUE BRUSH (K500), 0,5 MM
PASC - GREY BRUSH (K320), 0,6 MM	PASC - GREEN BRUSH (K120)	PPN - 0,8 MM - BRUSH	BLACK SUPER PAD WITHOUT CENTRAL PART	GREEN SUPER PAD WITHOUT CENTRAL PART
YELLOW SUPER PAD WITHOUT CENTRAL PART	RED SUPER PAD WITHOUT CENTRAL PART	BLACK SUPER PAD WITH CENTRAL PART	GREEN SUPER PAD WITH CENTRAL PART	YELLOW SUPER PAD WITH CENTRAL PART
RED SUPER PAD WITH CENTRAL PART	SUPER PAD DRIVE PLATE	MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE	DRIVE PLATE CENTRAL PART	CORE (ENTRY FOR CENTRAL PART)
MICROFIBRE PAD BLUE/WHITE	WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)	WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)	LINATEX REAR SQUEEGEE BLADE	RUBBER FRONT SQUEEGEE BLADE
RUBBER REAR SQUEEGEE BLADE	RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE	SIZE L COMPLETE SQUEEGEE BLADE	FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 MM FLOOR SUCTION NOZZLE	FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS
COMPLETE SUCTION MANUAL	MOP CARRIER	NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)	STAINLESS STEEL BRUSH HEAD BUMPER	CLEAN WATER TANK AUTOMATIC FILLING
STOPCOCK FOR DIRT WATER DRAIN HOSE	CHEMICAL DOSING SYSTEM			

BATTERIES AND BATTERY CHARGERS

BATTERIES

Battery block maintenance free Gel



SCRUBBER DRYERS - WALK BEHIND

CT5



MAX PRODUCTIVITY

900 m²/h

BATTERIES RUNNING TIME

standard 50 min.
optional 75 min.

WATER TANK RUNNING TIME

25'
working session



ECO SELECT



LI-ION
BATTERY



RDS
REVERSE DRY SYSTEM



BATTERY AND BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL



HO.RE.CA.



CLEANING CONTRACTORS



INNOVATIONS



RDS
REVERSE
DRY
SYSTEM



ANC™
ADVANCED
NOISE
CONTROL



SLS™
SELF
LEVELING
SYSTEM



ECO
SELECT



LI-ION
LITHIUM
BATTERY



BACTERIA
CONTROL

SPEC



THE RDS ALLOWS TO WASH AND DRY EASILY EVEN IN POINTS WHERE OTHER MACHINES DO NOT REACH



RECHARGEABLE LITHIUM-ION BATTERY BOTH ON BOARD THE MACHINE AND EXTERNALLY



CT5 CAN BE STORED, TRANSPORTED AND PARKED IN EVERY SPACE IN JUST FEW SECONDS

TECHNICAL DATA

CT5 B28		
Code EUROPE		LPTB01655
Code UK		LPTB01710
Code USA		LPTB01706
Code JAPAN		LPTB01707
Code CHINA		LPTB01708
Code BRASIL		LPTB01709
Code KOREA		LPTB01711
PERFORMANCE		
Max theoretical productivity	m ² /h	900
Cleaning path	mm	280
Water tank capacity (solution recovery)	l	5 - 5
Max running time	min	50/75
Voltage	V	36
Installed power	W	220
Brush pressure	kg	10
Squeegee width	mm	300
Max speed	km/h	3
Weight	kg	19,8 with standard battery
Dimension (LxWxH)	mm	758 x 376 x 392

STANDARD ACCESSORIES

CT5 B28	
BRUSH	
PPL medium	SPPV02438
SQUEEGEE BLADES	
Latex Straight squeegee Front blade	MPVR12307
Latex Straight squeegee Rear blade	MPVR12308
Latex Parabolic squeegee Front blade	MPVR12309
Latex Parabolic squeegee Rear blade	MPVR12310

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: PRCH00578
BIOSAN RAPIDE WT
 (30PCS/30DAYS)



BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
LI-ION Standard battery (Shipment by sea or truck) KTRI06041*	1	36V 5,5 Ah	190x104x141	50 min.	Battery charger BACA00263
LI-ION Standard battery (Shipment by air) KTRI06043*	1	36V 5,5 Ah	190x104x141	50 min.	Battery charger BACA00263
LI-ION Optional Battery (Shipment by sea or truck) KTRI06042*	1	36V 8,2 Ah	190x104x141	75 min.	Battery charger BACA00263
LI-ION Optional Battery (Shipment by air) KTRI06044*	1	36V 8,2 Ah	190x104x141	75 min.	Battery charger BACA00263

* RECOMMENDED TO CONTACT OUR BACK OFFICE FOR SHIPMENT INFORMATION



SCRUBBER DRYERS - WALK BEHIND

CT46

MAX PRODUCTIVITY

1750 m²/h

BATTERIES
RUNNING TIME

3 h

WATER TANK
RUNNING TIME

50'
working session

 **TELEMATICS GPS** (opt)
GEOLOCATION OF
ALL YOUR MACHINES



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



ECO
SELECT



DBL™
DOUBLE
BATTERY
LIFE



UDCT™
ULTIMATE
DRAINING
COMBO



SLST™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



FOLDABLE HANDLE



LARGE BATTERY BOX



PATENTED TRANSPORT WHEEL

TECHNICAL DATA

		CT46 B50	CT46 C50
Code		LPTB01802	LPTE00642
PERFORMANCE			
Max theoretical productivity	m²/h	1750	1750
Cleaning path	mm	500	500
Water tank capacity (solution recovery)	l	40/46	40/46
Max running time	min	180	Unlimited
Voltage	V-Ah	24[2x12]-105 AGM	230-50/60
Installed power	W	910	950
Brush pressure	kg	16/25	16/25
Squeegee width	mm	730	730
Max speed	km/h	3,5	3,5
Weight (Without Batteries)	kg	59	64
Dimension (LxWxH)	mm	855x580x1220	855x580x1220

STANDARD ACCESSORIES

		CT46 B50	CT46 C50
BRUSHES			
PPL MEDIUM		SPPV01332	SPPV01332
SQUEEGEE BLADES			
LATEX FRONT BLADE		MPVR06287 - 815mm	MPVR06287 - 815mm
LATEX REAR BLADE		MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MPVR06072
SPLASH GUARD



CODE: KTRI04804
CHEM DOSE



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



CODE: KTRI06220
KIT TELEMATIC BASIC



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubular plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	190 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00124	2	12V 63 Ah [C5]	261x171x210	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	190 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480



SCRUBBER DRYERS - WALK BEHIND

CT51

MAX PRODUCTIVITY

Up to
3150 m²/h

BATTERIES RUNNING TIME

3,5 h

WATER TANK RUNNING TIME

Up to **60'**
working session



MEMORY CARD



TELEMATICS GPS (opt)

GEOLOCATION OF
ALL YOUR MACHINES



ANC

ADVANCE NOISE CONTROL
54 dB IN ECO SELECT MODE



BATTERIES AND BATTERY CHARGER NOT INCLUDED

ORBITAL VERSION



ONE BRUSH VERSION



ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



INTER-
CHANGEABLE
BRUSH
HEAD



600 RPM
INTERCHANGEABLE
BRUSH HEAD



ORBITAL
BRUSH



ANC™
ADVANCED
NOISE
CONTROL



DBL™
DOUBLE
BATTERY
LIFE



MEMORY
CARD



TELEMATICS
GPS



SLS™
SELF
LEVELING
SYSTEM



ECO
SELECT



SERVICE
MENU



BACTERIA
CONTROL


SPECS



ADJUSTABLE HANDLE FOR
A COMFORTABLE AND EASY
USE.



FULL MACHINE CONTROL
THANKS TO AN INTUITIVE
CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

WITHOUT
ELECTRIC TRACTION

WITH
ELECTRIC TRACTION

Code		CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70
		LPTB02976	LPTB01822	LPTB01823	LPTB01826	LPTB01824
PERFORMANCE						
Max theoretical productivity	m²/h	1850	1925	2475	2700	3150
Cleaning path	mm	500	550	550	600	700
Water tank capacity (solution recovery)	l	50/53	50/53	50/53	50/53	50/53
Max running time	min	210	210	210	210	210
Voltage	V-Ah	24	24	24	24	24
Installed power	W	800	800	1000	1400	1400
Brush pressure	kg	18	18	18	23	23
Squeegee width	mm	815	815	815	815	940
Max speed	km/h	3,5	3,5	4,5	4,5	4,5
Weight (Without Batteries)	kg	81,1	81,4	89,1	97,1	94,6
Dimension (LxWxH)	mm	1328 x 563 x 1033	1328 x 563 x 1033	1329 x 563 x 1033	1279 x 653 x 1033	1279 x 735 x 1033

STANDARD EQUIPMENT

	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70
BRUSHES					
PPL SOFT	SPPV01332	SPPV01352	SPPV01352	2XSPPV01473	2xSPPV01472
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

CABLE

Code		CT51 C50 230V	CT51 C55 230V
		LPTE00669	LPTE00646
PERFORMANCE			
Max theoretical productivity	m²/h	1850	1925
Cleaning path	mm	500	550
Water tank capacity (solution recovery)	l	50/53	50/53
Max running time	min	Unlimitess	Unlimitess
Voltage	V-Ah	230	230
Installed power	W	1100	1100
Brush pressure	kg	18	18
Squeegee width	mm	815	815
Max speed	km/h	3,5	3,5
Weight (Without Batteries)	kg	102	102,1
Dimension (LxWxH)	mm	1329 x 563 x 1033	1329 x 563 x 1033

STANDARD EQUIPMENT

	CT51 C50 230V	CT51 C55 230V
BRUSHES		
PPL SOFT	SPPV01332	SPPV01352
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm

TECHNICAL DATA

WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

ROLLER - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

Code		CT51 XP60 LPTB01828	CT51 XP70 LPTB01825	CT51 XP55R LPTB01834
PERFORMANCE				
Max theoretical productivity	m ² /h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1450	1450	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	815	940	815
Max speed	km/h	4,5	4,5	4,5
Weight (Without Batteries)	kg	97,1	94,6	107
Dimension (LxWxH)	mm	1279 x 653 x 1033	1279 x 735 x 1033	1329 x 563 x 1033

STANDARD EQUIPMENT

	CT51 XP60	CT51 XP70	CT51 XP55R
BRUSHES			
PPL SOFT	2xSPPV01473	2XSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

600 RPM - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

ORBITAL - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

Code		CT51 XP55 600 RPM LPTB01832	CT51 XP70 600 RPM LPTB01833	CT51 XP20" ORBITAL LPTB01670
PERFORMANCE				
Max theoretical productivity	m ² /h	2475	3150	2794
Cleaning path	mm	550	700	500
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1080	1480	1080
Brush pressure	kg	26	31	45,7
Motor Brush RPM	rpm	600	600	2200
Squeegee width	mm	815	940	815
Max speed	km/h	4,5	4,5	4,2
Weight (Without Batteries)	kg	89,1	94,6	107,2
Dimension (LxWxH)	mm	1329 x 563 x 1033	1279 x 735 x 1033	1225 x 512 x 1033

STANDARD EQUIPMENT

	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP20" ORBITAL
PAD HOLDER			
MICROFIBER PAD HOLDER	SPPV01978	2x SPPV01983	-
DIAMOND PAD HOLDER	SPPV01348	2x SPPV01228	-
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

	CONSUMABLES	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP50 ORBITAL
	Brushes	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Roller Brushes	available on price list												•	
	Pad holder	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Pads / Super pads	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Orbital pads	available on price list													•
	Microfiber pads	available on price list										•	•		
	Diamond pads	available on price list										•	•		
	Squeegee blades	available on price list	•	•	•	•	•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	BRUSH HEAD	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP20" ORBITAL
	C50 C55 B50 B55		NOT INTERCHANGEABLE BRUSH HEAD												
	BT55	KTRI04851					•	•	•	•	•	•	•	•	•
	BT60	KTRI04852					•	•	•	•	•	•	•	•	•
	BT70	KTRI04853					•	•	•	•	•	•	•	•	•
	XP55 600 RPM	KTRI04855								•	•	•	•	•	•
	XP70 600 RPM	KTRI04856								•	•	•	•	•	•
	XP55 ROLLER	KTRI04854								•	•	•	•	•	•
	XP20" ORBITAL	KTRI05787								•	•	•	•	•	•
	Kit Telematic Basic	KTRI06165			•	•									
		KTRI06163					•	•	•	•	•	•	•	•	•
	Kit Telematic Full	KTRI06164			•	•									
		KTRI06024					•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	OPTIONAL	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP50 ORBITAL
	Chem dose kit	KTRI04846			•	•	•	•	•	•	•	•	•	•	•
	Splash guard 50/55 cm	KTRI04847		•		•	•					•			
	Splash guard 60 cm	KTRI05094						•		•					
	Splash guard 70 cm	KTRI05095							•		•		•		
	Tools bar	KTRI04848	•	•	•	•	•	•	•	•	•	•	•	•	•
	Auto-Refill System	KTRI04849	•	•	•	•	•	•	•	•	•	•	•	•	•
	External suction kit	KTRI02257	•	•	•	•	•	•	•	•	•	•	•	•	•
	BIOSAN RAPIDE WT (30 pcs / 30 days)	PRCH00578	•	•	•	•	•	•	•	•	•	•	•	•	•

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00132	2	12V 76 Ah (C5)	330x171x236	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Dry charge flat plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRYERS - WALK BEHIND

CT55

MAX PRODUCTIVITY

2700 m²/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

60'
working session



TELEMATICS GPS (opt)

GEOLOCATION OF
ALL YOUR MACHINES



BATTERIES AND BATTERY CHARGER NOT INCLUDED

DOUBLE BRUSH VERSION



ROLLER VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SL5™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH
SPECIAL ELECTROMECHANICAL
SUCTION MOTOR PROTECTION

TECHNICAL DATA

Code		CT55 B55 LPTB01516	CT55 BT55 LPTB01517	CT55 C55 LPTE01102	CT55 BT60 LPTB01518	CT55 BT55 R LPTB01519
PERFORMANCE						
Max theoretical productivity	m ² /h	1.925	2.475	1.925	2.700	2.475
Cleaning path	mm	550	550	550	600	550
Water tank capacity (solution recovery)	l	55/60	55/60	55/60	55/60	55/60
Max running time	min	150	140	Unlimites	140	140
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50	24(2x12)-105 GEL	24(2x12)-105 GEL
Installed power	W	1.030	1.230	1.100	1.440	2.380
Brush pressure	kg	18	18	25	30	13,6/18,6
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	4	5	5	5	5
Weight (Without Batteries)	kg	68	84	91	90	96
Dimension (LxWxH)	mm	1190x685x1018	1190x685x1018	1190x640x1018	1190x685x1018	1190x640x1018

STANDARD EQUIPMENT

	CT55 B55	CT55 BT55	CT55 C55	CT55 BT60	CT55 BT55 R
BRUSHES					
PPL SOFT	SPPV01505	SPPV01505	SPPV01505	2xSPPV01473	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	SPPV01163
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: MECB42513

MAIN CABLE M/F
SOCKET - 20 m
[3X2,5mm 2 230V - 50HZ]



CODE: KTRI02141

CHEM DOSE KIT



CODE: MPVR05611

SPLASH GUARD



CODE: KTRI01573

DISCHARGE HOSE



CODE: KTRI01870

SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



KIT TELEMATIC



CODE:KTRI06169

KIT TELEMATIC BASIC FOR B
VERSIONS (NO TRACTION)

CODE:KTRI06167

KIT TELEMATIC BASIC FOR BT
VERSIONS (WITH TRACTION)

CODE:KTRI06168

KIT TELEMATIC FULL FOR B
VERSIONS (NO TRACTION)

CODE:KTRI06166

KIT TELEMATIC FULL FOR BT
VERSIONS (WITH TRACTION)

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060



SCRUBBER DRYERS - WALK BEHIND

CT71

MAX PRODUCTIVITY

Up to
3150 m²/h

BATTERIES RUNNING TIME

3,5 h standard

WATER TANK RUNNING TIME

Up to **75'**
working session



MEMORY CARD



TELEMATICS GPS (opt)

GEOLOCATION OF
ALL YOUR MACHINES



ANC

ADVANCE NOISE CONTROL
54 dB IN ECO SELECT MODE



ORBITAL VERSION



ONE BRUSH VERSION



ROLLER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



INTER-
CHANGEABLE
BRUSH
HEAD



600 RPM
INTERCHANGEABLE
BRUSH HEAD



ORBITAL
BRUSH



ANC™
ADVANCED
NOISE
CONTROL



DBL™
DOUBLE
BATTERY
LIFE



MEMORY
CARD



TELEMATICS
GPS



SLS™
SELF
LEVELING
SYSTEM



ECO
SELECT



SERVICE
MENU



BACTERIA
CONTROL


SPECS



ADJUSTABLE HANDLE FOR
A COMFORTABLE AND EASY
USE.



FULL MACHINE CONTROL
THANKS TO AN INTUITIVE
CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

WITHOUT
ELECTRIC TRACTION

WITH
ELECTRIC TRACTION

		CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70
Code		LPTB01855	LPTB01856	LPTB02919	LPTB01857
PERFORMANCE					
Max theoretical productivity	m²/h	1925	2475	2700	3150
Cleaning path	mm	550	550	600	700
Water tank capacity (solution recovery)	l	70/70	70/70	70/70	70/70
Max running time	min	210	210	210	210
Voltage	V-Ah	24	24	24	24
Installed power	W	800	1000	1400	1400
Brush pressure	kg	18	18	23	23
Squeegee width	mm	815	815	815	940
Max speed	km/h	3,5	4,5	4,5	4,5
Weight (Without Batteries)	kg	91,5	92	95	99
Dimension (LxWxH)	mm	1327x563x1033	1327x563x1033	1279x653x1033	1297x753x1033

STANDARD EQUIPMENT

STANDARD EQUIPMENT		CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70
BRUSHES					
PPL SOFT		SPPV01352	SPPV01352	2xSPPV01473	2xSPPV01472
SQUEEGEE BLADES					
LATEX FRONT BLADE		MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE		MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

WITH
ELECTRIC TRACTION
AND ELECTRONIC BRUSH
PRESSURE CONTROL

ROLLER - WITH ELECTRIC
TRACTION
AND ELECTRONIC
BRUSH PRESSURE
CONTROL

		CT71 XP60	CT71 XP70	CT71 XP55 R
Code		LPTB02921	LPTB01858	LPTB02927
PERFORMANCE				
Max theoretical productivity	m²/h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	70/70	70/70	70/70
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1450	1450	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	815	940	815
Max speed	km/h	4,2	4,2	4,2
Weight (Without Batteries)	kg	96	99	104
Dimension (LxWxH)	mm	1279x653x1033	1297x753x1033	1288x640x1033

STANDARD EQUIPMENT

STANDARD EQUIPMENT		CT71 XP60	CT71 XP70	CT71 XP55R
BRUSHES				
PPL SOFT		2xSPPV01473	2xSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm		-	-	SPPV01163
SQUEEGEE BLADES				
LATEX FRONT BLADE		MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE		MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

TECHNICAL DATA

600 RPM - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

		CT71 XP55 600 RPM	CT71 XP70 600 RPM
Code		LPTB02925	LPTB02926
PERFORMANCE			
Max theoretical productivity	m²/h	2475	3150
Cleaning path	mm	550	700
Water tank capacity (solution recovery)	l	70/70	70/70
Max running time	min	210	210
Voltage	V-Ah	24	24
Installed power	W	1080	1480
Brush pressure	kg	18	23
Motor Brush RPM	rpm	600	600
Squeegee width	mm	815	940
Max speed	km/h	4,5	4,5
Weight (Without Batteries)	kg	89,9	95,4
Dimension (LxWxH)	mm	1327x563x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 XP55 600 RPM	CT71 XP70 600 RPM
PAD HOLDER		
MICROFIBER PAD	SPPV01978	SPPV01983
STANDARD - DIAMOND PAD	SPPV01335	SPPV01228
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm


ORBITAL WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

		CT71 XP20" ORBITAL
Code	LPTB01671	
PERFORMANCE		
Max theoretical productivity	m²/h	2794
Cleaning path	mm	500
Water tank capacity	l	70/70
Max running time	min	210
Voltage	V-Ah	24
Installed power	W	1030
Brush pressure	kg	45,7
Pad RPM	RPM	2200
Squeegee with	mm	815
Max speed	km/h	4,2
Weight	kg	108
Dimension (LxWxH)	mm	1225 x 512 x 1033

STANDARD EQUIPMENT

	CT71 XP20" ORBITAL
SQUEEGEE BLADES	
LATEX FRONT BLADE	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

	CONSUMABLES	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20"ORBITAL
	Brushes	available on price list	•	•	•	•	•	•	•	•		
	Roller Brushes	available on price list									•	
	Pad holder	available on price list	•	•	•	•	•	•	•	•		
	Pads / Super pads	available on price list	•	•	•	•	•	•	•	•		
	Orbital pad	available on price list										•
	Microfiber pads	available on price list								•	•	
	Diamond pads	available on price list								•	•	
	Squeegee blades	available on price list	•	•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	BRUSH HEAD	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20" ORBITAL
	B55		NOT INTERCHANGEABLE BRUSH HEAD									
	BT55	KTRI04851		•	•	•	•	•	•	•	•	•
	BT60	KTRI04852		•	•	•	•	•	•	•	•	•
	BT70	KTRI04853		•	•	•	•	•	•	•	•	•
	XP55 600 RPM	KTRI04855					•	•	•	•	•	•
	XP70 600 RPM	KTRI04856					•	•	•	•	•	•
	XP55 R	KTRI04854					•	•	•	•	•	•
	XP20" ORBITAL	KTRI05787					•	•	•	•	•	•
	Kit Telematic Basic	KTRI06165	•									
		KTRI06163		•	•	•	•	•	•	•	•	•
	Kit Telematic Full	KTRI06164	•									
		KTRI06024		•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	OPTIONAL	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20" ORBITAL
	Chem dose kit	KTRI04846	•	•	•	•	•	•	•	•	•	•
	Splash guard 50/55 cm	KTRI04847	•	•					•			
	Splash guard 60 cm	KTRI05094			•		•					
	Splash guard 70 cm	KTRI05095				•		•		•		
	Tools bar	KTRI04848	•	•	•	•	•	•	•	•	•	•
	Auto-Refill System	KTRI04849	•	•	•	•	•	•	•	•	•	•
	External suction kit	KTRI02257	•	•	•	•	•	•	•	•	•	•
	BIOSAN RAPIDE WT (30 pcs / 30 days)	PRCH00578	•	•	•	•	•	•	•	•	•	•

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00132	2	12V 76 Ah (C5)	330x171x236	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRYERS - WALK BEHIND

CT105

MAX PRODUCTIVITY

4725 m²/h

BATTERIES RUNNING TIME

4,5 h

WATER TANK RUNNING TIME

100'
working session

 **TELEMATICS GPS** (opt)
GEOLOCATION OF
ALL YOUR MACHINES



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLST™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



NEW LARGE COVER



NEW ERGONOMIC HANDLE



HIGH QUALITY MOTOR
GEARBOX

TECHNICAL DATA

		CT105 BT70 LPTB02876	CT105 BT85 LPTB02877	CT105 BT105 LPTB02874
Code				
PERFORMANCE				
Max theoretical productivity	m²/h	3150	3825	4725
Cleaning path	mm	700	850	1050
Water tank capacity (solution recovery)	l	100/110	100/110	100/110
Max running time	min	270	270	270
Voltage	V-Ah	24(4x6) - 250	24(4x6) - 250	24(4x6) - 250
Installed power	W	1650	1850	1850
Brush pressure	kg	67	69	70,8
Squeegee width	mm	940	940	1010
Max speed	km/h	4,5	4,5	4,5
Weight (Without Batteries)	kg	170	173	182
Dimension (LxWxH)	mm	1596x744x1075	1641x880x1075	1750x1112x1075

STANDARD ACCESSORIES

	CT105 BT70	CT105 BT85	CT105 BT105
BRUSHES			
PPL SOFT	2xSPPV01472	2XSPPV02648	2xSPPV01352
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: KTRI02052
DEBRIS COLLECTOR



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: PRCH00578
**BIOSEA CODE:KTRI06221
N RAPIDE WT
(30PCS/30DAYS)**



CODE: KTRI06221
KIT TELEMATIC BASIC



CODE: KTRI06223
KIT TELEMATIC FULL



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	180 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	180 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	190 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	4	6V 250 Ah (C5)	305x180x365	240 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
EXIDE gel battery BAAC00017	4	6V 240 Ah (C5)	311x183x358	240 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00062	4	6V 320Ah (C5)	243x197x275	250 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubular plate BAAC00077	4	6V 222 Ah (C5)	305x180x365	300 min	Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRIERS - RIDE ON

CT81 APC™

MAX PRODUCTIVITY

8000 m²/h
with APC

BATTERIES RUNNING TIME

4,5 h

WATER TANK RUNNING TIME

90'
working session



ONE BRUSH VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



APC™
ADVANCED
PRODUCTIVITY
CONTROL



ANC™
ADVANCE
NOISE
CONTROL



DBL™
DOUBLE
BATTERY
LIFE



MEMORY
CARD



SLST™
SELF
LEVELING
SYSTEM



SERVICE
MENU



BACTERIA
CONTROL

SPECS



4 BATTERIES LODGED IN 1ST
CATEGORY



PRESET WORKING
PROGRAMS



MEMORY CARD

TECHNICAL DATA

		CT81 BT55	CT81 BT60	CT81 BT70
Code		LPTB02802	LPTB02803	LPTB02804
PERFORMANCE				
Max theoretical productivity	m ² /h	3180	3685	4070
Cleaning path	mm	550	600	700
Water tank capacity (solution recovery)	l	80/83	80/83	80/83
Productivity for shift with A.P.C.	m ²	up to 6300	up to 6900	up to 8000
Max running time	min	over 150	over 240	over 240
Voltage	V-Ah	24(2x12)-105	24(4x6)-180	24(4x6)-180
Installed power	W	1200	1600	1600
Brush pressure	kg	22	50	50
Squeegee width	mm	710	942	942
Max speed	km/h	6	6	6
Weight	kg	118	134	145
Dimension (LxWxH)	mm	1310x673x1030	1310x675x1030	1310x760x1030

STANDARD ACCESSORIES

	CT81 BT55	CT81 BT60	CT81 BT70
BRUSHES			
BRUSH	SPPV01352	2xSPPV01473	2xSPPV01472
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 815mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02232
CHEM DOSE KIT



CODE: KTRI02229
FLASHING BEACON KIT



CODE: KTRI02252
CLEAN WATER DRAIN KIT



CODE: KTRI02233
FRONT BUMPER KIT



CODE: KTRI02234
REAR BUMPER KIT



CODE: KTRI02235
ACCESSORIES KIT



CODE: KTRI02236
DEBRIS COLLECTOR KIT



CODE: KTRI02247
AUTO-REFILL SYSTEM



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI04689
FRONT ACCESSORIES HOLDER

PICTURE
NOT
AVAILABLE

CODE: KTRI02249
SPASH GUARD
(ONLY FOR BT55)

PICTURE
NOT
AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x175x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00070	2	12V 118 Ah [C5]	345x174x283	150	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah [C5]	244x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah [C5]	240x190x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah [C5]	246x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134 Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRYERS - RIDE ON

CT110

MAX PRODUCTIVITY

5525 m²/h

BATTERIES
RUNNING TIME

4 h

WATER TANK
RUNNING TIME

100'
working session



MODULAR SPRAYING
SYSTEM 4 in 1 (opt)



TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES



ROLLER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECS™
ECO COST
CLEANING
SOLUTION



SLSTM™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



INTUITIVE CONTROL PANEL



INTEGRATED CHEM DOSE



EASY MAINTENANCE

TECHNICAL DATA

		CT110 BT60 LPTB01312	CT110 BT70 LPTB01311	CT110 BT85 LPTB01313	CT110 BT70 R LPTB02272	CT110 BT85 ECS LPTB02371
Code						
PERFORMANCE						
Max theoretical productivity	m ² /h	3900	4550	5525	4550	5525
Cleaning path	mm	600	700	850	700	850
Water tank capacity (solution recovery)	l	110/115	110/115	110/115	110/115	110/115
Max running time	min	240	240	240	240	240
Voltage	V-Ah	24 (4x6) - 222 GEL	24 (4x6) - 222	24 (4x6) - 222	24 (4x6) - 222	24 (4x6) - 222
Installed power	W	1650	1650	2050	1850	1950
Brush pressure	kg	35	45	60	23,5	60
Squeegee width	mm	815	940	1010	1010	1010
Max speed	km/h	6,5	6,5	6,5	6,5	6,5
Weight (Without Batteries)	kg	209	214	231	209	231
Dimension (LxWxH)	mm	1504x722x1201	1504x759x1021	1504x909x1201	1504x722x1201	1530x950x1460

STANDARD EQUIPMENT

	CT110 BT60	CT110 BT70	CT110 BT85	CT110 BT70 R	CT110 BT85 ECS
BRUSHES					
PPL MEDIUM	2XSPPV01473	2XSPPV01472	2XSPPV02648	-	2XSPPV01527
CYLINDRICAL BRUSH - PPL SOFT Ø 0,4 mm	-	-	-	2xSPPV01320	-
PAD HOLDER	-	-	-	-	2XSPPV02653
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm	MPVR08041 - 1020mm	MPVR08041 - 1170mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm	MPVR08037 - 1020mm	MPVR08037 - 1170mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02257 EXTERNAL SUCTION KIT



CODE: KTRI01710 FLASHING BEACON KIT



CODE: KTRI01711 CHEM DOSE KIT



CODE: KTRI01806 REAR WASTE KIT



CODE: KTRI02037 FRONT BUMPER KIT

PICTURE
NOT
AVAILABLE

CODE: PRCH00578 BIOSAN RAPIDE WT (30PCS/30DAYS)



CODE: KTRI06172 KIT TELEMATIC BASIC



CODE: KTRI06171 KIT TELEMATIC FULL



CODE: KTRI06210 MODULAR SPRAYING SYSTEM 4 IN 1

PICTURE
NOT
AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
Acid tubular plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	210	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30 Ah BACA00066
AGM battery BAAC00107	4	6V 222 Ah (C5)	260x180x295	250	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRYERS - RIDE ON

CT160

MAX PRODUCTIVITY

5700 m²/h

BATTERIES RUNNING TIME

5,5 h

WATER TANK RUNNING TIME

90'
working session



**MODULAR SPRAYING
SYSTEM 4 in 1** (opt)



TELEMATICS GPS (opt)

GEOLOCATION OF
ALL YOUR MACHINES



ROLLER VERSION



SWEEPER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLS™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



PRESET WORKING PROGRAM



PRE-SWEEP SYSTEM



SEPARATE DETERGENT
DOSING SYSTEM

TECHNICAL DATA

Code		CT160 BT70 LPTB01331	CT160 BT85 LPTB01332	CT160 BT95 LPTB01333	CT160 BT75R LPTB01334	CT160 BT75R SWEEP LPTB01335
PERFORMANCE						
Max theoretical productivity	m ² /h	4200	5100	5700	4500	4500
Cleaning path	mm	700	850	950	750	750
Water tank capacity (solution recovery)	l	145/170	145/170	145/170	145/170	145/170
Max running time	min	250	250	250	250	250
Voltage	V-Ah	36 [6x6] - 240	36 [6x6] - 240	36 [6x6] - 240	36 [6x6] - 240	36 [6x6] - 240
Installed power	W	1610	1610	1610	2110	22200
Brush pressure	kg	70	90	100	35	35
Squeegee width	mm	830	1010	1100	1010	1010
Max speed	km/h	6	6	6	6	6
Weight (Without Batteries)	kg	273	290	292	280	300
Dimension (LxWxH)	mm	1720x850x1360	1720x1010x1360	1720x1100x1360	1750x885x1360	1810x1050x1360

STANDARD ACCESSORIES

	CT160 BT70	CT160 BT85	CT160 BT95	CT160 BT75R	CT160 BT75R SWEEP
BRUSHES					
PPL MEDIUM	2xSPPV01533	2xSPPV01527	2xSPPV01539	-	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,4 mm	-	-	-	2xSPPV01286	2xSPPV01286
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR02848 - 880mm	MPVR02830 - 1020mm	MPVR02850 - 1170mm	MPVR02830 - 1020mm	MPVR02830 - 1020mm
LATEX REAR BLADE	MPVR06233 - 920mm	MPVR05883 - 1040mm	MPVR05884 - 1210mm	MPVR05883 - 1040mm	MPVR05883 - 1040mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: KTRI01806

REAR WASTE KIT



CODE: KTRI01597 (BT85)
KTRI02078 (BT95)
FRONT BUMPER KIT

PICTURE
NOT
AVAILABLE

CODE: KTRI02077 (BT 85-95)

REAR BUMP KIT



CODE: KTRI02105

CHEM DOSE KIT

PICTURE
NOT
AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



CODE: KTRI06174
KIT TELEMATIC BASIC



CODE: KTRI06173
KIT TELEMATIC FULL



CODE: KTRI06211
MODULAR SPRAYING
SYSTEM 4 IN 1

PICTURE
NOT
AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	6	6V 180 Ah (C5)	244x192x275	210	Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	6	6V 180 Ah (C5)	246x192x275	210	Stand alone high frequency BLS020 BACA00134
Acid tubular plate BAAC00074	6	6V 185 Ah (C5)	240x190x275	220	Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	6	6V 250 Ah (C5)	305x180x365	280	Stand alone high frequency BLS030 - 36V BACA00276
EXIDE gel battery BAAC00017	6	6V 240 Ah (C5)	311x183x358	280	Stand alone high frequency BLS030 - 36V BACA00276
Acid tubular plate BAAC00062	6	6V 220 Ah (C5)	305x180x365	280	Stand alone low frequency 36V 35 Ah BACA00080
Acid tubular plate BAAC00077	6	6V 320 Ah (C5)	305x180x365	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubular plate BAAC00086	6	6V 280 Ah (C5)	246x198x430	320	Stand alone low frequency 36V 35 Ah BACA00080
Dry charge tubular plate BAAC00088	6	6V 320 Ah (C5)	245x198x430	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubular plate BAAC00113	1	36V 320 Ah (C5)	620x510x410	360	Stand alone low frequency 36V 35 Ah BACA00127

RECOMMENDED BATTERIES AND BATTERY CHARGER



SCRUBBER DRYERS - RIDE ON

CT230

MAX PRODUCTIVITY

9450 m²/h

BATTERIES
RUNNING TIME

5 h

WATER TANK
RUNNING TIME

100'
working session



MODULAR SPRAYING
SYSTEM 4 in 1 (opt)



TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES



BATTERIES AND BATTERY CHARGER NOT INCLUDED

SWEeper VERSION



MOST FREQUENTLY USE

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



SLS™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL



TELEMATICS
GPS

SPECS



PRESET WORKING PROGRAM



PRE-SWEEP SYSTEM



EASY MAINTENANCE

TECHNICAL DATA

Code		CT230 BT85 LPTB02038	CT230 BT95 LPTB01821	CT230 BT105 LPTB02045	CT230 BT100 R SWEEP LPTB01521
PERFORMANCE					
Max theoretical productivity	m²/h	7650	8600	9450	9000
Cleaning path	mm	850	950	1050	1000
Water tank capacity (solution recovery)	l	205/225	205/225	205/225	205/225
Max running time	min	300	300	300	300
Voltage	V-Ah	36 (1x36) - 320	36 (1x36) - 320	36 (1x36) - 320	36 (1x36) - 320
Installed power	W	2850	2850	3050	3470
Brush pressure	kg	100	100	100	35
Squeegee width	mm	1010	1280	1280	1280
Max speed	km/h	9	9	9	9
Weight (Without Batteries)	kg	350	377,5	377,5	377,5
Dimension (LxWxH)	mm	1950x935x1466	1950x1155x1466	1950x1155x1466	1950x1170x1466

STANDARD ACCESSORIES

	CT230 BT85	CT230 BT95	CT230 BT105	CT230 BT100 R SWEEP
BRUSHES				
PPL MEDIUM	2xSPPV01527	SPPV01539	2xSPPV01545	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	2xSPPV01330
SIDE BRUSH - PPL MEDIUM	-	-	-	2xSPPV00018
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR05908 - 1180mm	MPVR05908 - 1180mm	MPVR05885 - 1420mm	MPVR05885 - 1420mm
LATEX REAR BLADE	MPVR05909 - 1230mm	MPVR05909 - 1230mm	MPVR05886 - 1490mm	MPVR05886 - 1490mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01944
**OVERHEAD GUARD KIT
FOR BT85/BT95/BT105**



CODE: PRCH00578
**BIOSAN RAPIDE WT
(30PCS/30DAYS)**



CODE:KTRI06224
KIT TELEMATIC BASIC



CODE:KTRI06225
KIT TELEMATIC FULL



CODE:KTRI06212
**MODULAR SPRAYING
SYSTEM 4 IN 1**

PICTURE
NOT
AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
GEL battery BAAC00108	6	6V 250 Ah (C5)	305x180x365	250	Stand alone high frequency BLS030 - 36V BACA00276
EXIDE gel battery BAAC00017	6	6V 240 Ah (C5)	311x183x358	250	Stand alone high frequency BLS030 - 36V BACA00276
Acid tubular plate BAAC00113	1	36V 320 Ah (C5)	620x510x410	360	Stand alone low frequency 36V 35 Ah BACA00127

По вопросам продаж и поддержки обращайтесь:			
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	