

Химчистки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

PORTOTECNICA™

member of **IPC**

VACUUM CLEANERS - PREMIUM LINE - WET EXTRACTORS

PLUS 1 W 1 32 S

ASDO40035

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

32

l

PUMP POWER

48

W

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

AUTOMOTIVE



HORECA



OFFICE



EDUCATION



RETAIL



INNOVATIONES



NEW BLEND
FLEXIBLE HOSE

SPECS



EXTRACTABLE PLASTIC
DETERGENT TANK FOR RAPID
FILLING AND EASY CLEANING



HEAD WITH CABLE HOOK



TROLLEY WITH FOUR
SWIVELLING WHEELS FOR EASY
MANOEUVRING

TECHNICAL DATA

PLUS 1 W 1 32 S		
Code		ASDO40035
PERFORMANCE		
Usage		ONLY WET
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	32
Detergent tank capacity	l	11
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	380 x 380 x 650
Weight	kg	12,4

STANDARD EQUIPMENT

CODE: TBFX01154
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: SPPV72123
NOZZLE FOR FLOOR AND
CARPET Ø36 mm



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



OPTIONAL ACCESSORIES

CODE: SPPV28430
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



CODE: SPPV72266
CHROMED CARPET CLEANER
(1 NOZZLE) Ø36 mm



CODE: KTRI86511
FILTERING KIT



PORTOTECNICA™

member of **IPC**

VACUUM CLEANERS - PREMIUM LINE - WET EXTRACTORS

PLUS 1 W 1 22 P

ASDO40034

POWER MAX

1200

W

WATER LIFT

2470

mmH₂O

AIRFLOW

210

m³/h

TANK CAPACITY

22

l

PUMP POWER

48

W

EXCLUSIVE CHARACTERISTICS

- ▶ AP TUBE
- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ SCREWING CONNECTION
- ▶ SEALANT FLOATER AND INTEGRATED ANTIFOAM SYSTEM
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

AUTOMOTIVE



HORECA



OFFICE



RETAIL



EDUCATION



INNOVATIONES



NEW BLEND
FLEXIBLE HOSE

SPECS



PARTICULARLY SUITABLE
FOR CLEANING FABRICS AND
CARPETS



HEAD WITH ANTI FOAM
SYSTEM



EXTRACTABLE PLASTIC
DETERGENT TANK FOR RAPID
FILLING AND EASY CLEANING

TECHNICAL DATA

Code		PLUS 1 W 1 22 P
PERFORMANCE		ASDO40034
Usage		WET & DRY
Motor		1
Power	W	1200
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	210
Tank Capacity	l	22
Detergent tank capacity	l	6
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	72
Pump power	W	48
Pump capacity	l/min	0,8
Pump pressure	bar	2
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	520 x 420 x 590
Weight	kg	10,2

STANDARD EQUIPMENT

CODE: KTRI04111
FILTERING KIT



CODE: TBFX85416
FLEXIBLE HOSE 2 m
Ø36 mm



CODE: MPVR85445
CLIP TO FIX HYDROLITYC
HOSE (4 PCS INCLUDED)



CODE: SPPV85446
NOZZLE FOR FLOOR AND
CARPET Ø36 mm



CODE: SPPV40311
EXTRACTOR UPHOLSTERY
TOOL Ø36 mm



CODE: SPPV28430
DOUBLE USE BRUSH
Ø36 mm



CODE: SPPV28243
ROUND BRUSH Ø36 mm



CODE: MPVR00141
SMALL TOOL Ø36 mm



CODE: SPPV28242
FLAT LANCE Ø36 mm



PORTOTECNICA™

member of **IPC**

VACUUM CLEANERS - PREMIUM LINE - WET EXTRACTORS

PLUS 1 W 2 60 S GA

ASDO40036

POWER MAX

2400

W

WATER LIFT

2470

mmH₂O

AIRFLOW

420

m³/h

TANK CAPACITY

60

l

PUMP POWER

90

W

EXCLUSIVE CHARACTERISTICS

- ▶ SANIFILTER
- ▶ INNOVATIVE GASKET
- ▶ STRONG HOOKS
- ▶ INDEPENDENT MOTORS WITH LIGHT SWITCHES
- ▶ SEALANT FLOATER & INTEGRATED ANTIFOAM SYSTEM
- ▶ DRAIN HOSE
- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- ▶ DOUBLE STAGE MOTORS



MOST FREQUENTLY USE

AUTOMOTIVE



HORECA



EDUCATION



OFFICE



INNOVATIONS



EXCLUSIVE
IPC
PUMP



NEW BLEND
FLEXIBLE HOSE

SPECS



DETERGENT INJECTION AND EXTRACTION. PARTICULARLY SUITABLE FOR CLEANING CAR INTERIORS.



AISI 304 STAINLESS STEEL TANK



THE MACHINE IS EQUIPPED WITH EXTERNAL TANK FOR CLEAN WATER FILLING.

TECHNICAL DATA

Code		PLUS 1 W 2 60 S GA
PERFORMANCE		ASDO40036
Usage		WET & DRY
Motor		2
Power	W	2400
Voltage	V	220-240
Waterlift	mmH ₂ O	2470
Airflow	m ³ /h	420
Tank Capacity	l	60
Cable length	m	8,5
Sound Pressure Level (EN 60704-1; EN 60704-2-1; IEC 60335-2-68)	dB(A)	74
Pump power	W	90
Pump capacity	l/min	1,8
Pump pressure	bar	3,5
Diameter of inlet	mm	40
Dimensions (LxWxH)	mm	550 x 600 x 920
Weight	kg	28

STANDARD EQUIPMENT

CODE: FTDP28733
FILTERING KIT



CODE: TBBP72095
FLEXIBLE HOSE 2,5 m
Ø38 mm



CODE: SPPV28251
EXTRACTOR UPHOLSTERY
TOOL



OPTIONAL ACCESSORIES

CODE: SPPV28781
CARPET CLEANER 2
NOZZLES Ø38 mm



CODE: SPPV72118
FLOOR CLEANER WITH 4
NOZZLES Ø38 mm



CODE: SPPV72340
EXTRACTION POWER
WAND ATLANTA (FOR
FLOOR AND CARPET)



CODE: SPPV01837
EXTRACTION POWER
WAND FLORIDA (ONLY
FOR CARPET)



Турбина для Экстрактора Portotecnica PLUS 1 W 1 22 P



Код артикула: 11 ME 00/61300501

По вопросам продаж и поддержки обращайтесь:			
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	